

Combined Author Index

- Abba, I.A. 229-238B
 Abbaschian, R. 1309-1314B
 Abe, E. 19-26A
 Acoff, V.L. 927-935A
 Adachi, K. 2195-2203A
 Agren, J. 1029-1034A
 Ahmad, N. 617-630A
 Ahmadabadi, M.N. 2297-2306A
 Ahn, S. 1395-1404A
 Ahzi, S. 191-203A
 Aifantis, E.C. 2261-2271A
 Akselsen, O.M. 119-129A
 Al-Jarrah, J.A. 1711-1718A
 Alam, M. 95-104B
 Alexandro, I.V. 2253-2260A
 Allison, J.E. 2843-2854A
 Almer, J.D. 2127-2136A
 An, S.U. 89-98A
 Ando, T. 3047-3056A
 Andrade, M.S. 1415-1423A
 Andres, C. 2843-2854A
 Andrieu, E. 1643-1651A
 Asahi, H. 1375-1381A
 Asaki, Z. 331-338B
 Ashbee, K.H.G. 7-18A
 Asthana, R. 1527-1530A
 Aswath, P.B. 1485-1498A
 Atteridge, D.G. 661-672B
 Awadallah, R.M. 1149-1156B
 Awakura, Y. 1193-1198B
 Ayer, R. 903-905A
 Azy, P. 1367-1374A
 Azimzadeh, S. 2455-2467A
 Baczynski, J. 447-462A
 Baghalha, M. 945-952B
 1021-1030B
 Bai, D.Q. 989-1001A
 1383-1394A
 Bai, R. 757-764A
 Baker, T.N. 823-832A
 Balzer, M. 427-437A
 Barbante, G.G. 555-562B
 Barrett, D.J. 1405-1414A
 Bate, P.S. 1405-1414A
 Beaudoin, A.J. 2323-2332A
 Belashchenko, D.K. 105-110B
 Belton, G.R. 137-145B
 296-298B
 829-836B
 837-845B
 935-938B
 Belyakov, A. 161-167A
 2957-2965A
 Bengochea, R. 417-426A
 Berbon, P.B. 169-177A
 2237-2243A
 Beresford, J.R. 757-764A
 Bergeles, G. 641-649B
 1117-1126B
 1321-1327B
 Besson, J. 1643-1651A
 Betancourt, T. 1677-1690A
 Bewlay, B.P. 2933-2939A
 Bharani, D.J. 927-935A
 Bhargava, N.R.M.R. 2835-2842A
 Bieler, T.R. 89-98A
 Bigot, J. 2941-2949A
 Bingel, W.H. 1955-1964A
 Biswas, A. 309-315B
 Biswas, D.K. 377-385A
 Bjorklin, T. 205-210B
 Blander, M. 493-495B
 Blinksop, P.A. 919-925A
 Bloyer, D.R. 2483-2496A
 Boland, F. 1727-1739A
 Borggren, U. 205-210B
 Bose, D.K. 309-315B
 Bose, S.K. 1853-1863A
 Bourgeois, T. 1199-1207B
 Bouris, D. 641-649B
 Bowman, R.R. 493-505A
 Brady, B.H. 1227-1234B
 Brennenstuhl, A. 387-396A
 Briant, C.L. 757-764A
 2933-2939A
 Brimacombe, J.K. 611-620B
- 621-633B
 709-719B
 2399-2406A
 2323-2332A
 1007-1019B
 1199-1207B
 1415-1423A
 Bustnes, J.A. 1136-1139B
 Butt, D.P. 2753-2760A
 Cahoon, J.R. 1101-1111A
 Cai, W. 1085-1096B
 1097-1106B
 Campbell, C.E. 205-210B
 Carboneau, Y. 1759-1763A
 Carmichael, C.A. 1811-1820A
 Carsley, J.E. 2261-2271A
 Casas, J.M. 899-909B
 Catalina, A. 1697-1706A
 Chakrabarti, A.K. 1175-1180B
 Chakraborty, A. 957-964A
 Champion, Y. 2941-2949A
 Chan, K.S. 73-87A
 Chan, T.-Y. 2885-2892A
 Chang, C.-C. 2511-2521A
 Chang, C.C. 907-909A
 Chang, J. 1873-1882A
 Chang, K.S. 1107-1115B
 Chang, L. 1371-1372B
 Chang, L.A. 1911-1915A
 2447-2450A
 2717-2726A
 217-226A
 Chang, Y.W. 1199-1207B
 Charette, A. 2639-2642A
 Chatterjee, S.K. 2639-2642A
 Chattopadhyay, S.K. 1101-1111A
 Chaturvedi, M.C. 1947-1954A
 2843-2854A
 Chawla, N. 293-295B
 Chekmarev, A.M. 1965-1972A
 Chen, C.-M. 1811-1820A
 Chen, C.H. 2001-2009A
 Chen, C.R. 131-137A
 Chen, F.-X. 1741-1747A
 Chen, J. 401-403A
 Chen, J.J.J. 563-567B
 Chen, J.K. 2049-2058A
 Chen, S.-W. 1965-1972A
 Chen, W. 1947-1954A
 Chen, Z.D. 563-567B
 Cheng, X. 53-58B
 Chidambaram, P.R. 327-337A
 Chihara, T. 755-761B
 Chiou, W.-C. 1069-1076B
 Cho, I.S. 341-351A
 Cho, K. 469-476A
 Choi, C.S. 1873-1882A
 Choi, Y.-S. 1051-1056B
 Chou, Y.T. 2121-2125A
 Chowdhury, S.G. 2893-2902A
 Christ, H.-J. 2995-3004A
 Chu, J.P. 647-658A
 Chumbley, L.S. 863-873A
 Chung, C.H. 647-658A
 Chung, C.Y. 1865-1871A
 Chung, H.H. 2273-2283A
 Chung, J.S. 2407-2424A
 Clavel, M. 1615-1628A
 Cohen, A. 493-495B
 Cohen, J.B. 2127-2136A
 Coley, K.S. 111-118B
 Colin, C. 1727-1739A
 Colinet, C. 1367-1374A
 Combeau, H. 617-630A
 Conley, J.G. 1249-1260B
 Cornet, X. 2383-2393A
 Cornie, J.A. 2855-2862A
 Corum, J.M. 2855-2862A
 Cotton, J.D. 139-147A
 Couture, A. 1759-1763A
 Cramb, A.W. 763-771B
 935-938B
 Cretigny, P. 1917-1922A
 Curreiri, P.A. 1691-1696A
 1697-1706A
 2903-2912A
- Dai, S.L. 2597-2611A
 Dantzig, J.A. 679-690B
 Dariel, M.P. 1341-1345A
 Darolia, R. 179-189A
 Das, D.K. 2173-2188A
 Das, S. 527-540B
 2747-2752A
 Dasgupta, R. 2747-2752A
 Dash, R.R. 1135-1136B
 de Nora, V. 59-67B
 Dehossan, J.Th.M. 153-159A
 Delannay, F. 1727-1739A
 1895-1909A
 2383-2393A
 749-754B
 Delplanque, J.-L. 2597-2611A
 Deng, K. 1345-1356B
 Denzer, D.K. 191-1201A
 1203-1210A
 Desbiolles, J.-L. 617-630A
 Deshpande, N.U. 1191-1201A
 1203-1210A
 Dessureault, Y. 591-601B
 Detemple, K. 153-159A
 Deura, T.N. 1167-1174B
 Dhindaw, B.K. 1691-1696A
 1697-1706A
 2687-2695A
 Dighe, M.D. 905-907A
 7-18A
 Dimiduk, D.M. 37-47A
 937-942A
 147-153B
 Dippenaar, R.J. 1719-1725A
 Disam, J. 3047-3056A
 DiVenuti, A.G. 1805-1809A
 Dogan, C.P. 2469-2475A
 Doherty, K.J. 1821-1824A
 Dominguez, O. 2941-2949A
 Donald, J.R. 317-323B
 Doty, H.W. 2871-2884A
 Dowson, A.L. 1357-1369B
 Doyle, C. 317-323B
 Draper, S.L. 1527-1530A
 Dravid, V.P. 205-210B
 Dreisinger, D.B. 1157-1166B
 Driver, J. 2333-2344A
 Duan, Z.P. 685-692A
 Dunand, D.C. 565-575A
 2571-2582A
 DuPont, J.N. 929-931B
 1449-1456A
 2785-2796A
 2797-2806A
 1319-1327A
 1329-1339A
 2433-2446A
 1471-1475A
 Eagar, T.W. 315-325A
 Earthman, J.C. 957-964A
 Easton, D.S. 1811-1820A
 Edmonds, D.V. 2913-2924A
 Edwards, G.R. 327-337A
 Egami, T. 1805-1809A
 Egner, E. 69-76B
 Egly, I. 1031-1035B
 El Hazeq, N.T. 1149-1156B
 El-Eskandarany, M.S. 1973-1981A
 Elmer, J.W. 2761-2773A
 Embury, J.D. 2613-2620A
 Euh, K. 2543-2554A
 919-928B
 971-978B
 979-986B
 1281-1288B
 1289-1295B
 361-367A
 1933-1939A
 631-646A
 875-891A
 893-902A
 951-955A
 2655-2668A
 1615-1628A
 1829-1835A
 847-855B
- Feng, C.R. 1145-1151A
 Feng, H.-P. 2511-2521A
 Feufel, H. 807-813B
 Finch, J.A. 911-917B
 Fischmeister, H.F. 205-216A
 Fisher, A. 2261-2271A
 Flemings, M.C. 1707-1710A
 Flintoff, J.G. 1955-1964A
 Foley, R.P. 289-298A
 Fonda, R.W. 2101-2110A
 Frage, N. 1341-1345A
 Franks, L.L. 2707-2715A
 Fredman, T.P. 651-659B
 Fromm, E. 421-427B
 Frommeyer, G. 1425-1430A
 Fruehan, R.J. 935-938B
 Frumin, N. 1341-1345A
 Fu, C.L. 49-63A
 Fu, Q. 971-978B
 979-986B
 Fuchs, G.E. 27-36A
 Fuh, B.C. 1457-1470A
 Fujii, K. 1161-1167A
 Fukumasa, H. 263-277A
 Fukunaga, H. 1517-1524A
 Furukawa, M. 169-177A
 2011-2013A
 2237-2243A
 2245-2252A
 Furuya, Y. 307-314A
 Gaballah, I. 729-737B
 1299-1308A
 1175-1180B
 765-773A
 Gail, K. 1161-1167A
 Gamada, H. 1345-1356B
 Gan, Y. 1485-1498A
 Ganesan, R. 659-664A
 Ganesan, V. 807-813B
 Gangloff, R.P. 1599-1613A
 Gao, J. 1315-1319B
 2497-2502A
 Gao, M. 1145-1151A
 Gao, W. 2957-2965A
 Garg, A. 179-189A
 Gaskell, D.R. 843-853A
 Gatica, J.E. 377-385A
 Gazzero, P.C. 275-281B
 Gellmacher, A.B. 775-780A
 German, R.M. 659-664A
 857-866B
 1257-1263A
 1309-1317A
 2631-2638A
 3057-3067A
 1711-1718A
 Ghosh, P.K. 2399-2406A
 Giannuzzi, L.A. 1181-1189A
 Gibson, E.D. 919-925A
 Goetz, R.L. 2307-2321A
 Gokhale, A.A. 665-675A
 Gokhale, A.M. 237-244A
 905-907A
 1191-1201A
 1203-1210A
 1415-1423A
 485-492A
 Gonzalez, B.M. 1499-1507A
 Gonzalez-Doncel, G. 17-22B
 Gore, N.M. 1719-1725A
 Gotsis, C. 1837-1843A
 Govindarajan, S. 1643-1651A
 Granato, A.V. 773-784B
 Grange, M. 993-1006B
 Gray, N.B. 659-664A
 937-942A
 Griffin, M.A. 507-512A
 Gu, H. 513-518A
 Gu, N. 1579-1583A
 Guigne, J.Y. 867-875B
 877-887B
 889-897B
 Guillot, I. 1615-1628A
 Guo, H. 513-518A
 Guo, Q. 815-820B
 Guo, R.Q. 519-525B

Guo, S.Q.	693-696A	Hu, C.-T.	1069-1076B		1697-1706A		2245-2252A
Gutierrez, I.	417-426A	Hu, D.	919-925A	Kagawa, Y.	693-696A		2503-2510A
	1003-1015A	Hu, H.	911-917B	Kageyama, R.	919-928B		2523-2531A
	2975-2986A	Hu, Z.Q.	404-408A	Kaibyshev, R.	161-167A	Larsen, D.E.	89-98A
Hackenberg, R.E.	2087-2100A	Huang, J.	1249-1260B	Kainuma, R.	2225-2227A	Lavernia, E.J.	793-806B
Hahn, S.H.	223-228B	Huang, J.-H.	1047-1056A	Kaji, M.	1209-1218B		1085-1096B
Hahn, Y.B.	1107-1115B	Huang, M.L.	3037-3046A	Kale, G.B.	309-315B		1097-1106B
Haji-Sheikh, A.	1485-1498A	Huez, J.	1615-1628A	Kale, G.M.	31-38B		2469-2475A
Hajra, J.P.	611-616A	Hunt, J.D.	751-755A	Kametani, H.	1261-1267B		2597-2611A
Hall, I.W.	1347-1355A	Hwang, C.N.	696-700A	Kamio, A.	1161-1167A	Lawrence, K.L.	1485-1498A
Hamada, K.	1127-1135A	Hwang, K.S.	1509-1516A	Kannan, N.	729-737B	Lee, B.-J.	1441-1447A
Hamaguchi, Y.	791-798A	Hwang, S.J.	2273-2283A		1299-1308A	Lee, C.-L.	131-137A
Hamilton, C.H.	1211-1220A	Hwang, S.M.	2407-2424A	Kaneki, Y.	987-991B	Lee, C.G.	227-235A
Han, F.	1315-1319B	Hyatt, C.V.	1677-1690A	Kanert, O.	153-159A		469-476A
	2497-2502A	Iguchi, M.	211-222B	Karaman, I.	1211-1220A		477-483A
Han, K.S.	1983-1989A		569-575B	Karagöz, S.	205-216A	Lee, C.S.	217-226A
Han, Q.	415-420B		755-761B	Karma, A.	427-437A		559-564A
	751-755A		1209-1218B	Kashiwaya, K.	1457-1470A		1431-1439A
Hanlon, D.N.	2727-2736A		1219-1225B	Kashiwaya, Y.	987-991B	Lee, E.-S.	1395-1404A
Hansen, E.M.	69-76B	Iino, M.	1017-1021A	Kawabata, R.	763-771B	Lee, H.-I.	699-708B
Hansen, J.G.R.	2855-2862A	Ikeeda, K.	943-950A	Kaya, A.A.	577-581B	Lee, J.H.	397-401A
Hansen, N.	2333-2344A	Ikeno, S.	1161-1167A	Ke, W.	2913-2924A		1127-1135A
Harada, H.	537-549A	Ikeuchi, S.	1169-1174A	Kellgren, P.	401-403A	Lee, J.K.	2039-2048A
Harlet, P.	2383-2393A	Ilegbusi, O.J.	211-222B	Kemali, M.	205-210B		2161-2172A
Harris, J.A.	773-784B	Imaishi, M.	223-228B	Kemori, N.	1023-1028A	Lee, K.B.	3087-3095A
Hashida, T.	791-798A	Incropera, F.P.	843-853A	Kim, C.M.	1329-1343B	Lee, P.Y.	647-658A
Hassan, M.Y.	1149-1156B	Inoue, A.	1779-1793A	Kim, D.-K.	397-401A	Lee, S.	227-235A
Hastaoglu, M.A.	229-238B		1811-1820A	Kim, D.H.	1057-1069A		469-476A
Hatano, T.	23-29B		1127-1135A	Kim, H.-D.	1221-1235A		477-483A
Hatta, N.	2829-2834A		807-813B	Kim, H.G.	1441-1447A		700-705A
Hawbolt, E.B.	611-620B		77-83B	Kim, J.K.	583-590B		793-806B
	621-633B		85-94B	Kim, J.S.	351-358A		1057-1069A
	709-719B		785-791B	Kim, K.J.	217-226A		1221-1235A
Hawley, M.	2753-2760A	Irwin, R.B.	2399-2406A	Kim, N.J.	469-476A		2121-2125A
Hayes, P.C.	541-553B	Ishida, K.	2225-2227A	Kim, S.H.	2273-2283A	Lee, S.-C.	2543-2554A
Haynes, P.M.	1599-1613A	Ishii, K.	987-991B	Kim, S.S.	2273-2283A	Lee, S.H.	2511-2521A
Hazzledine, P.J.	37-47A	Islamgaliev, R.K.	2253-2260A	Kim, T.-G.	2583-2590A	Lee, W.Y.	1221-1235A
	937-942A	Ito, K.	131-136B	Kim, Y.S.	1051-1056B	Lee, Y.	833-841A
He, Y.	1795-1804A	Iuchi, K.	1235-1240B	King, J.S.	3087-3095A	Lee, Y.E.	405-410B
	1805-1809A	Ivanaj, S.	1299-1308A	Kishi, T.	1593-1598A	Lee, Z.-H.	397-403B
Heatherly, L.	1811-1820A	Iwahashi, Y.	2245-2252A	Kiss, L.I.	781-789A	Lehockey, E.M.	1051-1056B
Hecht, R.L.	2137-2145A		2503-2510A	Kitagawa, S.	1199-1207B		387-396A
Heckel, R.W.	325-329B	Iwasaki, H.	677-683A	Kitamawa, T.	223-228B		3069-3079A
Hei, Z.	2477-2481A	Iwasawa, K.	411-414B	Kitsunai, Y.	2533-2542A	Leitner, J.	1372-1374B
Heinrich, J.C.	847-855B	Iwase, M.	577-581B	Kivilahti, J.K.	1289-1298A	Lengauer, W.	439-446A
Helbert, A.L.	1615-1628A	Iza-Mendia, A.	2975-2986A	Kjelstrup, S.	2951-2956A	Lesoult, G.	617-630A
Hellmann, J.F.	1499-1507A	Jacob, K.T.	1241-1248B	Klepp, O.J.	69-76B	Lesuer, D.R.	1081-1091A
Hemker, K.J.	65-71A		1525-1527A	Kluhe, R.L.	815-820B	Levin, L.	1341-1345A
	99-104A	Jacobs, G.	1545-1550A	Kobayashi, T.	1551-1558A	Lewandowski, J.J.	1749-1757A
Henein, H.	2613-2620A	Jacobs, M.H.	1031-1035B	Kobayashi, Y.	263-277A	Lewis, R.W.	437-448B
Henry, S.	2807-2817A	Jacobus, K.	1357-1369B	Koch, C.C.	1037-1042B	Li, C.	119-129A
Henshall, G.A.	1081-1091A	Jacques, P.	765-773A	Koch, P.T.L.	2285-2295A	Li, D.	1821-1824A
Her, Y.C.	2737-2746A	Jahanshahi, S.	2383-2393A	Komatsu, H.	1329-1343B	Li, D.M.	1431-1439A
Herfurth, G.	2775-2784A		177-186B	Kongoli, F.	1169-1174A	Li, H.	1181-1191B
Hertzberg, J.L.	1035-1046A	Jain, M.	187-195B	Konno, T.J.	591-601B		2001-2009A
Heuser, B.J.	1593-1598A	Jak, E.	527-535A	Kozekwa, D.A.	1973-1981A	Li, J.	401-403A
Higashi, K.	677-683A	Jalanti, T.	541-553B		2323-2332A	Li, J.B.	2001-2009A
Higuchi, K.-I.	351-360B	Jansson, B.	617-630A	Koss, D.A.	775-780A	Li, L.	149-151A
Hill, M.A.	2753-2760A	Jarry, P.	163-176B		1499-1507A	Li, M.V.	661-672B
Hines, J.A.	191-203A	Javernick, D.A.	2807-2817A	Koul, A.K.	2687-2695A	Li, S.Q.	559-564A
Hino, M.	351-360B	Jayaganthan, R.	327-337A	Kozarek, R.L.	793-806B	Li, X.Z.	1559-1563A
Hiraga, K.	1559-1563A	Jayaram, R.	611-616A	Kraft, T.	361-367A	Li, Y.	2523-2531A
Hirai, T.	1973-1981A	Jena, A.K.	1551-1558A		2447-2450A	Liang, Q.	2059-2072A
Hirao, M.	2987-2993A	Jensen, J.A.	2893-2902A	Krane, M.J.M.	843-853A	Liao, C.-M.	1153-1160A
Hirasawa, M.	739-747B	Jeong, W.C.	863-873A	Krauss, G.	289-298A	Liaw, P.K.	833-841A
Hirato, T.	1193-1198B	Jha, A.K.	463-467A	Krishnamurthy, S.	1279-1288A		2855-2862A
Hirth, J.P.	2033-2038A	Jiang, H.G.	2747-2752A	Kroupa, A.	2049-2058A	Lin, C.-C.	1965-1972A
Hiskey, J.B.	53-58B	Jimenez, J.A.	2469-2475A	Kulkarni, N.S.	2221-2225A	Lin, F.-B.	1923-1931A
Hlavacek, V.	1297-1307B	Jin, W.	1425-1430A	Kumagai, T.	19-26A	Lin, P.	3069-3079A
Hoagland, R.G.	2033-2038A	Jin, Y.	700-705A	Kumar, R.	527-540B	Lin, S.-T.	2885-2892A
Hoburg, J.F.	275-281B	Joguet, M.	2195-2203A	Kumar, S.	2147-2159A	Linderth, S.	367-376A
Hodaj, F.	1367-1374A	Johnson, C.H.	439-446A	Kuo, K.H.	1565-1572A	Lindsley, B.A.	1071-1079A
Holden, R.M.	2967-2973A	Johnson, E.	1211-1220A	Kurtz, R.J.	2033-2038A	Lippard, H.E.	205-210B
Holt, T.A.	2967-2973A	Johnson, J.L.	367-376A	Kusabiraki, K.	1169-1174A	Liu, C.T.	105-117A
Honda, T.	1193-1198B	Johnson, W.C.	857-866B	Kuwano, H.	791-798A		1811-1820A
Hong, C.P.	341-351A	Jonas, J.J.	2021-2032A	Kwon, H.	397-401A		1911-1915A
Hong, J.-H.	1441-1447A		447-462A		3087-3095A	Liu, F.	2111-2119A
Hong, K.T.	2221-2225A		989-1001A	Kylo, A.K.	239-249B	Liu, G.	3081-3086A
Honores, S.	961-969B		1383-1394A		251-259B	Liu, J.	59-67B
Hopkins, J.A.	1137-1139A	Jones, J.W.	2843-2854A		261-268B		1191-1201A
Horita, Z.	169-177A	Jones, W. K., Jr.	1281-1288B	Ladriere, J.	2383-2393A		1203-1210A
	2011-2013A	Jones, W.K., Jr.	1289-1295B	Lagally, M.G.	2111-2119A		1227-1234B
	2237-2243A	Jonsson, S.	361-370B	Lai, J.K.L.	559-564A	Liu, N.	541-553B
	2245-2252A		371-384B		1865-1871A	Liu, Q.	1579-1583A
	2503-2510A	Jordan, C.E.	479-484B	Lai, Z.	119-129A		2333-2344A
	781-789A	Jorgensen, F.R.A.	485-492B	Laird, C.	507-512A	Liu, Q.M.	404-408A
Horiya, T.	325-329B		773-784B		513-518A	Liu, S.C.	791-798A
Horn, Q.C.	905-907A		993-1006B	Lam, C.W.H.	1865-1871A	Liu, T.F.	686-700A
Horstemeyer, M.	1811-1820A	José-Yacamán, M.	713-725A	Lambert, J.M., Jr.	385-396B	Liu, Z.-K.	1029-1034A
Horton, J.A.	1585-1592A	Joshi, S.V.	2173-2188A	Langdon, T.G.	169-177A	Lloyd, D.J.	611-620B
Howe, J.M.	223-228B	Jung, J.Y.	1395-1404A		2011-2013A		621-633B
Hozawa, M.	2511-2521A	Juretzko, F.R.	1691-1696A		2237-2243A		709-719B

Lohoefer, G.	1031-1035B		889-897B	Panova, J.	951-955A	Romero, J.L.	1003-1015A
López, B.	417-426A		1719-1725A	Papangelakis, V.G.	945-952B	Rönkä, K.J.	2951-2956A
Lorenzen, L.	283-291B	Moreno, L.	899-909B		1021-1030B	Ross, D.K.	1023-1028A
Loretto, M.H.	919-925A	Mori, T.	677-683A	Pardoen, T.	1895-1909A	Roy, G.G.	339-349B
Lowe, T.C.	2253-2260A		1249-1260B	Park, H.G.	1309-1314B		931-935B
Lu, M.	99-104A	Morita, K.	197-203B	Park, I.	2543-2554A	Roy, R.R.	821-827B
Lu, Z.Z.	1093-1099A		411-414B	Park, K.-T.	1559-1563A	Ruano, O.A.	485-492A
Luévano, A.J.	727-737A		1043-1049B	Park, W.-J.	1395-1404A	Ruiz, M.C.	961-969B
Luiggi, N.J.	2669-2677A		1235-1240B	Park, W.J.	477-483A	Ryu, S.H.	1573-1578A
Luo, J.	673-678B	Morita, Z.-I.	1209-1218B	Parthasarathy, T.A.	37-47A	Saha, G.G.	665-675A
Lynch, D.C.	298-300B	Morris, A.E.	1181-1191B	Patil, R.	1241-1248B	Sahajwalla, V.	471-477B
	429-436B	Morris, B.R.	237-244A	Patwardhan, A.K.	2147-2159A	Sahm, P.R.	1113-1119A
Ma, D.	1113-1119A	Mortensen, A.	2819-2828A	Pedersen, A.S.	367-376A	San Marchi, C.	2819-2828A
Ma, X.L.	1565-1572A	Mukai, K.	1121-1125A	Pelosi, V.	1175-1180A	Sakai, T.	161-167A
Ma, Y.	2477-2481A	Mukhopadhyay, A.K.	979-987A	Pelton, A.D.	591-601B		2957-2965A
Ma, Z.	1579-1583A	Mukhopadhyay, P.	1883-1894A	Perez, R.J.	2469-2475A	Sakai, Y.	223-228B
Mabuchi, M.	677-683A	Munroe, N.D.H.	1933-1939A	Pérez-Prado, M.T.	485-492A	Sakamoto, M.	211-222B
Maccagno, T.M.	989-1001A		507-512A	Perng, T.-P.	131-137A	Samajdar, I.	2835-2842A
	1383-1394A		513-518A	Perry, A.J.	593-610A	Samarasekera, I.V.	611-620B
MacDonald, W.D.	315-325A	Murase, K.	1193-1198B	Perujo, A.	1023-1028A		621-633B
MacEwen, S.R.	527-535A	Murayama, Y.	987-991B	Pickles, C.A.	39-51B		709-719B
Macmeier, P.	903-905A	Murray, A.L.	2933-2939A	Pike, L.M.	1911-1915A	Samuel, A.M.	2871-2884A
Madariaga, I.	1003-1015A	Murty, K.L.	153-159A	Piñol-Juez, A.	2975-2986A	Samuel, F.H.	2871-2884A
Magge, K.H.	1677-1690A	Mutasa, B.	2655-2668A	Pint, B.A.	833-841A	Samuelson, S.	793-806B
Mahoney, M.W.	1955-1964A	Myo-Chin, M.	577-581B	Pippard, R.	1357-1360A	Sano, M.	211-222B
Maiboroda, A.B.	293-295B	Nagai, K.	809-822A	Poirier, D.R.	847-855B		739-747B
Maier, H.J.	427-437A		3017-3028A	Polak, M.	1341-1345A	Sano, N.	197-203B
	765-773A	Nagarajan, R.	2433-2446A	Pollock, T.M.	965-978A		411-414B
Maire, E.	2995-3004A	Nagasaka, T.	351-360B	Pomfret, R.J.	111-118B		1043-1049B
Majumdar, B.S.	2613-2620A	Nagumo, M.	279-287A	Pompe, O.	361-367A		1235-1240B
Makinde, A.	1237-1243A		551-558A	Poole, W.J.	855-861A	Santerre, R.	1007-1019B
Malow, T.R.	527-535A	Nakajima, K.	211-222B	Poon, S.J.	1821-1824A	Sany-Ya, S.	351-360B
Mangan, M.A.	2285-2295A	Nakamura, K.-I.	569-575B	Pototzky, P.	2995-3004A	Sapozhnikova, S.Yu.	105-110B
Marder, A.R.	2101-2110A	Nakamura, M.	19-26A	Powell, G.L.F.	2775-2784A	Sarangi, B.	1135-1136B
	479-484B	Nakamura, S.	411-414B	Prasad, B.K.	1245-1255A	Sarma, B.	935-938B
	1071-1079A	Nakano, T.	943-950A		2747-2752A	Sasaki, G.	1517-1524A
	2785-2796A	Nam, H.W.	1983-1989A	Prat, F.	1643-1651A	Sasaki, Y.	829-836B
	2797-2806A	Nam, W.J.	1431-1439A	Prenitzer, B.I.	2399-2406A		987-991B
Margevicius, R.W.	139-147A	Nassaralla, C.L.	325-329B	Pritzker, M.	953-960B	Sato, K.	1707-1710A
Margolin, H.	1923-1931A		405-410B	Priya, S.	1545-1550A	Sato, M.	1057-1068B
Marsh, S.P.	2395-2398A	Nastac, L.	495-499B	Pryds, N.H.	367-376A	Sato, T.	1161-1167A
Martinez, J.	899-909B	Nathal, M.V.	179-189A	Przystupa, M.A.	727-737A	Saxén, H.	651-659B
Maruko, T.	537-549A	Neale, K.W.	527-535A	Puchi, E.S.	2345-2359A		691-697B
Marsalski, T.B.	2425-2432A	Nembach, E.	799-807A	Purdy, G.R.	2049-2058A	Saxena, A.	1917-1922A
Masumura, R.A.	2395-2398A	Nemoto, M.	169-177A	Putatunda, S.K.	3005-3016A		3029-3036A
Matic, P.	775-780A		2011-2013A	Pyo, S.g.	2273-2283A	Saxena, V.K.	245-261A
Matossian, J.N.	593-610A		2237-2243A	Qi, M.	1741-1747A	Schlesinger, M.E.	1371-1372B
Matsuda, K.	1161-1167A		2245-2252A	Quiles, F.N.	2433-2446A	Schneibel, J.H.	1811-1820A
Matsunaga, T.	1167-1174B		2503-2510A	Ra, H.Y.	699-708B	Schofield, H.	1405-1414A
Maurice, C.	2333-2344A	Neuhaus, P.	1031-1035B	Rack, H.J.	2455-2467A	Schwartz, E.	1031-1035B
Maziasz, P.J.	105-117A	Newman, K.	2399-2406A	Radhakrishnan, V.M.	245-261A		1127-1134B
Mazumder, J.	1269-1279B	Ni, C.-Y.	1347-1355A	Radjai, A.	1477-1484A	Schwarz, R.B.	1795-1804A
McCamy, M.H.	1137-1139A	Nicholson, D.M.C.	1845-1851A	Radjevic, B.	131-137A		1805-1809A
McCay, T.D.	1137-1139A	Nicolaou, P.D.	1763-1765A	Rafaja, D.	439-446A	Schwerdtfeger, K.	1057-1068B
McCormick, P.G.	449-455B		2621-2630A	Rainforth, W.M.	2727-2736A	Seetharaman, S.	1136-1139B
McDavid, R.M.	679-690B	Niebuhr, D.V.	661-672B	Raj, S.V.	179-189A	Seetharaman, V.	7-18A
McDonell, V.G.	793-806B	Nieh, T.G.	1081-1091A	Ramasundaram, P.	493-505A		1991-1999A
McMahon, G.	1947-1954A	Nishio, T.	1477-1484A	Ranganathan, S.	2205-2219A		2307-2321A
McNelly, T.R.	485-492A	Nitz, A.	799-807A		2835-2842A	Sehitoglu, H.	427-437A
	2433-2446A	Noebe, R.D.	179-189A	Rangarajan, V.	2707-2715A		765-773A
McPherson, N.A.	823-832A	Norgren, S.	1367-1374A	Ransing, R.S.	437-448B	Sekhar, J.A.	59-67B
Mebed, A.M.	739-749A	Notis, M.R.	2785-2796A	Rao Rama, V.V.	1665-1675A	Semiati, S.L.	7-18A
Meekisho, L.L.	661-672B		2797-2806A	Rao, P.P.	3005-3016A		1471-1475A
Meghlaoui, A.	1007-1019B	O'Keefe, T.J.	749-754B	Rappaz, J.	617-630A		1763-1765A
Mehrotra, S.P.	339-349B	Ogi, H.	2987-2993A	Rappaz, M.	617-630A		1991-1999A
Mendiratta, M.G.	37-47A	Oh, K.H.	699-708B		2807-2817A		2621-2630A
Mercer, C.	2361-2374A	Oh, S.	700-705A	Rappel, W.-J.	1457-1470A	Sen, R.	2639-2642A
Michael, J.R.	2785-2796A	Oh-Ishi, K.	2011-2013A	Ray, H.S.	1135-1136B	Sen, S.	1691-1696A
Miki, T.	1043-1049B	Ohnuma, I.	2225-2227A		1175-1180B		1697-1706A
Milair, D.W.	823-832A	Ohta, H.	119-129B	Ray, R.K.	665-675A	Seo, D.Y.	89-98A
Milligan, W.W.	2261-2271A	Ohtani, R.	2533-2542A		2893-2902A	Seok, H.-K.	699-708B
Ming, R.O.C.	1153-1160A	Ojha, S.N.	2205-2219A	Ray, S.	1711-1718A	Serra, E.	1023-1028A
Miracle, D.B.	1237-1243A	Okabe, Y.	131-136B	Reddy, B.R.	729-737B	Seshagiri, S.	37-47A
Millin, D.	1309-1317A	Olevsky, E.A.	3057-3067A	Ren, Y.	673-678B	Shakhar, R.	339-349B
Mitra, R.	1629-1641A	Olson, G.B.	205-210B	Ressler, T.	2761-2773A	Shao, Y.	1825-1828A
	1665-1675A	Omori, M.	1973-1981A	Reynolds, W.T., Jr.	2059-2072A	Sharma, I.G.	309-315B
Miwa, K.	1477-1484A	Ono, K.	1167-1174B	Rhodes, C.G.	1955-1964A	Sheeran, A.	555-562B
Miyata, M.	739-747B	Ostrovsky, O.I.	105-110B	Richards, G.G.	239-249B	Shelkova, N.E.	155-161B
Miyazaki, T.	739-749A	Ott, E.A.	965-978A		251-259B	Shen, D.	149-151A
Mizuuchi, K.	1127-1135A	Ouellet, P.	2871-2884A	Richards, N.L.	261-268B	Shen, H.F.	341-351A
Mo, A.	2189-2194A	Overfelt, R.A.	2375-2381A	Riennelmoser, F.O.	1947-1954A	Shen, T.	1795-1804A
Mo, Z.M.	1565-1572A	Padilla, R.	961-969B	Riester, L.	1357-1360A	Shen, Z.	149-151A
Modi, O.P.	2747-2752A	Paine, D.C.	757-764A	Rigsbee, J.M.	3029-3036A	Sheng, Y.Y.	77-83B
Mogutnov, B.M.	155-161B	Paldey, S.	457-464B	Ritchie, R.O.	647-658A		85-94B
Mohamed, A.E.	1149-1156B		465-469B	Ro, Y.	2483-2496A	Shewmon, P.G.	509-518B
Mohamed, F.A.	1653-1663A		387-396A	Robertson, D.G.C.	1175-1180A	Shi, P.	1741-1747A
Mohanty, P.S.	1269-1279B		3069-3079A	Robino, C.V.	537-549A	Shi, Y.	2477-2481A
Monaghan, B.J.	111-118B	Pan, J.	1517-1524A		1181-1191B	Shibue, K.	263-277A
Montalvo, R.A.	95-104B	Panaras, G.A.	1117-1126B		2785-2796A	Shibutani, T.	2533-2542A
Moon, I.	1873-1882A	Pande, C.S.	2395-2398A		2797-2806A	Shiflet, G.J.	1821-1824A
Moore, J.J.	867-875B	Pandey, A.B.	1237-1243A		351-358A		2073-2085A
	877-887B	Pandey, J.P.	1245-1255A		519-525B		2087-2100A

Shih, D.S.	2101-2110A	Takasaki, A.	307-314A	Venkateswarlu, K.	2747-2752A		1345-1356B
Shin, K.S.	73-87A	Takeshita, K.	587-592A	Verhoeven, J.D.	1181-1189A	Yang, H.R.	397-401A
	477-483A	Takeuchi, A.	1779-1793A	Vonka, P.	1372-1374B	Yang, J.-M.	2737-2746A
Shinozaki, N.	2583-2590A	Takeuchi, T.	2195-2203A	Vooijs, S.	2925-2931A	Yang, L.	837-845B
Shoales, G.A.	1121-1125A	Takuda, H.	2829-2834A	Wadsworth, J.	1081-1091A	Yang, Q.B.	685-692A
Shofner, T.L.	1257-1263A	Taleff, E.M.	1081-1091A	Waggoner, R.H.	2161-2172A	Yang, Y.S.	404-408A
Shoykhet, B.	2399-2406A	Talyan, V.	2161-2172A	Wakino, M.	1167-1174B	Yao, L.J.	1517-1524A
Sichen, D.	937-942A	Tan, X.	507-512A	Walker, P.L., Jr.	385-396B	Yasuda, H.Y.	943-950A
Sietsma, J.	1136-1139B	Tanabe, T.	513-518A	Wan, C.	2591-2596A	Ye, F.	493-505A
Simkovich, G.	2925-2931A	Tanaka, M.	331-338B	Wan, X.	751-755A		2361-2374A
Singh Raman, R.K.	385-396B	Tandon, K.N.	1289-1298A	Wang, D.Z.	2001-2009A	Yegneswaran, A.H.	2747-2752A
Singh, A.K.	577-586A	Taneda, Y.	1101-1111A	Wang, G.	1741-1747A	Yeo, D.-H.	1047-1056A
Singh, J.B.	665-675A	Tang, N.-Y.	307-314A	Wang, J.Y.	647-658A	Yi, D.	699-708B
Singh, P.	1883-1894A	Tanoue, K.	2643-2645A	Wang, L.	3037-3046A	Yi, H.C.	119-129A
Singh, V.	2147-2159A	Taya, M.	519-526A	Wang, P.C.	2737-2746A		867-875B
Smith, P.R.	2173-2188A	Taylor, R.N.	1127-1135A	Wang, S.	1923-1931A		877-887B
Soboyejo, W.O.	1279-1288A	Teng, K.S.	485-492B	Wang, S.-H.	1933-1939A		889-897B
	493-505A	Terakura, Y.	749-754B	Wang, W.	1157-1166B		1219-1225B
Sofokleous, K.	2361-2374A	Terauchi, Y.	587-592A	Wang, W.L.	2121-2125A		551-558A
Sohn, H.Y.	17-22B	Tewari, S.N.	1219-1225B	Wang, W.S.	1509-1516A		49-63A
	457-464B		377-385A	Wang, Y.	149-151A		1811-1820A
	465-469B		1527-1530A		1845-1851A		279-287A
	583-590B	Theodorakakos, A.	1117-1126B	Wang, Y.Q.	635-640B		1517-1524A
Sohn, K.-S.	2543-2554A		1321-1327B	Wang, Z.G.	2001-2009A		1289-1298A
Solnordal, C.B.	485-492B	Thavik, H.J.	2189-2194A		2563-2569A		1653-1663A
Soltanah, M.	1941-1945A	Thibault, J.	1007-1019B	Wang, Z.M.	2073-2085A		3081-3086A
Sommer, F.	807-813B	Thomas, R.	1485-1498A	Warrier, S.G.	1279-1288A		1573-1578A
Song, B.	415-420B	Tian, C.	785-791B	Was, G.S.	1035-1046A		2477-2481A
Song, H.-S.	1057-1069A	Tikas, L.	1007-1019B	Waseda, Y.	1545-1550A		989-1001A
Song, W.	1315-1319B	Tisdale, D.G.	77-83B	Weatherly, G.C.	2049-2058A		1383-1394A
Song, X.	3081-3086A		85-94B	Weertman, J.R.	2137-2145A		1093-1099A
Sonoda, M.	1121-1125A	Tjong, S.C.	299-306A	Wei, R.P.	1145-1151A		289-298A
Spaepen, F.	1825-1828A	Todinov, M.T.	269-273B		1153-1160A		2407-2424A
Spurling, R.A.	1955-1964A	Toguri, J.M.	317-323B	Wei, X.	401-403A		155-161B
Sridhar, R.	1941-1945A		1941-1945A	Wei, Z.G.	2697-2705A		163-176B
Srivastava, A.K.	2205-2219A	Tomé, C.N.	2967-2973A	Weinberg, F.	855-861A		2555-2561A
Staita, M.H.	2345-2359A	Toncheff, R.	2707-2715A	Welham, N.J.	603-610B		2425-2432A
Stefanescu, D.M.	1691-1696A	Tong, X.C.	875-891A		1077-1083B		727-737A
	1697-1706A		893-902A	Wells, M.A.	611-620B		749-754B
Stevens, R.	673-678B	Tremblay, R.	1759-1763A		621-633B		559-564A
Stevie, F.A.	2399-2406A	Trivedi, R.	1457-1470A		709-719B		177-186B
Stocks, G.M.	1845-1851A	Troshkina, I.D.	293-295B	Wesemann, J.	1425-1430A		187-195B
Stojanova, L.	421-427B	Tsenev, N.K.	169-177A	Wiesenberger, H.	439-446A		1779-1793A
Stomp, C.	617-630A		2237-2243A	Wilkinson, D.S.	785-791B		404-408A
Story, S.R.	935-938B	Tsujino, R.	569-575B		2613-2620A		1345-1356B
Stout, M.G.	775-780A	Tsukada, T.	223-228B	Willis, P.E.	1077-1083B		833-841A
Strutzenberger, J.	631-646A	Tsukihashi, F.	1037-1042B	Wilson, A.W.	1585-1592A		2563-2569A
Stubbles, J.	5-16B	Turnbull, D.	1825-1828A	Winholtz, R.A.	2127-2136A		197-203B
Su, R.-J.	2375-2381A	Ueno, M.	1375-1381A	Winstead, C.H.	275-281B		1357-1369B
Suehiro, M.	1029-1034A	Uetani, Y.	1161-1167A	Wong, J.	2761-2773A		298-300B
Sugiyama, K.	1559-1563A	Ulvénsoen, J.H.	119-129A	Woodford, D.A.	2645-2647A		429-436B
Suh, D.	700-705A	Umakoshi, Y.	943-950A	Woodford, J.	2717-2726A		635-640B
Sui, H.X.	1565-1572A	Umezawa, O.	809-822A	Woodger, T.C.	867-875B		793-806B
Suito, H.	119-129B		3017-3028A		877-887B		685-692A
Sumiyama, K.	1973-1981A	Upadhyaya, A.	857-866B		889-897B		911-917B
Sun, C.G.	2407-2424A		2631-2638A	Wright, I.G.	833-841A		2591-2596A
Sun, S.	137-145B	Utigard, T.A.	821-827B	Wright, J.L.	1811-1820A		2855-2862A
	296-298B	Vahlas, C.	1347-1355A	Wu, C.	471-477B		299-306A
Sun, Y.Q.	2679-2685A	Vaidya, R.U.	2753-2760A	Wu, P.D.	527-535A		404-408A
Sun, Z.M.	263-277A	Valiev, R.Z.	169-177A	Wunderlich, R.K.	1829-1835A		2253-2260A
Sundararaman, M.	1883-1894A		2237-2243A	Xing, G.	149-151A		1315-1319B
Surappa, M.K.	1319-1327A	Van Der Giessen, E.	2253-2260A	Xiong, H.	2591-2596A		2497-2502A
	1329-1339A	Van Der Zwaag, S.	527-535A	Xu, D.	971-978B		1749-1757A
	2835-2842A	Van Deventer, J.S.J.	2925-2931A		1281-1288B		559-564A
Sutalo, I.D.	773-784B	Van Jaarsveld, J.G.S.	283-291B	Xu, J.J.	1741-1747A		1865-1871A
	993-1006B	Van Leeuwen, Y.	283-291B	Xu, S.	2687-2695A		65-71A
Sutou, Y.	2225-2227A	Van Loo, F.J.J.	2925-2931A	Xu, X.	2477-2481A		565-575A
Suzuki, H.G.	2195-2203A	Van Neste, A.	2951-2956A	Xu, Z.	911-917B		2571-2582A
Suzuki, K.	1973-1981A	Van Niekerk, W.H.	1759-1763A	Yagi, A.	1375-1381A		
Suzuki, N.	2987-2993A	Vana Varamban, S.	147-153B		537-549A		
Suzuki, R.O.	1167-1174B	Vander Voort, G.F.	1525-1527A	Yamabe-Mitarai, Y.	263-277A		
Swihart, J.C.	1845-1851A	Vargas, T.	237-244A	Yamamoto, I.	635-640B		
Symborne, D.R.	555-562B	Varnas, S.R.	899-909B	Yang, B.	1741-1747A		
Symons, D.M.	1265-1277A	Vecchio, K.S.	1329-1343B	Yang, D.Z.	1297-1307B		
Szőkefalvi-Nagy, A.	421-427B	Venkateswara Rao, K.T.	191-203A	Yang, F.	3029-3036A		
Tacke, K.-H.	1057-1068B		2483-2496A	Yang, H.	449-455B		
Tajima, I.	131-136B						

Combined Subject Index

Abrasion resistance, Heating effects

- Controlled graphitization as a potential option for improving wear resistance of unalloyed white irons. 2147-2159A

Abrasive wear, Heating effects

- Controlled graphitization as a potential option for improving wear resistance of unalloyed white irons. 2147-2159A

Absorption (energy)

- Compressive deformation and energy absorbing characteristic of foamed aluminum. 2497-2502A

Accuracy

- The influence of temperature gradient zone melting on micro-segregation. 361-367A
Dynamic analysis of unidirectional pressure infiltration of porous preforms by pure metals. 377-385A
Primary spacing in directional solidification. 1113-1119A
Dependence of thermal residual stress on temperature in a SiC particle-reinforced 6061 Al alloy. 2001-2009A

Acicular structure

- Relationship between fracture toughness and crack extension resistance curves (R curves) for Ti-6Al-4V alloys. 781-789A

Acicular structure, Heating effects

- Upper acicular ferrite formation in a medium-carbon microalloyed steel by isothermal transformation: nucleation enhancement by CuS. 1003-1015A

Activation energy

- A correlation method for determination of crystallization mechanism and activation energy of amorphous alloy. 149-151A
Thermodynamic properties of the Fe-Cr-P liquid solution. 155-161B
Communication: Estimation of isothermal values of activation energy for aluminothermic reduction. 1135-1136B
Communication: Reduction of FeWO₄-NiWO₄ solid solutions by hydrogen gas. 1136-1139B
Liquidlike sintering behavior of nanometric Fe and Cu powders: experimental approach. 2941-2949A

Adhesion

- Sticking mechanism during hot rolling of two stainless steels. 700-705A
Effects of sulfur impurity on the scale adhesion behavior of a desulfurized Ni-based superalloy aluminized by chemical vapor deposition. 833-841A

Aeration

- Effects of pore diameter, bath surface pressure, and nozzle diameter on the bubble formation from a porous nozzle. 1209-1218B
Effect of cross-flow on the frequency of bubble formation from a single-hole nozzle. 1219-1225B

Aging (artificial)

- Age hardening and the potential for superplasticity in a fine-grained Al-Mg-Li-Zr alloy. 169-177A
Effect of prestrain on aging and bake hardening of cold-rolled, continuously annealed steel sheets. 463-467A
On the characteristics of M₂₃C₆ carbides in the peak hardening regime of AerMet 100 steel. 903-905A
High-resolution electron microscopy on the structure of Guinier-Preston zones in an Al-1.6 mass% Mg₂Si alloy. 1161-1167A
Lattice constants and compositions of the metastable Ni₃Nb phase precipitated in a Ni-15Cr-8Fe-6Nb alloy. 1169-1174A
Effects of thickness and precracking on the fracture toughness of particle-reinforced Al-alloy composites. 1237-1243A
The effect of carbide precipitation on the hydrogen-enhanced fracture behavior of alloy 690. 1265-1277A
Microstructural evaluation of Ti-6-22-22 alloy. 1585-1592A
Evolution of microstructure and tensile strength of rapidly solidified Al-4.7% Zn-2.5% Mg-0.2% Zr-X wt.% Mn alloys. 1873-1882A
Correlation between the cold-working and aging treatments in a Cu-15 wt.% Cr in situ composite. 2195-2203A
Optimization of the strength-fracture toughness relation in particulate-reinforced aluminum composites via control of the matrix microstructure. 2433-2446A
Phase transformations in Ti-6.8Mo-4.5Fe-1.5Al. 2455-2467A
Nanometer-scale, fully lamellar microstructure in an aged TiAl-based alloy. 2679-2685A
Transformation relaxation and aging in a CuZnAl shape-memory alloy studied by modulated differential scanning calorimetry. 2697-2705A
Interface-controlled fatigue cracking of SCS-6/Ti-22Al-23Nb "orthorhombic" titanium aluminide composite. 2737-2746A

Agitation

- Modeling mean flow and turbulence characteristics in gas-agitated bath with top layer. 211-222B
Mixing time and fluid flow phenomena in liquids of varying kinematic viscosities agitated by bottom gas injection. 569-575B

Air gaps

- The movement of the concave casting surface during mushy-type solidification and its effect on the heat-transfer coefficient. 1051-1056B

Air pollution

- The role of nanosized particles. A frontier in modern materials science, from nanoelectronics to environmental problems. 713-725A

Aircraft components, Microstructure

- Evolution of texture and microstructure in a thermomechanically processed Al-Li-Cu-Mg alloy. 665-675A

Allotropic transformation

- Transformation during the isothermal deformation of low-carbon Nb-B steels. 1383-1394A

Allotropic transformation, Heating effects

- A transmission electron microscope study of 1% Mn ductile iron with different austempering treatments. 2297-2306A

Allotropic transformation, Welding effects

- Spatially resolved x-ray diffraction phase mapping and $\alpha \rightarrow \beta \rightarrow \alpha$ transformation kinetics in the heat-affected zone of commercially pure titanium arc welds. 2761-2773A

Alloys, Diffusion

- A diffusion solution for the melting/dissolution of a solid at constant temperature and its use for measuring the diffusion coefficient in liquids. 751-755A

Aluminides, Microstructure

- Effect of ordering energy and stoichiometry in $\Sigma=5$ boundaries in B2 compounds. 2655-2668A
Nanometer-scale, fully lamellar microstructure in an aged TiAl-based alloy. 2679-2685A

Aluminides, Phase transformations

- Recrystallization behavior of boron-doped Ni₇₅Al₂₅. 2893-2902A

Aluminides, Synthesis

- Reactive infiltration processing of aluminum-nickel intermetallic compounds. 2819-2828A

Aluminizing

- Effects of sulfur impurity on the scale adhesion behavior of a desulfurized Ni-based superalloy aluminized by chemical vapor deposition. 833-841A
Evolution of aluminide coating microstructure on nickel-base cast superalloy CM-247 in a single-step high-activity aluminizing process. 2173-2188A

Aluminothermic reduction

- Synthesis of neodymium aluminide by aluminothermic reduction of neodymium oxide. 309-315B
Communication: Estimation of isothermal values of activation energy for aluminothermic reduction. 1135-1136B

Aluminum, Binary systems

- A mathematical model for the solute drag effect on recrystallization. 1029-1034A

Aluminum, Casting

- A correlation to describe interfacial heat transfer during solidification simulation and its use in the optimal feeding design of castings. 437-448B
The use of particle image velocimetry in the physical modeling of flow in electromagnetic or direct-chill casting of aluminum. I. Development of the physical model. 1281-1288B
The use of particle image velocimetry in the physical modeling of flow in electromagnetic or direct-chill casting of aluminum. II. Results of the physical model, including bag geometry, blockage, and nozzle placement. 1289-1295B

Aluminum, Composite materials

- Titanium preconditioning of Al₂O₃ for liquid-state processing of Al-Al₂O₃ composite materials. 327-337A
An analytical solution of the critical interface velocity for the encapsulating of insoluble particles by a moving solid/liquid interface. 351-358A
Dynamic analysis of unidirectional pressure infiltration of porous preforms by pure metals. 377-385A
Chemical reactions between aluminum and fly ash during synthesis and reheating of Al-fly ash composite. 519-525B
The mechanism of formation of TiB₂ particulates prepared by in situ reaction in molten aluminum. 635-640B
Monte Carlo simulation of clustering of alumina particles in turbulent liquid aluminum. 785-791B
Al-TiC composites in situ-processed by ingot metallurgy and rapid solidification technology. I. Microstructural evolution. 875-891A
Combustion synthesis of HfB₂-Al composites. 877-887B
The effect of gravity on the combustion synthesis of metal-ceramic composites. 889-897B

- Al-TiC composites in situ-processed by ingot metallurgy and rapid solidification technology. II. Mechanical behavior. 893-902A
- Effect of interfacial reaction on bending strength of $Al_{18}B_4O_{33}$ whisker-reinforced aluminum composites. 1517-1524A
- Particle engulfment and pushing by solidifying interfaces. I. Ground experiments. 1691-1696A
- Particle engulfment and pushing by solidifying interfaces. II. Microgravity experiments and theoretical analysis. 1697-1706A
- Solidification processing of Al- Al_2O_3 composite using turbine stirrer. 1711-1718A
- Control of interfacial reactions during liquid phase processing of aluminum matrix composites reinforced with Inconel 601 fibers. 1727-1739A
- Dry sliding wear of a $Ti_{50}Ni_{25}Cu_{25}$ particulate-reinforced aluminum matrix composite. 1741-1747A
- Creep rupture life prediction of short fiber-reinforced metal matrix composites. 1983-1989A
- Damage mechanisms in a cast ductile iron and a Al_2O_3/Al composite. 2855-2862A
- Aluminum, Diffusion**
- Effect of oxidation treatment and surface filming on hydrogen degassing from TiH_2 . 1315-1319B
- Aluminum, Extraction**
- Predictive control of aluminum electrolytic cells using neural networks. 1007-1019B
- Aluminum, Extrusion**
- Optimizing the rotation conditions for grain refinement in equal-channel angular pressing. 2011-2013A
- Aluminum, Mechanical properties**
- Grain boundary cracking. 509-518B
- High-temperature deformation of commercial-purity aluminum. 2345-2359A
- Compressive deformation and energy absorbing characteristic of foamed aluminum. 2497-2502A
- Aluminum, Melting**
- Gas flow analysis in melting furnaces. 1199-1207B
- Aluminum, Metal working**
- Analysis of ridging in aluminum auto body sheet metal. 2323-2332A
- Aluminum, Microstructure**
- In situ nuclear magnetic resonance investigation of strain, temperature, and strain-rate variations of deformation-induced vacancy concentration in aluminum. 153-159A
- Microstructural characteristics of ultrafine-grained aluminum produced using equal-channel angular pressing. 2245-2252A
- Heterogeneous microstructures and microtextures in cube-oriented Al crystals after channel die compression. 2333-2344A
- On the relation between the number-weighted and volume-weighted grain volume distribution parameters. 3081-3086A
- Aluminum, Powder technology**
- Grain growth of nanocrystalline cryomilled Fe-Al powders. 2469-2475A
- Aluminum, Reactions (chemical)**
- Deoxidation equilibria of molten nickel by Mg-Al and Mn-Al. 197-203B
- Thermodynamic properties of aluminum, magnesium, and calcium in molten silicon. 1043-1049B
- Aluminum, Recovering**
- Interfacial tension between aluminum and NaCl-KCl-based salt systems. 821-827B
- Aluminum, Refining**
- A porous titanium diboride composite cathode coating for Hall-Héroult cells. I. Thin coatings. 59-67B
- Peltier effects in electrode carbon. 69-76B
- Modeling mean flow and turbulence characteristics in gas-agitated bath with top layer. 211-222B
- Chlorine fluxing for removal of magnesium from molten aluminum: I. Laboratory-scale measurements of reaction rates and bubble behavior. 971-978B
- Chlorine fluxing for removal of magnesium from molten aluminum: II. Mathematical model. 979-986B
- Aluminum, Rolling**
- Modeling the microstructural changes during hot tandem rolling of AA5XXX aluminum alloys. I. Microstructural evolution. 611-620B
- Aluminum, Solubility**
- A novel method for the determination of the hydrogen solubility in aluminum and aluminum alloy melts. 421-427B
- Aluminum, Ternary systems**
- Thermodynamics and phase equilibria in the Al-In-Sb system. 611-616A
- High-temperature phase equilibria in the Al-rich corner of the Al-Ti-C system. 1341-1345A
- F-type icosahedral phase and a related cubic phase in the Al-Rh-Cu system. 1559-1563A
- Discussion of "Uwakweh and Liu's Reply" and Authors' Reply. 2643-2645A
- Aluminum base alloys**
- Modeling of porosity during spray forming: II. Effects of atomization gas chemistry and alloy compositions. 1097-1106B
- Aluminum base alloys, Casting**
- Prevention of macrosegregation in squeeze casting of an Al-4.5 wt.% Cu alloy. 341-351A
- The influence of temperature gradient zone melting on microsegregation. 361-367A
- Structural transition and macrosegregation of Al-Cu eutectic alloy solidified in the electromagnetic centrifugal casting process. 404-408A
- The movement of the concave casting surface during mushy-type solidification and its effect on the heat-transfer coefficient. 1051-1056B
- Simulation of microporosity formation in modified and unmodified A356 alloy castings. 1249-1260B
- Aluminum base alloys, Coating**
- On the nature of the Fe-bearing particles influencing hard anodizing behavior of AA 7075 extrusion products. 979-987A
- Aluminum base alloys, Composite materials**
- Superplastic behavior and cavitation in high-strain-rate superplastic Si_3N_4/Al -Mg-Si composites. 677-683A
- Failure of SiC particulate-reinforced metal matrix composites induced by laser thermal shock. 685-692A
- Al-TiC composites in situ-processed by ingot metallurgy and rapid solidification technology. I. Microstructural evolution. 875-891A
- Al-TiC composites in situ-processed by ingot metallurgy and rapid solidification technology. II. Mechanical behavior. 893-902A
- Thermomechanical behavior of TiNi shape memory alloy fiber reinforced 6061 aluminum matrix composite. 1127-1135A
- Effects of thickness and precracking on the fracture toughness of particle-reinforced Al-alloy composites. 1237-1243A
- Directional dendritic solidification of a composite slurry. I. Dendrite morphology. 1319-1327A
- Directional dendritic solidification of a composite slurry. II. Particle distribution. 1329-1339A
- High-temperature phase equilibria in the Al-rich corner of the Al-Ti-C system. 1341-1345A
- Control of interfacial reactions during liquid phase processing of aluminum matrix composites reinforced with Inconel 601 fibers. 1727-1739A
- Dependence of thermal residual stress on temperature in a SiC particle-reinforced 6061 Al alloy. 2001-2009A
- Microstructures and properties of nanocomposites obtained through SPTS consolidation of powders. 2253-2260A
- Optimization of the strength-fracture toughness relation in particulate-reinforced aluminum composites via control of the matrix microstructure. 2433-2446A
- A comparison of the creep properties of an Al-6092 composite and the unreinforced matrix alloy. 2523-2531A
- Numerical analysis of the formability of an aluminum 2024 alloy sheet and its laminates with steel sheets. 2829-2834A
- Role of cold work and SiC reinforcements on the β'/β precipitation in Al-10% Mg alloy. 2835-2842A
- Effect of SiC volume fraction and particle size on the fatigue resistance of a 2080 Al/SiC₂ composite. 2843-2854A
- Fabrication of Al-3 wt.% Mg matrix composites reinforced with Al_2O_3 and SiC particulates by the pressureless infiltration technique. 3087-3095A
- Aluminum base alloys, Corrosion**
- A transmission electron microscopy study of constituent-particle-induced corrosion in 7075-T6 and 2024-T3 aluminum alloys. 1153-1160A
- Aluminum base alloys, Crystal growth**
- An investigation of the effects caused by electromagnetic vibrations in a hypereutectic Al-Si alloy melt. 1477-1484A
- Grain refining of Al-4.5Cu alloy by adding an Al-30TiC master alloy. 1707-1710A
- Simplified computation of macrosegregation in multicomponent aluminum alloys. 2189-2194A
- Static recrystallization kinetics with homogeneous and heterogeneous nucleation using a cellular automata model. 2307-2321A
- <110> dendrite growth in aluminum feathery grains. 2807-2817A
- Aluminum base alloys, Directional solidification**
- The unidirectional solidification of Al-4 wt.% Cu ingots in microgravity. 1101-1111A
- Primary spacing in directional solidification. 1113-1119A
- Microstructural and compositional transients during accelerated directional solidification of Al-4.5 wt.% Cu. 2375-2381A
- Aluminum base alloys, Mechanical properties**
- Correlation of dynamic torsional properties with adiabatic shear banding behavior in ballistically impacted aluminum-lithium alloys. 227-235A
- Effect of test temperature on the dynamic torsional deformation behavior of two aluminum-lithium alloys. 469-476A
- Grain boundary cracking. 509-518B
- Crystal plasticity forming limit diagram analysis of rolled aluminum sheets. 527-535A
- Flow localization in sheet specimens with pairs of holes. 775-780A
- Effect of temperature on silicon particle damage in A356 alloy. 905-907A
- Warm-temperature tensile ductility in Al-Mg alloys. 1081-1091A

- Relationship between fracture toughness, fracture path, and microstructure of 7050 aluminum alloy. I. Quantitative characterization. 1191-1201A
- Relationship between fracture toughness, fracture path, and microstructure of 7050 aluminum alloy. II. Multiple micro-mechanisms-based fracture toughness model. 1203-1210A
- A study of superplasticity in a modified 5083 Al-Mg-Mn alloy. Increasing the drawability of AA2014 Al-Cu by differential heat treatment. 1211-1220A
- Temperature-dependent void-sheet fracture in Al-Cu-Mg-Ag-Zr. 1405-1414A
- Evolution of microstructure and tensile strength of rapidly solidified Al-4.7% Zn-2.5% Mg-0.2% Zr-X wt.% Mn alloys. 1599-1613A
- Fabrication of bulk ultrafine-grained materials through intense plastic straining. 1873-1882A
- Environment-sensitive closure and fatigue crack propagation behavior of Al 2090. 2237-2243A
- Some observations on cyclic deformation structures in the high-strength commercial aluminum alloy AA 7150. 2583-2590A
- Sliding wear behavior of some Al-Si alloys: role of shape and size of Si particles and test conditions. 2727-2736A
- 2747-2752A
- Aluminum base alloys, Metal working**
- Factors influencing the equilibrium grain size in equal-channel angular pressing: role of Mg additions to aluminum. 2503-2510A
- Microstructural characteristics of 5083 Al alloys processed by reactive spray deposition for net-shape manufacturing. 2597-2611A
- Ductilization of a powder metallurgy Al-17 wt.% Cu by means of channel-die compression and extrusion. 2613-2620A
- Aluminum base alloys, Microstructure**
- Microstructural development of adiabatic shear bands formed by ballistic impact in a Weldalite 049 alloy. 477-483A
- Microtexture evolution during annealing and superplastic deformation of Al-5% Ca-5% Zn. 485-492A
- Evolution of texture and microstructure in a thermomechanically processed Al-Li-Cu-Mg alloy. 665-675A
- Characterizations of pore and constituent particle populations in 7050-T7451 aluminum plate alloys. 727-737A
- Structural models of τ^2 -inflated monoclinic and orthorhombic Al-Co phases. 1565-1572A
- Growth of δ' on dislocations in a dilute Al-Li alloy. 2073-2085A
- Microstructural features and heat flow analysis of atomized and spray-formed Al-Fe-V-Si alloy. 2205-2219A
- On the relation between the number-weighted and volume-weighted grain volume distribution parameters. 3081-3086A
- Aluminum base alloys, Phase transformations**
- Characterization by thermoelectric power of a commercial aluminum-iron-silicon alloy (8011) during isothermal precipitation. 2669-2677A
- Aluminum base alloys, Phases (state of matter)**
- An analytical electron microscopy study of constituent particles in commercial 7075-T6 and 2024-T3 alloys. 1145-1151A
- High-resolution electron microscopy on the structure of Guinier-Preston zones in an Al-1.6 mass% Mg₂Si alloy. 1161-1167A
- F-type icosahedral phase and a related cubic phase in the Al-Rh-Cu system. 1559-1563A
- Effect of Mg and Sr additions on the formation of intermetallics in Al-6 wt.% Si-3.5 wt.% Cu-(0.45) to (0.8) wt.% Fe 319-type alloys. 2871-2884A
- Aluminum base alloys, Powder technology**
- A three-dimensional model of the spray forming method. 699-708B
- Characterization of spray atomization of 3003 aluminum alloy during linear spray atomization and deposition. 793-806B
- Modeling of porosity during spray forming: I. Effects of processing parameters. 1085-1096B
- Aluminum base alloys, Rolling**
- Modeling the microstructural changes during hot tandem rolling of AA5XXX aluminum alloys. I. Microstructural evolution. 611-620B
- Modeling the microstructural changes during hot tandem rolling of AA5XXX aluminum alloys. II. Textural evolution. 621-633B
- Modeling the microstructural changes during hot tandem rolling of AA5XXX aluminum alloys. III. Overall model development and validation. 709-719B
- Aluminum base alloys, Solubility**
- A novel method for the determination of the hydrogen solubility in aluminum and aluminum alloy melts. 421-427B
- Aluminum base alloys, Structural hardening**
- Age hardening and the potential for superplasticity in a fine-grained Al-Mg-Li-Zr alloy. 169-177A
- Aluminum base alloys, Synthesis**
- Synthesis of ultrafine particles of intermetallic compounds by the vapor-phase magnesium reduction of chloride mixtures. I. Titanium aluminides. 457-464B
- Synthesis of ultrafine particles of intermetallic compounds by the vapor-phase magnesium reduction of chloride mixtures. II. Nickel aluminides. 465-469B
- Aluminum base alloys, Welding**
- Properties of friction-stir-welded 7075 T651 aluminum. 1955-1964A
- Aluminum bronzes, Mechanical properties**
- The effect of heat input on the microstructure and properties of nickel aluminum bronze laser clad with a consumable of composition Cu-9.0Al-4.6Ni-3.9Fe-1.2Mn. 1677-1690A
- Aluminum compounds, Coatings**
- Titanium preconditioning of Al₂O₃ for liquid-state processing of Al-Al₂O₃ composite materials. 327-337A
- Aluminum compounds, Composite materials**
- An investigation of toughening in NiAl composites reinforced with yttria-partially stabilized zirconia particles. 493-505A
- Experimental approaches to simulating interfacial reactions in metal matrix composites. 1347-1355A
- Effect of interfacial reaction on bending strength of Al₁₈B₄O₃₃ whisker-reinforced aluminum composites. 1517-1524A
- Fracture toughness and R-curve behavior of laminated brittle-matrix composites. 2483-2496A
- Aluminum compounds, Crystal growth**
- Phase transformation behavior of gamma titanium aluminide alloys during supertransus heat treatment. 7-18A
- Microstructure evolution through the $\alpha \rightarrow \gamma$ phase transformation in a Ti-48 at.% Al alloy. 19-26A
- Aluminum compounds, Mechanical properties**
- Supertransus processing of TiAl-based alloys. 27-36A
- The role of grain size and selected microstructural parameters in strengthening fully lamellar TiAl alloys. 37-47A
- Physical constants, deformation twinning, and microcracking of titanium aluminides. 49-63A
- Tension and compression testing of single-crystalline gamma Ti-55.5% Al. 65-71A
- Fundamental aspects of fatigue and fracture in a TiAl sheet alloy. 73-87A
- Plastic instability during creep deformation of a NiAl-Hf single-crystal alloy—a case study. 179-189A
- Tensile properties and fracture toughness of a Ti-45Al-1.6Mn alloy at loading velocities of up to 12 m/s. 263-277A
- Hydrogen uptake in titanium aluminides covered with oxide layers. 307-314A
- Coherency stresses in lamellar Ti-Al. 937-942A
- Effect of deformation temperature on fatigue and fracture behavior in TiAl polycrystalline twinned crystals. 943-950A
- Atomistic simulation of fracture in TiAl. 951-955A
- Finite element analysis of cavitating facet interaction in a fully lamellar titanium aluminide alloy under creep conditions. 957-964A
- Microstructural development and creep deformation in equiaxed γ , $\gamma + \alpha_2$, and $\gamma + \alpha_2 + \beta_2$ titanium aluminides. 965-978A
- High-temperature deformation behavior of the intermetallic Ti-47 at.% Al-3 at.% Cr alloy. 1425-1430A
- The Knoop-hardness yield locus of an orthorhombic titanium aluminide alloy. 1763-1765A
- Effect of Ni on vacancy concentrations and hardness in FeAl alloys. 1911-1915A
- Intergranular fracture of gamma titanium aluminides under hot working conditions. 1991-1999A
- Effect of B on the microstructure and mechanical properties of mechanically milled TiAl alloys. 2273-2283A
- An investigation of the fracture and fatigue crack growth behavior of forged damage-tolerant niobium aluminide intermetallics. 2361-2374A
- Aluminum compounds, Microstructure**
- Changes in microstructure during primary creep of a Ti-47Al-2Nb-1Mn-0.5W-0.5Mo-0.2Si alloy. 89-98A
- Microstructural evolution during creep of single-phase gamma TiAl. 99-104A
- Development of ultrafine lamellar structures in two-phase γ -TiAl alloys. 105-117A
- Processing-property-microstructure relationships in TiAl-based alloys. 919-925A
- Structural models of τ^2 -inflated monoclinic and orthorhombic Al-Co phases. 1565-1572A
- Aluminum compounds, Oxidation**
- Oxidation protection of Ti-aluminide orthorhombic alloys: an engineered multilayer approach. 1279-1288A
- Aluminum compounds, Phase transformations**
- Stress-induced martensitic phase transformations in polycrystalline CuZnAl shape memory alloys under different stress states. 765-773A
- Superheating behavior of NiAl. 2221-2225A
- Ordering and martensitic transformations of Ni₂AlMn Heusler alloys. 2225-2227A
- Aluminum compounds, Powder technology**
- Multistage sintering process for Ni₃Al powder metallurgical products. 1069-1076B
- Aluminum compounds, Solubility**
- Thermodynamics of yttrium and oxygen in molten Ti, Ti₃Al, and TiAl. 1037-1042B

Aluminum compounds, Synthesis

Synthesis of neodymium aluminide by aluminothermic reduction of neodymium oxide.

309-315B

Synthesis of ultrafine particles of intermetallic compounds by the vapor-phase magnesium reduction of chloride mixtures. I. Titanium aluminides.

457-464B

Synthesis of ultrafine particles of intermetallic compounds by the vapor-phase magnesium reduction of chloride mixtures. II. Nickel aluminides.

465-469B

Aluminum compounds, Welding

Autogenous gas tungsten arc weldability of cast alloy Ti-48Al-2Cr-2Nb (at.%) versus extruded alloy Ti-46Al-2Cr-2Nb-0.9Mo (at.%).

927-935A

Aluminum oxide, Coatings

A porous titanium diboride composite cathode coating for Hall-Héroult cells. I. Thin coatings.

59-67B

Effects of sulfur impurity on the scale adhesion behavior of a desulfurized Ni-based superalloy aluminized by chemical vapor deposition.

833-841A

Aluminum oxide, Composite materials

Titanium preconditioning of Al_2O_3 for liquid-state processing of Al- Al_2O_3 composite materials.

327-337A

Dynamic analysis of unidirectional pressure infiltration of porous preforms by pure metals.

377-385A

Monte Carlo simulation of clustering of alumina particles in turbulent liquid aluminum.

785-791B

Solidification processing of Al- Al_2O_3 composite using turbine stirrer.

1711-1718A

Creep rupture life prediction of short fiber-reinforced metal matrix composites.

1983-1989A

Mechanical property and fracture behavior of squeeze-cast Mg matrix composites.

2543-2554A

Damage mechanisms in a cast ductile iron and a Al_2O_3 /Al composite.

2855-2862A

Fabrication of Al-3 wt.% Mg matrix composites reinforced with Al_2O_3 and SiC particulates by the pressureless infiltration technique.

3087-3095A

Aluminum oxide, Crystal growth

Microstructural characteristics of 5083 Al alloys processed by reactive spray deposition for net-shape manufacturing.

2597-2611A

Aluminum oxide, Reactions (chemical)

Computer study of structures, thermodynamic, and electrical transport properties of Na_3AlF_6 - Al_2O_3 and CaF_2 - Al_2O_3 melts.

105-110B

Activities of SiO_2 and Al_2O_3 and activity coefficients of Fe_2O_3 and MnO in CaO - SiO_2 - Al_2O_3 -MgO slags.

119-129B

Deoxidation equilibria of molten nickel by Mg-Al and Mn-Al.

197-203B

Formation of hexavalent chromium by reaction between slag and magnesite-chrome refractory.

405-410B

Effects of CaO , Al_2O_3 , and MgO additions on the copper solubility, ferric/ferrous ratio, and minor-element behavior of iron-silicate slags.

583-590B

Amorphization, Heating effects

Bulk titanium-rich alloys containing nanoscale disordered regions.

1821-1824A

Amorphous structure

An analysis of the formation of bulk amorphous silicon from the melt.

1825-1828A

Amorphous structure, Deformation effects

A novel way of amorphous phase formation during mechanical alloying of copper and cadmium powders.

2425-2432A

Amorphous structure, Heating effects

Bulk titanium-rich alloys containing nanoscale disordered regions.

1821-1824A

Annealing

Microtexture evolution during annealing and superplastic deformation of Al-5% Ca-5% Zn.

485-492A

Investigation of the annealing texture evolution in hafnium.

757-764A

Bulk titanium-rich alloys containing nanoscale disordered regions.

1821-1824A

Recrystallization behavior of boron-doped $Ni_{76}Al_{24}$.

2893-2902A

Use of the nanoindentation technique for studying microstructure/crack interactions in the fatigue of 4340 steel.

3029-3036A

Anode sludge, Reactions (chemical)

Tellurium distribution in copper anode slimes smelting.

555-562B

Anodes, Electrochemistry

Fundamental studies of copper anode passivation during electrorefining. III. The effect of thiourea.

53-58B

Anodic coatings, Crystal growth

On the nature of the Fe-bearing particles influencing hard anodizing behavior of AA 7075 extrusion products.

979-987A

Antimony, End uses

Measurement of pH in the vicinity of a cathode during the chloride electrowinning of nickel.

1193-1198B

Antimony, Ternary systems

Thermodynamics and phase equilibria in the Al-In-Sb system.

611-616A

Atomic structure

Structure of bulk amorphous Pd-Ni-P alloys determined by synchrotron radiation.

1805-1809A

Atomizing

Characterization of spray atomization of 3003 aluminum alloy during linear spray atomization and deposition.

793-806B

Modeling of porosity during spray forming: I. Effects of processing parameters.

1085-1096B

Modeling of porosity during spray forming: II. Effects of atomization gas chemistry and alloy compositions.

1097-1106B

Liquid flow on a rotating disk prior to centrifugal atomization and spray deposition.

1357-1369B

Austempering

A transmission electron microscope study of 1% Mn ductile iron with different austempering treatments.

2297-2306A

Dependence of fracture toughness of austempered ductile iron on austempering temperature.

3005-3016A

Austenite

Transitions in carbide morphology in a ternary Fe-C-W steel.

2087-2100A

Austenite, Phase transformations

Nonclassical decomposition products of austenite in Fe-C-Cr alloys.

2913-2924A

The effect of geometrical assumptions in modeling solid-state transformation kinetics.

2925-2931A

Austenite, Solubility

Thermodynamics of the Fe-Nb-C-N system and the solubility of niobium carbonitrides in austenite.

163-176B

Austenitic stainless steels, Coatings

On optimization of the powder plasma arc surfacing process.

929-931B

Austenitic stainless steels, Mechanical properties

Creep and rupture properties of an austenitic Fe-30Mn-9Al-1C alloy.

299-306A

A study on fractography in the low-temperature brittle fracture of an 18Cr-18Mn-0.7N austenitic steel.

791-798A

Deformation structure and subsurface fatigue crack generation in austenitic steels at low temperature.

809-822A

The relationship between microstructure and the J-R curve.

1917-1922A

Effects of test temperature on internal fatigue crack generation associated with nonmetallic particles in austenitic steels.

3017-3028A

Austenitic stainless steels, Metal working

Formability of stainless steel.

2161-2172A

Austenitic stainless steels, Microstructure

Observations of the columnar-to-equiaxed transition in stainless steels.

855-861A

Austenitic stainless steels, Rolling

Sticking mechanism during hot rolling of two stainless steels.

700-705A

Austenitic stainless steels, Welding

A study of the structure of dissimilar submerged arc welds.

823-832A

Carbon migration in 5Cr-0.5Mo/21Cr-12Ni dissimilar metal welds.

3037-3046A

Automotive bodies

Analysis of ridging in aluminum auto body sheet metal.

2323-2332A

Automotive bodies, Coating

Surface segregation of phosphorus, carbon, and sulfur in commercial low-carbon grades of steel.

2707-2715A

Automotive bodies, Mechanical properties

Effect of prestrain on aging and bake hardening of cold-rolled, continuously annealed steel sheets.

463-467A

Automotive components, Materials selection

Effect of Mg and Sr additions on the formation of intermetallics in Al-6 wt.% Si-3.5 wt.% Cu-(0.45) to (0.8) wt.% Fe 319-type alloys.

2871-2884A

Axial stress

Stress-induced martensitic phase transformations in polycrystalline CuZnAl shape memory alloys under different stress states.

765-773A

Bacterial leaching

Bioleaching model of a copper-sulfide ore bed in heap and dump configurations.

899-909B

Bainite, Crystal growth

Continuous cooling transformation temperatures determined by compression tests in low carbon bainitic grades.

989-1001A

Transformation during the isothermal deformation of low-carbon Nb-B steels.

1383-1394A

A transmission electron microscope study of 1% Mn ductile iron with different austempering treatments.

2297-2306A

Baking

Effect of prestrain on aging and bake hardening of cold-rolled, continuously annealed steel sheets.

463-467A

Ball milling

- Comparison of grinding kinetics between a typical ball mill and a ball mill fitted with a breaker plate. 17-22B
 Mechanically activated reduction of nickel oxide with graphite. 449-455B
 Mechanical behavior of a bulk nanostructured iron alloy. 2261-2271A
 A novel way of amorphous phase formation during mechanical alloying of copper and cadmium powders. 2425-2432A

Ball mills, Materials selection

- Comparison of grinding kinetics between a typical ball mill and a ball mill fitted with a breaker plate. 17-22B

Banded structure, Crystal growth

- Model of banding in diffusive and convective regimes during directional solidification of peritectic systems. 1457-1470A

Banded structure, Welding effects

- Properties of friction-stir-welded 7075 T651 aluminum. 1955-1964A

Baths, Physical properties

- Modeling mean flow and turbulence characteristics in gas-agitated bath with top layer. 211-222B

Bend strength, Processing effects

- Effect of interfacial reaction on bending strength of $Al_{18}B_4O_{33}$ whisker-reinforced aluminum composites. 1517-1524A

Beryllium, Corrosion

- Effect of pitting corrosion in NaCl solutions on the statistics of fracture of beryllium. 2753-2760A

Binary systems, Phase transformations

- A mathematical model for the solute drag effect on recrystallization. 1029-1034A

Binary systems, Phases (state of matter)

- Assessment of the Fe-Ti system. 361-370B
 Combined refinement of diffusion coefficients applied on the Nb-C and Nb-N systems. 439-446A
 A thermodynamic study of Ru-Sn binary alloys. 577-581B
 Computer simulation and experimental investigation of the spinodal decomposition in the β Ti-Cr binary alloy system. 739-749A
 Standard enthalpies of formation for some samarium alloys, Sm+Me (Me=Ni, Rh, Pd, Pt), determined by high-temperature direct synthesis calorimetry. 815-820B
 Experimental investigation on the enthalpies of formation of the $DyFe_2$, Dy_2Fe_{17} , $ErFe_2$, and $ErFe_3$ intermetallic compounds. 1367-1374A
 Thermodynamic properties and phase equilibria for Pt-Rh alloys. 1545-1550A
 Effect of interfacial kinetic barriers on interface motion in binary diffusion couples. 2021-2032A

Bismuth, Diffusion

- A diffusion-kinetic model for predicting solder/conductor interactions in high density interconnections. 2951-2956A

Bismuth, Solubility

- Solubility of bismuth in γ -iron. 1371-1372B

Blast furnace practice

- Simplified simulation of the transient behavior of temperatures in the upper shaft of the blast furnace. 691-697B

Blast furnaces

- Simplified simulation of the transient behavior of temperatures in the upper shaft of the blast furnace. 691-697B

Blister copper, Reactions (chemical)

- Kinetic modeling of minor element behavior in copper converting. 261-268B

Borates, Composite materials

- Effect of interfacial reaction on bending strength of $Al_{18}B_4O_{33}$ whisker-reinforced aluminum composites. 1517-1524A
 Mechanical property and fracture behavior of squeeze-cast Mg matrix composites. 2543-2554A

Borides, Coatings

- A porous titanium diboride composite cathode coating for Hall-Héroult cells. I. Thin coatings. 59-67B

Borides, Composite materials

- Combustion synthesis of HfB_2 -Al composites. 877-887B

Boron, Alloying additive

- Effect of B on the microstructure and mechanical properties of mechanically milled TiAl alloys. 2273-2283A

Boron, Alloying elements

- Continuous cooling transformation temperatures determined by compression tests in low carbon bainitic grades. 989-1001A
 Transformation during the isothermal deformation of low-carbon Nb-B steels. 1383-1394A

Boron, Diffusion

- Grain boundary segregation of boron in Inconel 718. 1947-1954A

Boron, Dopants

- Recrystallization behavior of boron-doped $Ni_{75}Al_{25}$. 2893-2902A

Brasses, Mechanical properties

- Grain boundary cracking. 509-518B

Brasses, Microstructure

- On the relation between the number-weighted and volume-weighted grain volume distribution parameters. 3081-3086A

Brazed joints, Crystal growth

- Isothermal solidification kinetics of diffusion brazing. 315-325A

Brazed joints, Mechanical properties

- A novel approach for predicting the tensile strength of brazed joints. 587-592A

Brazing alloys, Alloy development

- Development of a new CuNiTiB brazing alloy for joining Si_3N_4 to Si_3N_4 . 2591-2596A

Brinell hardness, Heating effects

- Effect of prestrain on aging and bake hardening of cold-rolled, continuously annealed steel sheets. 463-467A

Brittle fracture

- Damage mechanisms in a cast ductile iron and a Al_2O_3 /Al composite. 2855-2862A

Brittle fracture, Heating effects

- The effect of carbide precipitation on the hydrogen-enhanced fracture behavior of alloy 690. 1265-1277A

Brittle fracture, Low temperature effects

- A study on fractography in the low-temperature brittle fracture of an 18Cr-18Mn-0.7N austenitic steel. 791-798A

Brittle fracture, Welding effects

- Brittle fracture initiation associated with the strain localization in a heat-affected zone of a low carbon steel. 551-558A

Brittleness, Impurity effects

- Hydrogen uptake in titanium aluminides covered with oxide layers. 307-314A

Bronzes, Powder technology

- In situ strength evolution during the sintering of bronze powders. 1257-1263A

Bronzes, Recycling

- Desulfurization behavior of molten copper alloy by a soda ash. 23-29B

Brownian movement

- Monte Carlo simulation of clustering of alumina particles in turbulent liquid aluminum. 785-791B

Bubbles

- Water model study of the frequency of bubble formation under reduced and elevated pressures. 755-761B
 Effects of pore diameter, bath surface pressure, and nozzle diameter on the bubble formation from a porous nozzle. 1209-1218B
 Effect of cross-flow on the frequency of bubble formation from a single-hole nozzle. 1219-1225B

Butt joints, Mechanical properties

- A novel approach for predicting the tensile strength of brazed joints. 587-592A

Butt welding

- A study of the structure of dissimilar submerged arc welds. 823-832A

Butt welds, Mechanical properties

- A study of the structure of dissimilar submerged arc welds. 823-832A

Byproducts

- Nonclassical decomposition products of austenite in Fe-C-Cr alloys. 2913-2924A

Cadmium, Powder technology

- A novel way of amorphous phase formation during mechanical alloying of copper and cadmium powders. 2425-2432A

Calcium, Reactions (chemical)

- Thermodynamic properties of aluminum, magnesium, and calcium in molten silicon. 1043-1049B

Calcium, Solubility

- Equilibrium of calcium vapor with liquid iron and the interaction of third elements. 415-420B

Calcium, Ternary systems

- On the observation of a new ternary $MgSiCa$ phase in Mg-Si alloys. 1759-1763A

Calcium fluoride, Reactions (chemical)

- Computer study of structures, thermodynamic, and electrical transport properties of Na_3AlF_6 - Al_2O_3 and CaF_2 - Al_2O_3 melts. 105-110B
 Thermodynamics of chromium oxides in CaO - SiO_2 - CaF_2 slag. 131-136B
 Phosphorus distribution between carbon-saturated iron at 1350°C and lime-based slags containing Na_2 and CaF_2 . 147-153B

Carbides, Crystal growth

- On the characteristics of M_2C carbides in the peak hardening regime of AerMet 100 steel. 903-905A
 Solidification microstructure and M_2C carbide decomposition in a spray-formed high-speed steel. 1395-1404A
 A combined solubility product/new PHACOMP approach for estimating temperatures of secondary solidification reactions in superalloy weld metals containing Nb and C. 1449-1456A

- Transitions in carbide morphology in a ternary Fe-C-W steel. 2087-2100A
 A transmission electron microscope study of 1% Mn ductile iron with different austempering treatments. 2297-2306A
 Grain growth and carbide precipitation in superalloy, UDIMET 520. 2687-2695A
 Carbon migration in 5Cr-0.5Mo/21Cr-12Ni dissimilar metal welds. 3037-3046A
- Carbides, Diffusion**
 Interdiffusion in the carbides of the Nb-C system. 2717-2726A
- Carbon, Alloying additive**
 Isolation of carbon and grain boundary carbide effects on the creep and intergranular stress corrosion cracking behavior of Ni-16Cr-9Fe-xC alloys in 360°C primary water. 1035-1046A
 Solidification of Nb-bearing superalloys. I. Reaction sequences. 2785-2796A
 Solidification of Nb-bearing superalloys. II. Pseudoternary solidification surfaces. 2797-2806A
- Carbon, Alloying elements**
 Microstructure and properties of Cu-C pseudoalloy films prepared by sputter deposition. 647-658A
 Observations of the columnar-to-equiaxed transition in stainless steels. 855-861A
 Solid particle erosion of an Fe-Fe₃C metal matrix composite. 1071-1079A
 Clusters in carbon martensite: thermodynamics and kinetics. 2903-2912A
- Carbon, Binary systems**
 Combined refinement of diffusion coefficients applied on the Nb-C and Nb-N systems. 439-446A
- Carbon, Diffusion**
 Surface segregation of phosphorus, carbon, and sulfur in commercial low-carbon grades of steel. 2707-2715A
 Interdiffusion in the carbides of the Nb-C system. 2717-2726A
 Carbon migration in 5Cr-0.5Mo/21Cr-12Ni dissimilar metal welds. 3037-3046A
- Carbon, Electrical properties**
 Peltier effects in electrode carbon. 69-76B
- Carbon, Quaternary systems**
 Thermodynamics of the Fe-Nb-C-N system and the solubility of niobium carbonitrides in austenite. 163-176B
 Assessment of the Fe-Ti-C system, calculation of the Fe-Ti-N system, and prediction of the solubility limit of Ti(C,N) in liquid Fe. 371-384B
- Carbon, Reactions (chemical)**
 Influence of melt carbon and sulfur on the wetting of solid graphite by Fe-C-S melts. 471-477B
 Reduction of FeO in smelting slags by solid carbon: re-examination of the influence of the gas-carbon reaction. 935-938B
- Carbon, Sorption**
 Desorption kinetics of carbon and oxygen in liquid niobium. 1309-1314B
- Carbon, Ternary systems**
 Thermodynamic assessment of liquid Fe-Mn-C system. 397-403B
 High-temperature phase equilibria in the Al-rich corner of the Al-Ti-C system. 1341-1345A
 Synthesis of nanocomposite thin films based on the Mo-Si-C ternary system and compositional tailoring through controlled ion bombardment. 1719-1725A
- Carbon compounds, Reactions (chemical)**
 Distillation and rectification of osmium tetroxide solution in carbon tetrachloride. 293-295B
- Carbon dioxide, Reactions (chemical)**
 The effect of surfactants on the interfacial rates of reaction of CO₂ and CO with liquid iron oxide. 137-145B
 The effect of sulfur on the interfacial rates of reaction of CO₂ and CO with liquid copper. 296-298B
 Steady-state studies of the reactions of H₂O-CO and CO₂-H₂ mixtures with liquid iron. 829-836B
- Carbon monoxide, Reactions (chemical)**
 The effect of surfactants on the interfacial rates of reaction of CO₂ and CO with liquid iron oxide. 137-145B
 The effect of sulfur on the interfacial rates of reaction of CO₂ and CO with liquid copper. 296-298B
 Steady-state studies of the reactions of H₂O-CO and CO₂-H₂ mixtures with liquid iron. 829-836B
- Carbon steels, Crystal growth**
 Solidification behavior and microstructural evolution during laser beam-material interaction. 1269-1279B
- Carbon steels, Welding**
 A study of the structure of dissimilar submerged arc welds. 823-832A
 Influence of residual stresses and loading frequencies on corrosion fatigue crack growth behavior of weldments. 1289-1298A
- Carbonitrides, Crystal growth**
 Grain growth and carbide precipitation in superalloy, UDIMET 520. 2687-2695A
- Carbonitrides, Solubility**
 Thermodynamics of the Fe-Nb-C-N system and the solubility of niobium carbonitrides in austenite. 163-176B
- Carbothermic reactions**
 A study on carbothermic reduction of ilmenite ore in a plasma reactor. 1175-1180B
- Carburizing**
 Stress-state effects on the stress-induced martensitic transformation of carburized 4320 steels. 427-437A
- Cast iron, Composite materials**
 A study on carbothermic reduction of ilmenite ore in a plasma reactor. 1175-1180B
- Casting alloys, Coating**
 Evolution of aluminide coating microstructure on nickel-base cast superalloy CM-247 in a single-step high-activity aluminizing process. 2173-2188A
- Casting alloys, Crystal growth**
 Microsegregation behavior during solidification and homogenization of AerMet100 steel. 205-210B
- Casting alloys, Mechanical properties**
 Effect of Y, Sr, and Nd additions on the microstructure and microfracture mechanism of squeeze-cast AZ91-X magnesium alloys. 1221-1235A
- Casting alloys, Microstructure**
 An observation on microstructure of a casting Zn-40 wt.% Al alloy. 2477-2481A
- Casting alloys, Welding**
 Autogenous gas tungsten arc weldability of cast alloy Ti-48Al-2Cr-2Nb (at.%) versus extruded alloy Ti-46Al-2Cr-2Nb-0.9Mo (at.%). 927-935A
- Casting defects**
 Prevention of macrosegregation in squeeze casting of an Al-4.5 wt.% Cu alloy. 341-351A
 Modeling freckle formation in three dimensions during solidification of multicomponent alloys. 847-855B
- Castings, Microstructure**
 Microstructural investigation of a rapidly solidified 12Cr-Mo-V steel. 367-376A
 Simulation of microporosity formation in modified and unmodified A356 alloy castings. 1249-1260B
- Cathodes, Coating**
 A porous titanium diboride composite cathode coating for Hall-Héroult cells. I. Thin coatings. 59-67B
 Electrochemical characterization of copper deposited on plasma and thermally modified titanium surfaces. 749-754B
- Cavitation**
 Creep and rupture properties of an austenitic Fe-30Mn-9Al-1C alloy. 299-306A
 Finite element analysis of cavitating facet interaction in a fully lamellar titanium aluminide alloy under creep conditions. 957-964A
 Influence of hydrostatic pressure and multiaxial straining on cavitating superplastic materials. 2555-2561A
 A theoretical investigation of the effect of material properties and cavity architecture/shape on ductile failure during the hot tension test. 2621-2630A
- Cavitation, Alloying effects**
 Superplastic flow and cavitation in Zn-22% Al doped with Cu. 1653-1663A
- Cavitation, Deformation effects**
 Creep cavity growth under interaction between lattice diffusion and grain-boundary diffusion. 2533-2542A
- Cavitation erosion, Coating effects**
 The effect of heat input on the microstructure and properties of nickel aluminum bronze laser clad with a consumable of composition Cu-9.0Al-4.6Ni-3.9Fe-1.2Mn. 1677-1690A
- Cellular structure, Processing effects**
 Microstructural features and heat flow analysis of atomized and spray-formed Al-Fe-V-Si alloy. 2205-2219A
- Centrifugal casting**
 Structural transition and macrosegregation of Al-Cu eutectic alloy solidified in the electromagnetic centrifugal casting process. 404-408A
- Ceramic coatings, Reactions (chemical)**
 Wettability, surface tension, and reactivity of the molten manganese/zirconia-yttria ceramic system. 1121-1125A
- Ceramic fibers, Coating**
 Titanium preconditioning of Al₂O₃ for liquid-state processing of Al-Al₂O₃ composite materials. 327-337A
- Chemical vapor deposition**
 Effects of sulfur impurity on the scale adhesion behavior of a desulfurized Ni-based superalloy aluminized by chemical vapor deposition. 833-841A

- Chill casting**
Effect of temperature on silicon particle damage in A356 alloy. 905-907A
- Chlorides, Reactions (chemical)**
Distillation and rectification of osmium tetroxide solution in carbon tetrachloride. 293-295B
- Chlorination**
Carbochlorination kinetics of titanium dioxide with carbon and carbon monoxide as reductant. 1297-1307B
Kinetics of chlorination and oxychlorination of chromium(III) oxide. 1299-1308A
- Chromite refractories, Reactions (chemical)**
Formation of hexavalent chromium by reaction between slag and magnesite-chrome refractory. 405-410B
- Chromium, Alloying additive**
Ternary alloying study of MoSi₂. 119-129A
- Chromium, Alloying elements**
High-temperature deformation behavior of the intermetallic Ti-47 at.% Al-3 at.% Cr alloy. 1425-1430A
- Chromium, Binary systems**
Computer simulation and experimental investigation of the spinodal decomposition in the β Ti-Cr binary alloy system. 739-749A
- Chromium, Composite materials**
Correlation between the cold-working and aging treatments in a Cu-15 wt.% Cr in situ composite. 2195-2203A
- Chromium, Extraction**
Kinetics of carbochlorination of chromium(III) oxide. 729-737B
- Chromium, Reactions (chemical)**
Titania-assisted photoreduction of Cr(VI) to Cr(III) in aqueous media: kinetics and mechanisms. 95-104B
Formation of hexavalent chromium by reaction between slag and magnesite-chrome refractory. 405-410B
- Chromium, Ternary systems**
Thermodynamic properties of the Fe-Cr-P liquid solution. 155-161B
- Chromium compounds, Reduction (chemical)**
Titania-assisted photoreduction of Cr(VI) to Cr(III) in aqueous media: kinetics and mechanisms. 95-104B
Communication: Estimation of isothermal values of activation energy for aluminothermic reduction. 1135-1136B
- Chromium molybdenum steels, Heat treatment**
Analytical/finite-element modeling and experimental verification of spray-cooling process in steel. 1485-1498A
- Chromium molybdenum steels, Mechanical properties**
The effect of environment on high-temperature hold time fatigue behavior of annealed 2.25Cr-1Mo steel. 2137-2145A
- Chromium molybdenum steels, Welding**
Role of microstructural degradation in the heat-affected zone of 2.25Cr-1Mo steel weldments on subscale features during steam oxidation and their role in weld failures. 577-586A
- Chromium molybdenum vanadium steels, Casting**
Microstructural investigation of a rapidly solidified 12Cr-Mo-V steel. 367-376A
- Chromium molybdenum vanadium steels, Mechanical properties**
The relationship between microstructure and the J-R curve. 1917-1922A
- Chromium ores, Reduction (chemical)**
Thermodynamic estimation on the reduction behavior of iron-chromium ore with carbon. 351-360B
Kinetics of carbochlorination of chromium(III) oxide. 729-737B
- Chromium steels, Microstructure**
A new equation for the Cr equivalent in 9 to 12% Cr steels. 1573-1578A
- Chromium steels, Phase transformations**
Nonclassical decomposition products of austenite in Fe-C-Cr alloys. 2913-2924A
- Chromium vanadium steels, Phases (state of matter)**
Microstructural characterization of 5 to 9% Cr-2% W-V-Ta martensitic steels. 1551-1558A
- Cleavage, Composition effects**
Effects of R-ratio on the fatigue crack growth of Nb-Si(ss) and Nb-10Si in situ composites. 1749-1757A
- Cleavage, Microstructural effects**
Effect of tungsten particle shape on dynamic deformation and fracture behavior of tungsten heavy alloys. 1057-1069A
- Coal, Reactions (chemical)**
Influence of melt carbon and sulfur on the wetting of solid graphite by Fe-C-S melts. 471-477B
- Cobalt, Alloying additive**
Ternary alloying study of MoSi₂. 119-129A
Effects of Co and Ni on secondary hardening and fracture behavior of martensitic steels bearing W and Cr. 397-401A
- Cobalt, Powder technology**
An examination of the interparticle contact area during sintering of W-0.3 wt.% Co. 1309-1317A
- Cobalt, Reactions (chemical)**
Thermodynamic modeling of liquid Fe-Ni-Cu-Co-S mattes. 591-601B
- Cobalt, Recovering**
The metal saturation line and tie-lines in the nickel-cobalt-sulfur ternary system between 1273 and 1573K. 1941-1945A
- Cobalt compounds, Microstructure**
Structural models of ϵ^2 -inflated monoclinic and orthorhombic Al-Co phases. 1565-1572A
Effect of ordering energy and stoichiometry in $\Sigma=5$ boundaries in B2 compounds. 2655-2668A
- Coke, Reactions (chemical)**
Influence of melt carbon and sulfur on the wetting of solid graphite by Fe-C-S melts. 471-477B
- Cold drawing**
Assessment of void growth models from porosity measurements in cold-drawn copper bars. 1895-1909A
- Cold rolling**
Grain size estimation in anisotropic materials. 237-244A
Effect of prestrain on aging and bake hardening of cold-rolled, continuously annealed steel sheets. 463-467A
Recrystallization behavior of boron-doped Ni₇₆Al₂₄. 2893-2902A
- Cold working**
Correlation between the cold-working and aging treatments in a Cu-15 wt.% Cr in situ composite. 2195-2203A
Static recrystallization kinetics with homogeneous and heterogeneous nucleation using a cellular automata model. 2307-2321A
An x-ray Fourier line shape analysis in cold-worked hexagonal titanium base alloys. 2639-2642A
Role of cold work and SiC reinforcements on the β/β' precipitation in Al-10% Mg alloy. 2835-2842A
- Columnar structure**
Microstructural investigation of a rapidly solidified 12Cr-Mo-V steel. 367-376A
Structural transition and macrosegregation of Al-Cu eutectic alloy solidified in the electromagnetic centrifugal casting process. 404-408A
- Columnar structure, Composition effects**
Observations of the columnar-to-equiaxed transition in stainless steels. 855-861A
- Columnar structure, Field effects**
The unidirectional solidification of Al-4 wt.% Cu ingots in microgravity. 1101-1111A
- Comminution**
Comparison of grinding kinetics between a typical ball mill and a ball mill fitted with a breaker plate. 17-22B
Mechanical properties, ductility, and grain size of nanocrystalline iron produced by mechanical attrition. 2285-2295A
- Compressing**
Stress-state effects on the stress-induced martensitic transformation of carburized 4320 steels. 427-437A
The effect of environment on high-temperature hold time fatigue behavior of annealed 2.25Cr-1Mo steel. 2137-2145A
Heterogeneous microstructures and microtextures in cube-oriented Al crystals after channel die compression. 2333-2344A
Compressive deformation and energy absorbing characteristic of foamed aluminum. 2497-2502A
Ductilization of a powder metallurgy Al-17 wt.% Cu by means of channel-die compression and extrusion. 2613-2620A
- Compression tests**
Tension and compression testing of single-crystalline gamma Ti-55.5% Al. 65-71A
- Compressive strength, Anisotropy**
The critical resolved shear stress of a superalloy as a combination of those of its γ matrix and γ' precipitates. 799-807A
- Computer simulation**
Microsegregation behavior during solidification and homogenization of AerMet100 steel. 205-210B
Crystal plasticity forming limit diagram analysis of rolled aluminum sheets. 527-535A
Numerical simulation of macrosegregation: a comparison between finite volume method and finite element method predictions and a confrontation with experiments. 617-630A
Computer simulation and experimental investigation of the spinodal decomposition in the β Ti-Cr binary alloy system. 739-749A
Monte Carlo simulation of clustering of alumina particles in turbulent liquid aluminum. 785-791B
Solidification of a ternary metal alloy: a comparison of experimental measurements and model predictions in a Pb-Sb-Sn system. 843-853A
Modeling freckle formation in three dimensions during solidification of multicomponent alloys. 847-855B

- Atomistic simulation of fracture in TiAl. 951-955A
- Simulation of microporosity formation in modified and unmodified A356 alloy castings. 1249-1260B
- Mathematical simulation on coupled flow, heat, and solute transport in slab continuous casting process. 1345-1356B
- Visual simulation of fatigue crack growth. 1923-1931A
- Consolidation**
- Finite element modeling of distortion during liquid phase sintering. 659-664A
- Microstructures and properties of nanocomposites obtained through SPTS consolidation of powders. 2253-2260A
- Contact angle**
- Wettability, surface tension, and reactivity of the molten manganese/zirconia-yttria ceramic system. 1121-1125A
- Continuous annealing**
- Effect of prestrain on aging and bake hardening of cold-rolled, continuously annealed steel sheets. 463-467A
- Continuous casting**
- Model for temperature profile estimation in the refractory of a metallurgical ladle. 651-659B
- Stress formation in solidifying bodies. Solidification in a round continuous casting mold. 1057-1068B
- Numerical investigation of the free surface in a continuous steel casting mold model. 1117-1126B
- Fractal analysis of the surface cracks on continuously cast steel slabs. 1261-1267B
- Numerical investigation of the interface in a continuous steel casting mold water model. 1321-1327B
- Mathematical simulation on coupled flow, heat, and solute transport in slab continuous casting process. 1345-1356B
- Continuous casting, Quality control**
- Investigation of inclusion re-entrainment from the steel-slag interface. 641-649B
- Continuous rolling**
- Modeling the microstructural changes during hot tandem rolling of AA5XXX aluminum alloys. I. Microstructural evolution. 611-620B
- Modeling the microstructural changes during hot tandem rolling of AA5XXX aluminum alloys. II. Textural evolution. 621-633B
- Modeling the microstructural changes during hot tandem rolling of AA5XXX aluminum alloys. III. Overall model development and validation. 709-719B
- Convection, Field effects**
- Marangoni convection flow in $\text{NaNO}_3\text{-KNO}_3$ mixture under microgravity. 987-991B
- The influence of gravity-related convection on secondary arm evolution in $\text{NH}_4\text{Cl-H}_2\text{O}$. 1137-1139A
- Cooling curves, Composition effects**
- Continuous cooling transformation temperatures determined by compression tests in low carbon bainitic grades. 989-1001A
- Cooling rate**
- Supertransus processing of TiAl-based alloys. 27-36A
- An investigation of the effects caused by electromagnetic vibrations in a hypereutectic Al-Si alloy melt. 1477-1484A
- Ferromagnetic bulk amorphous alloys. 1779-1793A
- Ab initio studies of the electronic structure and energetics of bulk amorphous metals. 1845-1851A
- Copper, Brazing**
- Isothermal solidification kinetics of diffusion brazing. 315-325A
- Copper, Casting**
- The free-surface shape and temperature distribution produced in liquid metal droplets by heating coil pulses in the TEMPUS electromagnetic levitation facility. 1127-1134B
- Copper, Crystal growth**
- A model for microstructure evolution in adiabatic shear bands. 191-203A
- Copper, Diffusion**
- A diffusion-kinetic model for predicting solder/conductor interactions in high density interconnections. 2951-2956A
- Copper, Dopants**
- Superplastic flow and cavitation in Zn-22% Al doped with Cu. 1653-1663A
- Copper, Extraction**
- Selective oxidation of copper from liquid copper-silver alloys. 39-51B
- A kinetic model of the Peirce-Smith converter. I. Model formulation and validation. 239-249B
- A kinetic model of the Peirce-Smith converter. II. Model application and discussion. 251-259B
- Henrian activity coefficient of Pb in Cu-Fe mattes and white metal. 429-436B
- Physicochemical and structural factors in the sulfuric acid leaching of nickel- and copper-bearing synthetic birnessites. 527-540B
- Effects of CaO , Al_2O_3 , and MgO additions on the copper solubility, ferric/ferrous ratio, and minor-element behavior of iron-silicate slags. 583-590B
- Electrochemical characterization of copper deposited on plasma and thermally modified titanium surfaces. 749-754B
- Bioleaching model of a copper-sulfide ore bed in heap and dump configurations. 899-909B
- Leaching kinetics of digenite concentrate in oxygenated chloride media at ambient pressure. 961-969B
- Copper, Impurities**
- Removal of copper from carbon-saturated iron with an aluminum sulfide/ferrous sulfide flux. 493-495B
- Copper, Mechanical properties**
- Grain boundary cracking. 509-518B
- Assessment of void growth models from porosity measurements in cold-drawn copper bars. 1895-1909A
- Comparison of cyclic deformation behavior between copper bicrystals and their component crystals. 2563-2569A
- Copper, Metal working**
- Noncontact ultrasonic spectroscopy on deforming polycrystalline copper: dislocation damping and acoustoelasticity. 2987-2993A
- Copper, Microstructure**
- Strain-induced grain evolution in polycrystalline copper during warm deformation. 2957-2965A
- Copper, Powder technology**
- A novel way of amorphous phase formation during mechanical alloying of copper and cadmium powders. 2425-2432A
- Liquidlike sintering behavior of nanometric Fe and Cu powders: experimental approach. 2941-2949A
- Copper, Reactions (chemical)**
- Factors affecting the immobilization of metals in geopolymerized flyash. 283-291B
- The effect of sulfur on the interfacial rates of reaction of CO_2 and CO with liquid copper. 296-298B
- Thermodynamic modeling of liquid Fe-Ni-Cu-Co-S mattes. 591-601B
- Copper, Refining**
- Fundamental studies of copper anode passivation during electrowinning. III. The effect of thiourea. 53-58B
- Modeling mean flow and turbulence characteristics in gas-agitated bath with top layer. 211-222B
- Surface interactions between fayalite slags and synthetic spinels and solid solutions. 317-323B
- Formation of hexavalent chromium by reaction between slag and magnesite-chrome refractory. 405-410B
- Tellurium distribution in copper anode slimes smelting. 555-562B
- Deoxidation of molten copper with a rotating graphite cylinder. 739-747B
- Copper, Smelting**
- Kinetic modeling of minor element behavior in copper converting. 261-268B
- Copper, Ternary systems**
- Thermochemistry of ternary liquid Cu-Mg-Si alloys. 807-813B
- F-type icosahedral phase and a related cubic phase in the Al-Rh-Cu system. 1559-1563A
- Copper base alloys, Alloy development**
- Development of a new CuNiTiB brazing alloy for joining Si_3N_4 to Si_3N_4 . 2591-2596A
- Copper base alloys, Casting**
- Bulk amorphous metallic alloys: synthesis by fluxing techniques and properties. 1795-1804A
- Copper base alloys, Claddings**
- The effect of heat input on the microstructure and properties of nickel aluminum bronze laser clad with a consumable of composition Cu-9.0Al-4.6Ni-3.9Fe-1.2Mn. 1677-1690A
- Copper base alloys, Composite materials**
- Correlation between the cold-working and aging treatments in a Cu-15 wt.% Cr in situ composite. 2195-2203A
- Microstructures and properties of nanocomposites obtained through SPTS consolidation of powders. 2253-2260A
- Copper base alloys, Electrical properties**
- Microstructure and properties of Cu-C pseudoalloy films prepared by sputter deposition. 647-658A
- Copper base alloys, Mechanical properties**
- Sliding wear response of a zinc-based alloy compared to a copper-based alloy. 1245-1255A
- Copper base alloys, Oxidation**
- Selective oxidation of copper from liquid copper-silver alloys. 39-51B
- Copper base alloys, Phase transformations**
- Microstructural studies of a Cu-Zn-Al shape-memory alloy with manganese and zirconium addition. 1865-1871A
- The effect of undercooling on the cellular precipitation reaction in Cu-3Ti. 2101-2110A
- Transformation relaxation and aging in a CuZnAl shape-memory alloy studied by modulated differential scanning calorimetry. 2697-2705A
- Copper base alloys, Powder technology**
- Modeling of porosity during spray forming: I. Effects of processing parameters. 1085-1096B

- Modeling of porosity during spray forming: II. Effects of atomization gas chemistry and alloy compositions. 1097-1106B
- Copper compounds, Casting**
The free-surface shape and temperature distribution produced in liquid metal droplets by heating coil pulses in the TEMPUS electromagnetic levitation facility. 1127-1134B
- Copper compounds, Impurities**
Upper acicular ferrite formation in a medium-carbon microalloyed steel by isothermal transformation: nucleation enhancement by CuS. 1003-1015A
- Copper compounds, Phase transformations**
Stress-induced martensitic phase transformations in polycrystalline CuZnAl shape memory alloys under different stress states. 765-773A
- Copper mattes, Reduction (chemical)**
Henrian activity coefficient of Pb in Cu-Fe mattes and white metal. 429-436B
- Copper ores, Beneficiation**
Leaching kinetics of digenite concentrate in oxygenated chloride media at ambient pressure. 961-969B
- Copper ores, Reduction (chemical)**
A kinetic model of the Peirce-Smith converter. I. Model formulation and validation. 239-249B
A kinetic model of the Peirce-Smith converter. II. Model application and discussion. 251-259B
Bioleaching model of a copper-sulfide ore bed in heap and dump configurations. 899-909B
- Corrosion environments**
Role of microstructural degradation in the heat-affected zone of 2.25Cr-1Mo steel weldments on subscale features during steam oxidation and their role in weld failures. 577-586A
- Corrosion fatigue, Stress effects**
Influence of residual stresses and loading frequencies on corrosion fatigue crack growth behavior of weldments. 1289-1298A
- Corrosion mechanisms**
Surface interactions between fayalite slags and synthetic spinels and solid solutions. 317-323B
- Corrosion resistance, Coating effects**
The effect of heat input on the microstructure and properties of nickel aluminum bronze laser clad with a consumable of composition Cu-9.0Al-4.6Ni-3.9Fe-1.2Mn. 1677-1690A
- Crack closure**
Discussion of error in the analysis of the wake dislocation problem. 1357-1360A
- Crack closure, Environmental effects**
Environment-sensitive closure and fatigue crack propagation behavior of Al 2090. 2583-2590A
- Crack closure, Microstructural effects**
Effect of phase morphology on fatigue crack growth behavior of α - β -titanium alloy—a crack closure rationale. 245-261A
- Crack closure, Stress effects**
A model for roughness-induced fatigue crack closure. 1933-1939A
- Crack initiation**
Deformation structure and subsurface fatigue crack generation in austenitic steels at low temperature. 809-822A
Damage mechanisms in a cast ductile iron and a $\text{Al}_2\text{O}_3/\text{Al}$ composite. 2855-2862A
Thermomechanical fatigue behavior of the high-temperature titanium alloy IMI 834. 2995-3004A
- Crack initiation, Low temperature effects**
Effect of temperature on silicon particle damage in A356 alloy. 905-907A
- Crack initiation, Microstructural effects**
Physical constants, deformation twinning, and microcracking of titanium aluminides. 49-63A
Fundamental aspects of fatigue and fracture in a TiAl sheet alloy. 73-87A
Characterizations of pore and constituent particle populations in 7050-T7451 aluminum plate alloys. 727-737A
Damage process in commercially pure α -titanium alloy without (Ti40) and with (Ti40-H) hydrides. 1615-1628A
Effects of test temperature on internal fatigue crack generation associated with nonmetallic particles in austenitic steels. 3017-3028A
- Crack initiation, Temperature effects**
Temperature-dependent void-sheet fracture in Al-Cu-Mg-Ag-Zr. 1599-1613A
- Crack initiation, Welding effects**
Brittle fracture initiation associated with the strain localization in a heat-affected zone of a low carbon steel. 551-558A
- Crack opening displacement, Microstructural effects**
Relationship between fracture toughness and crack extension resistance curves (R curves) for Ti-6Al-4V alloys. 781-789A
- Crack propagation**
Discussion of error in the analysis of the wake dislocation problem. 1357-1360A
Visual simulation of fatigue crack growth. 1923-1931A
Thermomechanical fatigue behavior of the high-temperature titanium alloy IMI 834. 2995-3004A
- Crack propagation, Composition effects**
Effects of R-ratio on the fatigue crack growth of Nb-Si(ss) and Nb-10Si in situ composites. 1749-1757A
An investigation of the fracture and fatigue crack growth behavior of forged damage-tolerant niobium aluminide intermetallics. 2361-2374A
- Crack propagation, Heating effects**
Interface-controlled fatigue cracking of SCS-6/Ti-22Al-23Nb "orthorhombic" titanium aluminide composite. 2737-2746A
Use of the nanoindentation technique for studying microstructure/crack interactions in the fatigue of 4340 steel. 3029-3036A
- Crack propagation, Low temperature effects**
A study on fractography in the low-temperature brittle fracture of an 18Cr-18Mn-0.7N austenitic steel. 791-798A
Effect of temperature on silicon particle damage in A356 alloy. 905-907A
- Crack propagation, Microstructural effects**
Fundamental aspects of fatigue and fracture in a TiAl sheet alloy. 73-87A
Effect of phase morphology on fatigue crack growth behavior of α - β -titanium alloy—a crack closure rationale. 245-261A
Microstructures controlling the ductile crack growth resistance of low carbon steels. 279-287A
Relationship between fracture toughness and crack extension resistance curves (R curves) for Ti-6Al-4V alloys. 781-789A
Damage process in commercially pure α -titanium alloy without (Ti40) and with (Ti40-H) hydrides. 1615-1628A
Effects of test temperature on internal fatigue crack generation associated with nonmetallic particles in austenitic steels. 3017-3028A
- Crack propagation, Stress effects**
Effect of small loads on crack growth rate and crack tip deformation in the fatigue process of A537 steel. 401-403A
Influence of residual stresses and loading frequencies on corrosion fatigue crack growth behavior of weldments. 1289-1298A
The effects of residual macrostresses and microstresses on fatigue crack propagation. 2127-2136A
- Cracking (fracturing), Diffusion effects**
Gaseous hydrogen embrittlement of a hydrided zirconium alloy. 1047-1056A
- Cracking (fracturing), Welding effects**
Improving the weldability and service performance of nickel- and iron-based superalloys by grain boundary engineering. 3069-3079A
- Cracks**
Fractal analysis of the surface cracks on continuously cast steel slabs. 1261-1267B
- Creep (materials)**
Finite element analysis of cavitating facet interaction in a fully lamellar titanium aluminide alloy under creep conditions. 957-964A
Creep cavity growth under interaction between lattice diffusion and grain-boundary diffusion. 2533-2542A
- Creep (materials), Composition effects**
A comparison of the creep properties of an Al-6092 composite and the unreinforced matrix alloy. 2523-2531A
- Creep life**
Creep rupture life prediction of short fiber-reinforced metal matrix composites. 1983-1989A
- Creep rate**
Creep rupture life prediction of short fiber-reinforced metal matrix composites. 1983-1989A
- Creep rate, Alloying effects**
Isolation of carbon and grain boundary carbide effects on the creep and intergranular stress corrosion cracking behavior of Ni-16Cr-9Fe-xC alloys in 360°C primary water. 1035-1046A
- Creep rate, Heating effects**
Changes in microstructure during primary creep of a Ti-47Al-2Nb-1Mn-0.5W-0.5Mo-0.2Si alloy. 89-98A
- Creep rate, Microstructural effects**
Microstructural evolution during creep of single-phase gamma TiAl. 99-104A
Microstructure and creep behavior of an orthorhombic Ti-25Al-17Nb-1Mo alloy. 559-564A
Microstructural development and creep deformation in equiaxed γ , $\gamma+\alpha_2$, and $\gamma+\alpha_2+\text{B}_2$ titanium aluminides. 965-978A
- Creep rupture strength**
Creep rupture life prediction of short fiber-reinforced metal matrix composites. 1983-1989A
Parametric analysis of monocrystalline CMSX-4 creep and rupture data. 2645-2647A

- Creep rupture strength, Deformation effects**
Plastic instability during creep deformation of a NiAl-Hf single-crystal alloy—a case study. 179-189A
- Creep rupture strength, Heating effects**
In situ strength evolution during the sintering of bronze powders. 1257-1263A
- Creep rupture strength, High temperature effects**
Creep and rupture properties of an austenitic Fe-30Mn-9Al-1C alloy. 299-306A
- Creep strength, Alloying effects**
Microstructural development and creep deformation in equiaxed γ , $\gamma+\alpha_2$, and $\gamma+\alpha_2+B2$ titanium aluminides. 965-978A
- Creep strength, Heating effects**
Changes in microstructure during primary creep of a Ti-47Al-2Nb-1Mn-0.5W-0.5Mo-0.2Si alloy. 89-98A
- Creep strength, Microstructural effects**
Supertransus processing of TiAl-based alloys. 27-36A
Grain-shape parameters for high-temperature creep resistance in powder metallurgy tungsten fine wires. 519-526A
- Criteria**
Numerical analysis of the formability of an aluminum 2024 alloy sheet and its laminates with steel sheets. 2829-2834A
- Critical temperature, Deformation effects**
Effect of thermal cycling on the R-phase and martensitic transformations in a Ti-rich NiTi alloy. 1175-1180A
- Cryolite, Reactions (chemical)**
Computer study of structures, thermodynamic, and electrical transport properties of $\text{Na}_3\text{AlF}_6\text{-Al}_2\text{O}_3$ and $\text{CaF}_2\text{-Al}_2\text{O}_3$ melts. 105-110B
- Crystal defects**
The motion of multiple height ledges and disconnections in phase transformations. 2033-2038A
Determining interphase boundary orientations from near-coincidence sites. 2059-2072A
- Crystal structure**
Lattice constants and compositions of the metastable Ni_3Nb phase precipitated in a Ni-15Cr-8Fe-6Nb alloy. 1169-1174A
Structural models of τ^2 -inflated monoclinic and orthorhombic Al-Co phases. 1565-1572A
- Crystal structure, Impurity effects**
On the nature of the Fe-bearing particles influencing hard anodizing behavior of AA 7075 extrusion products. 979-987A
- Crystallization**
A correlation method for determination of crystallization mechanism and activation energy of amorphous alloy. 149-151A
An analysis of the formation of bulk amorphous silicon from the melt. 1825-1828A
- Current efficiency**
Measurement of pH in the vicinity of a cathode during the chloride electrowinning of nickel. 1193-1198B
- Cutting parameters**
Cutting performance and microstructure of high speed steels: contributions of matrix strengthening and undissolved carbides. 205-216A
- Cutting tool materials, Mechanical properties**
Cutting performance and microstructure of high speed steels: contributions of matrix strengthening and undissolved carbides. 205-216A
- Cutting tools, Service life**
Cutting performance and microstructure of high speed steels: contributions of matrix strengthening and undissolved carbides. 205-216A
- Cyclic loads**
Cyclic deformation behavior of high-purity titanium single crystals. I. Orientation dependence of stress-strain response. 507-512A
Cyclic deformation behavior of high-purity titanium single crystals. II. Microstructure and mechanism. 513-518A
Comparison of cyclic deformation behavior between copper bicrystals and their component crystals. 2563-2569A
- Cylinders, Casting**
The movement of the concave casting surface during mushy-type solidification and its effect on the heat-transfer coefficient. 1051-1056B
- Damage**
Damage mechanisms in a cast ductile iron and a $\text{Al}_2\text{O}_3/\text{Al}$ composite. 2855-2862A
- Damage tolerance**
A strain energy-based approach to the low-cycle fatigue damage mechanism in a high-strength spring steel. 1431-1439A
- Damping**
Noncontact ultrasonic spectroscopy on deforming polycrystalline copper: dislocation damping and acoustoelasticity. 2987-2993A
- Damping, Deformation effects**
Kinetics of strain aging in drawn pearlitic steels. 1415-1423A
- Debonding**
Damage mechanisms in a cast ductile iron and a $\text{Al}_2\text{O}_3/\text{Al}$ composite. 2855-2862A
- Decarburizing**
Steady-state studies of the reactions of $\text{H}_2\text{O-CO}$ and $\text{CO}_2\text{-H}_2$ mixtures with liquid iron. 829-836B
- Deformation**
Comparison of cyclic deformation behavior between copper bicrystals and their component crystals. 2563-2569A
- Deformation mechanisms**
Microstructural evolution during creep of single-phase gamma TiAl. 99-104A
New grain formation during warm deformation of ferritic stainless steel. 161-167A
Quantitative analysis on boundary sliding and its accommodation mode during superplastic deformation of two-phase Ti-6Al-4V alloy. 217-226A
Correlation of dynamic torsional properties with adiabatic shear banding behavior in ballistically impacted aluminum-lithium alloys. 227-235A
Tensile properties and fracture toughness of a Ti-45Al-1.6Mn alloy at loading velocities of up to 12 m/s. 263-277A
Creep and rupture properties of an austenitic Fe-30Mn-9Al-1C alloy. 299-306A
Effect of test temperature on the dynamic torsional deformation behavior of two aluminum-lithium alloys. 469-476A
Cyclic deformation behavior of high-purity titanium single crystals. II. Microstructure and mechanism. 513-518A
Microstructural development and creep deformation in equiaxed γ , $\gamma+\alpha_2$, and $\gamma+\alpha_2+B2$ titanium aluminides. 965-978A
High-temperature deformation behavior of the intermetallic Ti-47 at.% Al-3 at.% Cr alloy. 1425-1430A
Transformation superplasticity of zirconium. 2571-2582A
Some observations on cyclic deformation structures in the high-strength commercial aluminum alloy AA 7150. 2727-2736A
Noncontact ultrasonic spectroscopy on deforming polycrystalline copper: dislocation damping and acoustoelasticity. 2987-2993A
- Deformation mechanisms, Processing effects**
Mechanical behavior of a bulk nanostructured iron alloy. 2261-2271A
- Degassing**
Effect of oxidation treatment and surface filming on hydrogen degassing from TiH_2 . 1315-1319B
- Dendritic structure**
The influence of temperature gradient zone melting on microsegregation. 361-367A
Microstructural investigation of a rapidly solidified 12Cr-Mo-V steel. 367-376A
Solidification and spangle formation of hot-dip-galvanized zinc coatings. 631-646A
Solidification of a ternary metal alloy: a comparison of experimental measurements and model predictions in a Pb-Sb-Sn system. 843-853A
Primary spacing in directional solidification. 1113-1119A
Directional dendritic solidification of a composite slurry. I. Dendrite morphology. 1319-1327A
Directional dendritic solidification of a composite slurry. II. Particle distribution. 1329-1339A
Microstructural and compositional transients during accelerated directional solidification of Al-4.5 wt.% Cu. 2375-2381A
Discussion of "Effect of dendrite arm coarsening on microsegregation" and authors' reply. 2447-2450A
An observation on microstructure of a casting Zn-40 wt.% Al alloy. 2477-2481A
<110> dendrite growth in aluminum feathery grains. 2807-2817A
A free dendritic growth model accommodating curved phase boundaries and high Peclet number conditions. 3047-3056A
- Dendritic structure, Field effects**
The unidirectional solidification of Al-4 wt.% Cu ingots in microgravity. 1101-1111A
The influence of gravity-related convection on secondary arm evolution in $\text{NH}_4\text{Cl-H}_2\text{O}$. 1137-1139A
- Dendritic structure, Processing effects**
Microstructural features and heat flow analysis of atomized and spray-formed Al-Fe-V-Si alloy. 2205-2219A
- Densification**
Finite element modeling of distortion during liquid phase sintering. 659-664A
- Density, Alloying effects**
Effect of Ni on vacancy concentrations and hardness in FeAl alloys. 1911-1915A
- Density, Anisotropy**
The effect of density anisotropy on the yielding and flow behavior of partially consolidated powder compacts. 1471-1475A

- Density, Deformation effects**
Microstructures and properties of nanocomposites obtained through SPTS consolidation of powders. 2253-2260A
- Density, Processing effects**
The effect of tungsten particle size on the processing and properties of infiltrated W-Cu compacts. 1509-1516A
- Deoxidizing**
Deoxidation equilibria of molten nickel by Mg-Al and Mn-Al. 197-203B
Deoxidation of molten copper with a rotating graphite cylinder. 739-747B
Thermodynamics of yttrium and oxygen in molten Ti, Ti₃Al, and TiAl. 1037-1042B
- Dephosphorizing**
Desulfurization behavior of molten copper alloy by a soda ash. 23-29B
The kinetics of dephosphorization of carbon-saturated iron using an oxidizing slag. 111-118B
Thermodynamics of chromium oxides in CaO-SiO₂-CaF₂ slag. 131-136B
- Desorption**
Desorption kinetics of carbon and oxygen in liquid niobium. 1309-1314B
- Desulfurizing**
Desulfurization behavior of molten copper alloy by a soda ash. 23-29B
- Deuterium, Diffusion**
Hydrogen and deuterium in Pd-25% Ag alloy: permeation, diffusion, solubilization, and surface reaction. 1023-1028A
Effect of dislocation trapping on deuterium diffusion in deformed, single-crystal Pd. 1593-1598A
- Diamond pyramid hardness, Heating effects**
Nanometer-scale, fully lamellar microstructure in an aged TiAl-based alloy. 2679-2685A
- Die forging**
Ductilization of a powder metallurgy Al-17 wt.% Cu by means of channel-die compression and extrusion. 2613-2620A
- Die steels, Thermal properties**
The movement of the concave casting surface during mushy-type solidification and its effect on the heat-transfer coefficient. 1051-1056B
- Differential equations**
A diffusion solution for the melting/dissolution of a solid at constant temperature and its use for measuring the diffusion coefficient in liquids. 751-755A
- Diffraction**
An x-ray Fourier line shape analysis in cold-worked hexagonal titanium base alloys. 2639-2642A
- Diffusion welding**
Isothermal solidification kinetics of diffusion brazing. 315-325A
- Diffusivity**
Combined refinement of diffusion coefficients applied on the Nb-C and Nb-N systems. 439-446A
A diffusion solution for the melting/dissolution of a solid at constant temperature and its use for measuring the diffusion coefficient in liquids. 751-755A
Interdiffusivities and mass transfer coefficients of NaF gas. Hydrogen and deuterium in Pd-25% Ag alloy: permeation, diffusion, solubilization, and surface reaction. 1023-1028A
A mathematical model for the solute drag effect on recrystallization. 1029-1034A
Effect of interfacial kinetic barriers on interface motion in binary diffusion couples. 2021-2032A
Interdiffusion in the carbides of the Nb-C system. 2717-2726A
- Diffusivity, Alloying effects**
Molybdenum-tungsten interdiffusion and the influence on potassium bubbles in tungsten lamp wire. 2933-2939A
- Diffusivity, Coating effects**
Hydrogen uptake in titanium aluminides covered with oxide layers. 307-314A
- Diffusivity, Microstructural effects**
Effect of dislocation trapping on deuterium diffusion in deformed, single-crystal Pd. 1593-1598A
Growth of δ' on dislocations in a dilute Al-Li alloy. 2073-2085A
- Diffusivity, Processing effects**
Liquidlike sintering behavior of nanometric Fe and Cu powders: experimental approach. 2941-2949A
- Diffusivity, Temperature effects**
Thermodynamic and kinetic properties of amorphous and liquid states. 1837-1843A
- Direct chill casting**
The use of particle image velocimetry in the physical modeling of flow in electromagnetic or direct-chill casting of aluminum. I. Development of the physical model. 1281-1288B
The use of particle image velocimetry in the physical modeling of flow in electromagnetic or direct-chill casting of aluminum. II. Results of the physical model, including bag geometry, blockage, and nozzle placement. 1289-1295B
- Directional solidification, Composition effects**
Particle engulfment and pushing by solidifying interfaces. I. Ground experiments. 1691-1696A
- Directional solidification, Field effects**
Particle engulfment and pushing by solidifying interfaces. II. Microgravity experiments and theoretical analysis. 1697-1706A
- Dislocation density**
Creep and rupture properties of an austenitic Fe-30Mn-9Al-1C alloy. 299-306A
- Dislocation density, Deformation effects**
Microstructural evolution during creep of single-phase gamma TiAl. 99-104A
New grain formation during warm deformation of ferritic stainless steel. 161-167A
- Dislocation mobility**
Tensile properties and fracture toughness of a Ti-45Al-1.6Mn alloy at loading velocities of up to 12 m/s. 263-277A
High-temperature deformation behavior of the intermetallic Ti-47 at.% Al-3 at.% Cr alloy. 1425-1430A
Noncontact ultrasonic spectroscopy on deforming polycrystalline copper: dislocation damping and acoustoelasticity. 2987-2993A
- Dislocation mobility, Deformation effects**
Microstructural evolution during creep of single-phase gamma TiAl. 99-104A
- Dislocation pinning**
Effect of dislocation trapping on deuterium diffusion in deformed, single-crystal Pd. 1593-1598A
- Dislocations**
Discussion of error in the analysis of the wake dislocation problem. 1357-1360A
Growth of δ' on dislocations in a dilute Al-Li alloy. 2073-2085A
- Dislocations, Deformation effects**
Strain-induced grain evolution in polycrystalline copper during warm deformation. 2957-2965A
- Dissimilar materials, Soldering**
A diffusion-kinetic model for predicting solder/conductor interactions in high density interconnections. 2951-2956A
- Dissimilar metals, Brazing**
Isothermal solidification kinetics of diffusion brazing. 315-325A
- Dissimilar metals, Welding**
A study of the structure of dissimilar submerged arc welds. Carbon migration in 5Cr-0.5Mo/21Cr-12Ni dissimilar metal welds. 823-832A
3037-3046A
- Dissolution**
Kinetics studies on the dissolution of nitrogen in the CaO-Al₂O₃-SiO₂ and CaO-Al₂O₃-TiO₂ melts. 1235-1240B
- Distillation**
Distillation and rectification of osmium tetroxide solution in carbon tetrachloride. 293-295B
- Distortion**
Microstructural effects on distortion and solid-liquid segregation during liquid phase sintering under microgravity conditions. 857-866B
- Drawability, Heating effects**
Increasing the drawability of AA2014 Al-Cu by differential heat treatment. 1405-1414A
- Ductile brittle transition**
Microstructures controlling the ductile crack growth resistance of low carbon steels. 279-287A
- Ductile brittle transition, Diffusion effects**
Gaseous hydrogen embrittlement of a hydrided zirconium alloy. 1047-1056A
- Ductile fracture**
Test environments and mechanical properties of Zr-base bulk amorphous alloys. 1811-1820A
A theoretical investigation of the effect of material properties and cavity architecture/shape on ductile failure during the hot tension test. 2621-2630A
Numerical analysis of the formability of an aluminum 2024 alloy sheet and its laminates with steel sheets. 2829-2834A
- Ductile fracture, Composition effects**
Effects of R-ratio on the fatigue crack growth of Nb-Si(ss) and Nb-10Si in situ composites. 1749-1757A
- Ductile fracture, Deformation effects**
Assessment of void growth models from porosity measurements in cold-drawn copper bars. 1895-1909A
- Ductile fracture, Microstructural effects**
Microstructures controlling the ductile crack growth resistance of low carbon steels. 279-287A
Damage process in commercially pure α -titanium alloy without (Ti40) and with (Ti40-H) hydrides. 1615-1628A

- Ductility, Coating effects**
The effect of heat input on the microstructure and properties of nickel aluminum bronze laser clad with a consumable of composition Cu-9.0Al-4.6Ni-3.9Fe-1.2Mn. 1677-1690A
- Ductility, Composition effects**
Al-TiC composites in situ-processed by ingot metallurgy and rapid solidification technology. II. Mechanical behavior. 893-902A
- Ductility, Deformation effects**
Plastic instability during creep deformation of a NiAl-Hf single-crystal alloy—a case study. 179-189A
- Ductility, High temperature effects**
Warm-temperature tensile ductility in Al-Mg alloys. 1081-1091A
- Ductility, Impurity effects**
Hydrogen uptake in titanium aluminides covered with oxide layers. 307-314A
- Ductility, Microstructural effects**
Supertrans processing of TiAl-based alloys. 27-36A
Mechanical properties, ductility, and grain size of nanocrystalline iron produced by mechanical attrition. 2285-2295A
- Ductility, Processing effects**
Control of interfacial reactions during liquid phase processing of aluminum matrix composites reinforced with Inconel 601 fibers. 1727-1739A
Effect of B on the microstructure and mechanical properties of mechanically milled TiAl alloys. 2273-2283A
- Ductility, Welding effects**
Properties of friction-stir-welded 7075 T651 aluminum. 1955-1964A
- Dump leaching**
Bioleaching model of a copper-sulfide ore bed in heap and dump configurations. 899-909B
- Duplex stainless steels, Mechanical properties**
Microstructural and mechanical behavior of a duplex stainless steel under hot working conditions. 2975-2986A
- Dysprosium, Binary systems**
Experimental investigation on the enthalpies of formation of the $DyFe_2$, Dy_2Fe_{17} , $ErFe_2$, and $ErFe_3$ intermetallic compounds. 1367-1374A
- Eddy currents, Field effects**
Surface-coupled modeling of magnetically confined liquid metal in three-dimensional geometry. 275-281B
- Edge dislocations**
Atomistic simulation of fracture in TiAl. 951-955A
Dynamic interaction between a coherent precipitate and an edge dislocation. 2039-2048A
- Elastic anisotropy**
Behavior and rupture of hydrided Zircaloy-4 tubes and sheets. The Knoop-hardness yield locus of an orthorhombic titanium aluminide alloy. 1643-1651A
Experimental and theoretical studies of the superposition of intergranular and macroscopic strains in Ni-based industrial alloys. 1763-1765A
2967-2973A
- Elastic constants, Temperature effects**
Metastability and thermophysical properties of metallic bulk glass forming alloys. 1829-1835A
- Elastic deformation**
Test environments and mechanical properties of Zr-base bulk amorphous alloys. 1811-1820A
Compressive deformation and energy absorbing characteristic of foamed aluminum. 2497-2502A
- Elastic deformation, Microstructural effects**
Experimental and theoretical studies of the superposition of intergranular and macroscopic strains in Ni-based industrial alloys. 2967-2973A
- Electric batteries, Service life**
Mitigating intergranular attack and growth in lead-acid battery electrodes for extended cycle and operating life. 387-396A
- Electric connectors, Soldering**
A diffusion-kinetic model for predicting solder/conductor interactions in high density interconnections. 2951-2956A
- Electric potential**
Peltier effects in electrode carbon. 69-76B
Transport phenomena in electric smelting of nickel matte. I. Electric potential distribution. 77-83B
Transport phenomena in electric smelting of nickel matte. II. Mathematical modeling. 85-94B
- Electric wire, Diffusion**
Molybdenum-tungsten interdiffusion and the influence on potassium bubbles in tungsten lamp wire. 2933-2939A
- Electrodes, Materials selection**
Measurement of pH in the vicinity of a cathode during the chloride electrowinning of nickel. 1193-1198B
- Electrodes, Mechanical properties**
Mitigating intergranular attack and growth in lead-acid battery electrodes for extended cycle and operating life. 387-396A
- Electrolytes, Reactions (chemical)**
On the calculation of ionic equilibria using the Gibbs energy minimization method. 1372-1374B
- Electrolytic cells, Automation**
Predictive control of aluminum electrolytic cells using neural networks. 1007-1019B
- Electromagnetic fields**
Effect of processing conditions on drop behavior in an electromagnetic levitator. 223-228B
An investigation of the effects caused by electromagnetic vibrations in a hypereutectic Al-Si alloy melt. 1477-1484A
- Electrometallurgy**
Electrochemical characterization of copper deposited on plasma and thermally modified titanium surfaces. 749-754B
- Electron beam processing, Russia**
An overview of some advanced surface technology in Russia. 593-610A
- Electron microscopy**
The role of nanosized particles. A frontier in modern materials science, from nanoelectronics to environmental problems. 713-725A
- Electronic structure**
Electronic structure and related properties of metallic glasses: linear muffin-tin orbital approach. 1853-1863A
- Electronic structure, Cooling effects**
Ab initio studies of the electronic structure and energetics of bulk amorphous metals. 1845-1851A
- Electrorefining**
Fundamental studies of copper anode passivation during electrorefining. III. The effect of thiourea. 53-58B
- Electroslag refining**
Selective oxidation of copper from liquid copper-silver alloys. 39-51B
- Electrowinning**
The acid-base behavior of zinc sulfate electrolytes: the temperature effect. 1157-1166B
Measurement of pH in the vicinity of a cathode during the chloride electrowinning of nickel. 1193-1198B
- Enthalpy**
Physical constants, deformation twinning, and microcracking of titanium aluminides. 49-63A
Standard enthalpies of formation for some samarium alloys, $Sm+Me$ ($Me=Ni, Rh, Pd, Pt$), determined by high-temperature direct synthesis calorimetry. 815-820B
Evaluation of hydrogen-trap binding enthalpy. II. Experimental investigation on the enthalpies of formation of the $DyFe_2$, Dy_2Fe_{17} , $ErFe_2$, and $ErFe_3$ intermetallic compounds. 1017-1021A
Thermodynamic properties and phase equilibria for Pt-Rh alloys. 1367-1374A
1545-1550A
- Entropy**
Thermodynamic properties and phase equilibria for Pt-Rh alloys. 1545-1550A
- Equal channel angular pressing, Composition effects**
Factors influencing the equilibrium grain size in equal-channel angular pressing: role of Mg additions to aluminum. 2503-2510A
- Equiaxed structure**
Fundamental aspects of fatigue and fracture in a TiAl sheet alloy. 73-87A
Structural transition and macrosegregation of Al-Cu eutectic alloy solidified in the electromagnetic centrifugal casting process. 404-408A
Relationship between fracture toughness and crack extension resistance curves (R curves) for Ti-6Al-4V alloys. 781-789A
Microstructural development and creep deformation in equiaxed γ , $\gamma+\alpha_2$, and $\gamma+\alpha_2+B2$ titanium aluminides. 965-978A
An observation on microstructure of a casting Zn-40 wt.% Al alloy. 2477-2481A
- Equiaxed structure, Composition effects**
Observations of the columnar-to-equiaxed transition in stainless steels. 855-861A
- Equiaxed structure, Deformation effects**
Microstructural characteristics of 5083 Al alloys processed by reactive spray deposition for net-shape manufacturing. 2597-2611A
- Equiaxed structure, Heating effects**
Microstructure and creep behavior of an orthorhombic Ti-25Al-17Nb-1Mo alloy. 559-564A
- Equilibrium**
On the calculation of ionic equilibria using the Gibbs energy minimization method. 1372-1374B
- Erbium, Binary systems**
Experimental investigation on the enthalpies of formation of the $DyFe_2$, Dy_2Fe_{17} , $ErFe_2$, and $ErFe_3$ intermetallic compounds. 1367-1374A

- Erosion rate, Composition effects**
Solid particle erosion of an Fe-Fe₃C metal matrix composite. 1071-1079A
- Erosion resistance, Composition effects**
Solid particle erosion of an Fe-Fe₃C metal matrix composite. 1071-1079A
- Eutectoid decomposition**
Evolution and thermal stability of Ni₃V and Ni₂V phases in a Ni-29 at.% V alloy. 1883-1894A
- Eutectoid reactions**
The divorced eutectoid transformation in steel. 1181-1189A
- Extractive metallurgy**
Modeling of multi gas-solid reactions; effect of bulk environment parameters on solid conversion. 229-238B
A kinetic model of the Peirce-Smith converter. I. Model formulation and validation. 239-249B
A kinetic model of the Peirce-Smith converter. II. Model application and discussion. 251-259B
- Extrusion**
Processing and mechanical properties of magnesium-lithium composites containing steel fibers. 863-873A
Ductilization of a powder metallurgy Al-17 wt.% Cu by means of channel-die compression and extrusion. 2613-2620A
- Extrusion, Composition effects**
Evolution of microstructure and tensile strength of rapidly solidified Al-4.7% Zn-2.5% Mg-0.2% Zr-X wt.% Mn alloys. 1873-1882A
- Extrusions, Coating**
On the nature of the Fe-bearing particles influencing hard anodizing behavior of AA 7075 extrusion products. 979-987A
- Extrusions, Welding**
Autogenous gas tungsten arc weldability of cast alloy Ti-48Al-2Cr-2Nb (at.%) versus extruded alloy Ti-46Al-2Cr-2Nb-0.9Mo (at.%). 927-935A
- Failure**
Failure of SiC particulate-reinforced metal matrix composites induced by laser thermal shock. 685-692A
- Fatigue (materials)**
Cyclic deformation behavior of high-purity titanium single crystals. I. Orientation dependence of stress-strain response. 507-512A
Cyclic deformation behavior of high-purity titanium single crystals. II. Microstructure and mechanism. 513-518A
- Fatigue failure**
Deformation structure and subsurface fatigue crack generation in austenitic steels at low temperature. 809-822A
Discussion of error in the analysis of the wake dislocation problem. 1357-1360A
Visual simulation of fatigue crack growth. 1923-1931A
A model for roughness-induced fatigue crack closure. 1933-1939A
- Fatigue failure, Composition effects**
Effects of R-ratio on the fatigue crack growth of Nb-Si(ss) and Nb-10Si in situ composites. 1749-1757A
An investigation of the fracture and fatigue crack growth behavior of forged damage-tolerant niobium aluminide intermetallics. 2361-2374A
- Fatigue failure, Environmental effects**
Environment-sensitive closure and fatigue crack propagation behavior of Al 2090. 2583-2590A
- Fatigue failure, Heating effects**
Interface-controlled fatigue cracking of SCS-6/Ti-22Al-23Nb "orthorhombic" titanium aluminide composite. 2737-2746A
Use of the nanoindentation technique for studying microstructure/crack interactions in the fatigue of 4340 steel. 3029-3036A
- Fatigue failure, Microstructural effects**
Fundamental aspects of fatigue and fracture in a TiAl sheet alloy. 73-87A
Characterizations of pore and constituent particle populations in 7050-T7451 aluminum plate alloys. 727-737A
Effects of test temperature on internal fatigue crack generation associated with nonmetallic particles in austenitic steels. 3017-3028A
- Fatigue failure, Stress effects**
Effect of small loads on crack growth rate and crack tip deformation in the fatigue process of A537 steel. 401-403A
Influence of residual stresses and loading frequencies on corrosion fatigue crack growth behavior of weldments. 1289-1298A
The effects of residual macrostresses and microstresses on fatigue crack propagation. 2127-2136A
- Fatigue life**
Some observations on cyclic deformation structures in the high-strength commercial aluminum alloy AA 7150. 2727-2736A
Thermomechanical fatigue behavior of the high-temperature titanium alloy IMI 834. 2995-3004A
- Fatigue life, Deformation effects**
Effect of deformation temperature on fatigue and fracture behavior in TiAl polycrystalline twinned crystals. 943-950A
- Fatigue life, Microstructural effects**
The influence of crystallographic orientation and strain rate on the high-temperature low-cyclic fatigue property of a nickel-base single-crystal superalloy. 1093-1099A
- Fatigue life, Stress effects**
The effect of environment on high-temperature hold time fatigue behavior of annealed 2.25Cr-1Mo steel. 2137-2145A
- Fatigue strength, Composition effects**
Effect of SiC volume fraction and particle size on the fatigue resistance of a 2080 Al/SiC_p composite. 2843-2854A
- Fatigue strength, Deformation effects**
Effect of deformation temperature on fatigue and fracture behavior in TiAl polycrystalline twinned crystals. 943-950A
- Fatigue tests**
Use of the nanoindentation technique for studying microstructure/crack interactions in the fatigue of 4340 steel. 3029-3036A
- Ferrite, Composition effects**
A new equation for the Cr equivalent in 9 to 12% Cr steels. 1573-1578A
- Ferrite, Crystal growth**
Upper acicular ferrite formation in a medium-carbon microalloyed steel by isothermal transformation: nucleation enhancement by CuS. 1003-1015A
Effect of ferrite formation on abnormal austenite grain coarsening in low-alloy steels during the hot rolling process. 1375-1381A
Transformation during the isothermal deformation of low-carbon Nb-B steels. 1383-1394A
A transmission electron microscope study of 1% Mn ductile iron with different austempering treatments. 2297-2306A
- Ferritic stainless steels, Metal working**
Formability of stainless steel. 2161-2172A
- Ferritic stainless steels, Microstructure**
New grain formation during warm deformation of ferritic stainless steel. 161-167A
Observations of the columnar-to-equiaxed transition in stainless steels. 855-861A
- Ferritic stainless steels, Phases (state of matter)**
Microstructural characterization of 5 to 9% Cr-2% W-V-Ta martensitic steels. 1551-1558A
- Ferritic stainless steels, Rolling**
Sticking mechanism during hot rolling of two stainless steels. 700-705A
- Ferritic stainless steels, Welding**
Carbon migration in 5Cr-0.5Mo/21Cr-12Ni dissimilar metal welds. 3037-3046A
- Ferromagnetic materials, Casting**
Ferromagnetic bulk amorphous alloys. 1779-1793A
- Ferromanganese, Reduction (chemical)**
Thermodynamic model for MnO-containing slags and gas-slag-metal equilibrium in ferromanganese smelting. 1181-1191B
- Ferromanganese, Steel making**
Thermodynamic assessment of liquid Fe-Mn-C system. 397-403B
- Ferrosilicon, Reactions (chemical)**
Reactive phosphide inclusions in commercial ferrosilicon. 325-329B
- Ferrous alloys, Casting**
Ferromagnetic bulk amorphous alloys. 1779-1793A
- Ferrous alloys, Mechanical properties**
Effect of matrix constitutive behavior and inclusions on forming limits of Fe-42% Ni alloy sheet. 289-298A
Grain boundary cracking. 509-518B
Effect of Ni on vacancy concentrations and hardness in FeAl alloys. 1911-1915A
Mechanical behavior of a bulk nanostructured iron alloy. 2261-2271A
- Ferrous alloys, Phase transformations**
Grain boundary precipitation reactions in a wrought Fe-8Al-5Ni-2C alloy prepared by the conventional ingot process. 696-700A
The $\gamma \rightarrow \epsilon$ -martensitic transformation and its reversion in the FeMnSiCrNi shape-memory alloy. 1579-1583A
- Ferrous alloys, Powder technology**
Modeling of porosity during spray forming: I. Effects of processing parameters. 1085-1096B
Modeling of porosity during spray forming: II. Effects of atomization gas chemistry and alloy compositions. 1097-1106B
- Ferrous alloys, Welding**
A combined solubility product/new PHACOMP approach for estimating temperatures of secondary solidification reactions in superalloy weld metals containing Nb and C. 1449-1456A
Improving the weldability and service performance of nickel- and iron-based superalloys by grain boundary engineering. 3069-3079A
- Fiber composites, Casting**
Titanium preconditioning of Al₂O₃ for liquid-state processing of Al-Al₂O₃ composite materials. 327-337A

- Dynamic analysis of unidirectional pressure infiltration of porous preforms by pure metals. 377-385A
- Strength degradation of sapphire fibers during pressure casting of a sapphire-reinforced Ni-base superalloy. 1527-1530A
- Control of interfacial reactions during liquid phase processing of aluminum matrix composites reinforced with Inconel 601 fibers. 1727-1739A
- Fiber composites, Mechanical properties**
- Processing and mechanical properties of magnesium-lithium composites containing steel fibers. 863-873A
- Thermomechanical behavior of TiNi shape memory alloy fiber reinforced 6061 aluminum matrix composite. 1127-1135A
- Fiber fragmentation during processing of metallic matrix composites. 1499-1507A
- Creep rupture life prediction of short fiber-reinforced metal matrix composites. 1983-1989A
- Correlation between the cold-working and aging treatments in a Cu-15 wt.% Cr in situ composite. 2195-2203A
- Mechanical property and fracture behavior of squeeze-cast Mg matrix composites. 2543-2554A
- Interface-controlled fatigue cracking of SCS-6/Ti-22Al-23Nb "orthorhombic" titanium aluminide composite. 2737-2746A
- Fiber composites, Phase transformations**
- Microstructural characterization of the matrix in the SiC fiber-reinforced Ti-15-3 composite. 693-696A
- Fiber composites, Reactions (chemical)**
- Experimental approaches to simulating interfacial reactions in metal matrix composites. 1347-1355A
- Fibers, Mechanical properties**
- Fiber fragmentation during processing of metallic matrix composites. 1499-1507A
- Strength degradation of sapphire fibers during pressure casting of a sapphire-reinforced Ni-base superalloy. 1527-1530A
- Finite element method**
- A novel approach for predicting the tensile strength of brazed joints. 587-592A
- Numerical simulation of macrosegregation: a comparison between finite volume method and finite element method predictions and a confrontation with experiments. 617-630A
- Finite element modeling of distortion during liquid phase sintering. 659-664A
- Finite element analysis of cavitating facet interaction in a fully lamellar titanium aluminide alloy under creep conditions. 957-964A
- Numerical investigation of the free surface in a continuous steel casting mold model. 1117-1126B
- Increasing the drawability of AA2014 Al-Cu by differential heat treatment. 1405-1414A
- Analytical/finite-element modeling and experimental verification of spray-cooling process in steel. 1485-1498A
- Dependence of thermal residual stress on temperature in a SiC particle-reinforced 6061 Al alloy. 2001-2009A
- Analysis of ridging in aluminum auto body sheet metal. 2323-2332A
- Investigation of thermomechanical behavior of a work roll and of roll life in hot strip rolling. 2407-2424A
- Flash smelting**
- Henrian activity coefficient of Pb in Cu-Fe mattes and white metal. 429-436B
- Modeling studies of fluid flow below flash-smelting burners including transient behavior. 773-784B
- Experimental and mathematical investigation of the fluid flow inside and below a 1/4 scale air model of a flash smelting burner. 993-1006B
- Evaluation of nickel flash smelting through piloting and simulation. 1329-1343B
- Flotation**
- Numerical and experimental study of a hydrodynamic cavitation tube. 911-917B
- Beneficiation of West Sibaiya phosphate ores by flotation in alkaline media. 1149-1156B
- Fluid dynamics**
- Gas flow analysis in melting furnaces. 1199-1207E
- Fluid flow**
- Mixing time and fluid flow phenomena in liquids of varying kinematic viscosities agitated by bottom gas injection. 569-575B
- Fluid flow in casting rigging systems: modeling, validation, and optimal design. 679-690B
- Modeling studies of fluid flow below flash-smelting burners including transient behavior. 773-784B
- Decay of fluid motion in a filling ladle after tapping. 931-935B
- Experimental and mathematical investigation of the fluid flow inside and below a 1/4 scale air model of a flash smelting burner. 993-1006B
- The use of particle image velocimetry in the physical modeling of flow in electromagnetic or direct-chill casting of aluminum. I. Development of the physical model. 1281-1288B
- The use of particle image velocimetry in the physical modeling of flow in electromagnetic or direct-chill casting of aluminum. II. Results of the physical model, including bag geometry, blockage, and nozzle placement. 1289-1295B
- Numerical investigation of the interface in a continuous steel casting mold water model. 1321-1327B
- Fluid flow, Processing effects**
- The free-surface shape and temperature distribution produced in liquid metal droplets by heating coil pulses in the TEMPUS electromagnetic levitation facility. 1127-1134B
- Fluidized beds, Reactions (chemical)**
- Mathematical modeling of the reduction process of iron ore particles in two stages of twin-fluidized beds connected in series. 1107-1115B
- Fluxes, Solubility**
- The influence of basicity on the solubility of platinum in oxide melts. 411-414B
- Fluxes, Surface properties**
- Interfacial tension between aluminum and NaCl-KCl-based salt systems. 821-827B
- Fluxing**
- Chlorine fluxing for removal of magnesium from molten aluminum: I. Laboratory-scale measurements of reaction rates and bubble behavior. 971-978B
- Chlorine fluxing for removal of magnesium from molten aluminum: II. Mathematical model. 979-986B
- Fly ash, Composite materials**
- Chemical reactions between aluminum and fly ash during synthesis and reheating of Al-fly ash composite. 519-525B
- Fly ash, Reactions (chemical)**
- Factors affecting the immobilization of metals in geopolymerized flyash. 283-291B
- Foamed metals, Diffusion**
- Effect of oxidation treatment and surface filming on hydrogen degassing from TiH₂. 1315-1319B
- Foamed metals, Mechanical properties**
- Compressive deformation and energy absorbing characteristic of foamed aluminum. 2497-2502A
- Forgings, Heat treatment**
- Phase transformation behavior of gamma titanium aluminide alloys during supertransus heat treatment. 7-18A
- Formability**
- Crystal plasticity forming limit diagram analysis of rolled aluminum sheets. 527-535A
- Formability of stainless steel. 2161-2172A
- Numerical analysis of the formability of an aluminum 2024 alloy sheet and its laminates with steel sheets. 2829-2834A
- Formability, Microstructural effects**
- Effect of matrix constitutive behavior and inclusions on forming limits of Fe-42% Ni alloy sheet. 289-298A
- Forming**
- Formability of stainless steel. 2161-2172A
- Analysis of ridging in aluminum auto body sheet metal. 2323-2332A
- Foundry practice**
- Fluid flow in casting rigging systems: modeling, validation, and optimal design. 679-690B
- Fractography**
- A study on fractography in the low-temperature brittle fracture of an 18Cr-18Mn-0.7N austenitic steel. 791-798A
- Fracture strength, Composition effects**
- Fracture toughness and R-curve behavior of laminated brittle-matrix composites. 2483-2496A
- Fracture strength, Deformation effects**
- Processing-property-microstructure relationships in TiAl-based alloys. 919-925A
- Effect of deformation temperature on fatigue and fracture behavior in TiAl polysynthetically twinned crystals. 943-950A
- Fracture strength, Welding effects**
- Properties of friction-stir-welded 7075 T651 aluminum. 1955-1964A
- Fracture testing**
- Use of the nanoindentation technique for studying microstructure/crack interactions in the fatigue of 4340 steel. 3029-3036A
- Fracture toughness**
- Damage mechanisms in a cast ductile iron and a Al₂O₃/Al composite. 2855-2862A
- Fracture toughness, Alloying effects**
- Effect of Y, Sr, and Nd additions on the microstructure and microfracture mechanism of squeeze-cast AZ91-X magnesium alloys. 1221-1235A
- Fracture toughness, Composition effects**
- Microstructure and mechanical behavior of reaction hot-pressed titanium silicide and titanium silicide-based alloys and composites. 1629-1641A

- Fracture toughness and R-curve behavior of laminated brittle-matrix composites. 2483-2496A
- Mechanical property and fracture behavior of squeeze-cast Mg matrix composites. 2543-2554A
- Fracture toughness, Deformation effects**
Tensile properties and fracture toughness of a Ti-45Al-1.6Mn alloy at loading velocities of up to 12 m/s. 263-277A
- Fracture toughness, Heating effects**
The effect of carbide precipitation on the hydrogen-enhanced fracture behavior of alloy 690. 1265-1277A
Microstructural evaluation of Ti-6-22-22 alloy. 1585-1592A
Optimization of the strength-fracture toughness relation in particulate-reinforced aluminum composites via control of the matrix microstructure. 2433-2446A
Dependence of fracture toughness of austempered ductile iron on austempering temperature. 3005-3016A
- Fracture toughness, Microstructural effects**
Supertransus processing of TiAl-based alloys. 27-36A
Relationship between fracture toughness and crack extension resistance curves (R curves) for Ti-6Al-4V alloys. 781-789A
Relationship between fracture toughness, fracture path, and microstructure of 7050 aluminum alloy. I. Quantitative characterization. 1191-1201A
Relationship between fracture toughness, fracture path, and microstructure of 7050 aluminum alloy. II. Multiple micro-mechanisms-based fracture toughness model. 1203-1210A
Influence of casting size and graphite nodule refinement on fracture toughness of austempered ductile iron. 2511-2521A
- Fracture toughness, Shape effects**
Effects of thickness and precracking on the fracture toughness of particle-reinforced Al-alloy composites. 1237-1243A
- Fracture toughness, Temperature effects**
Temperature-dependent void-sheet fracture in Al-Cu-Mg-Ag-Zr. 1599-1613A
- Fracturing, Alloying effects**
Effects of Co and Ni on secondary hardening and fracture behavior of martensitic steels bearing W and Cr. 397-401A
- Fracturing, Corrosion effects**
Effect of pitting corrosion in NaCl solutions on the statistics of fracture of beryllium. 2753-2760A
- Fracturing, Microstructural effects**
Atomistic simulation of fracture in TiAl. 951-955A
Effect of tungsten particle shape on dynamic deformation and fracture behavior of tungsten heavy alloys. 1057-1069A
- Fragmentation, Processing effects**
Fiber fragmentation during processing of metallic matrix composites. 1499-1507A
- Free energy**
Electrochemical determination of Gibbs energy of formation of NiTiO_3 (ilmenite). 31-38B
A mathematical model for the solute drag effect on recrystallization. 1029-1034A
On the calculation of ionic equilibria using the Gibbs energy minimization method. 1372-1374B
Thermodynamic properties and phase equilibria for Pt-Rh alloys. 1545-1550A
- Friction welding**
Properties of friction-stir-welded 7075 T651 aluminum. 1955-1964A
- Frictional wear**
Sliding wear response of a zinc-based alloy compared to a copper-based alloy. 1245-1255A
- Frictional wear, Composition effects**
Dry sliding wear of a $\text{Ti}_{50}\text{Ni}_{25}\text{Cu}_{25}$ particulate-reinforced aluminum matrix composite. 1741-1747A
Sliding wear behavior of some Al-Si alloys: role of shape and size of Si particles and test conditions. 2747-2752A
- Fused salts, Reactions (chemical)**
Titanium powder production by TiCl_4 gas injection into magnesium through molten salts. 1167-1174B
- Galena, Beneficiation**
Model for the ferric chloride leaching of galena. 953-960B
- Galvanized steels, Coating**
Solidification and spangle formation of hot-dip-galvanized zinc coatings. 631-646A
- Galvanizing**
Surface segregation of phosphorus, carbon, and sulfur in commercial low-carbon grades of steel. 2707-2715A
- Gamma iron, Solubility**
Solubility of bismuth in γ -iron. 1371-1372B
- Gas evolution**
Effect of dislocation trapping on deuterium diffusion in deformed, single-crystal Pd. 1593-1598A
- Gas flow**
Gas flow analysis in melting furnaces. 1199-1207B
- Gas metal arc welding**
Charpy V-notch properties and microstructures of narrow gap ferritic welds of a quenched and tempered steel plate. 2775-2784A
- Gas tungsten arc welding**
Autogenous gas tungsten arc weldability of cast alloy Ti-48Al-2Cr-2Nb (at.%) versus extruded alloy Ti-46Al-2Cr-2Nb-0.9Mo (at.%). 927-935A
Spatially resolved x-ray diffraction phase mapping and $\alpha \rightarrow \beta \rightarrow \alpha$ transformation kinetics in the heat-affected zone of commercially pure titanium arc welds. 2761-2773A
- Germanium compounds, Microstructure**
Strain-induced self-organization of steps and islands in SiGe/Si multilayer films. 2111-2119A
- Glass transition temperature**
Metastability and thermophysical properties of metallic bulk glass forming alloys. 1829-1835A
- Glass transition temperature, Temperature effects**
Thermodynamic and kinetic properties of amorphous and liquid states. 1837-1843A
- Glissile dislocations**
Microstructural development and creep deformation in equiaxed γ , $\gamma + \alpha_2$, and $\gamma + \alpha_2 + \text{B}_2$ titanium aluminides. 965-978A
High-temperature deformation behavior of the intermetallic Ti-47 at.% Al-3 at.% Cr alloy. 1425-1430A
- Gold, Casting**
The free-surface shape and temperature distribution produced in liquid metal droplets by heating coil pulses in the TEMPUS electromagnetic levitation facility. 1127-1134B
- Gold, Surface properties**
Surface tension measurements on liquid metals in microgravity. 1031-1035B
- Gold base alloys, Casting**
The free-surface shape and temperature distribution produced in liquid metal droplets by heating coil pulses in the TEMPUS electromagnetic levitation facility. 1127-1134B
- Gold base alloys, Mechanical properties**
Grain boundary cracking. 509-518B
- Gold base alloys, Surface properties**
Surface tension measurements on liquid metals in microgravity. 1031-1035B
- Gold compounds, Casting**
The free-surface shape and temperature distribution produced in liquid metal droplets by heating coil pulses in the TEMPUS electromagnetic levitation facility. 1127-1134B
- Grain boundaries**
Mitigating intergranular attack and growth in lead-acid battery electrodes for extended cycle and operating life. 387-396A
Grain boundary segregation of boron in Inconel 718. 1947-1954A
Effect of ordering energy and stoichiometry in $\Sigma=5$ boundaries in B2 compounds. 2655-2668A
Improving the weldability and service performance of nickel- and iron-based superalloys by grain boundary engineering. 3069-3079A
- Grain boundaries, Deformation effects**
Microtexture evolution during annealing and superplastic deformation of Al-5% Ca-5% Zn. 485-492A
Effect of ferrite formation on abnormal austenite grain coarsening in low-alloy steels during the hot rolling process. 1375-1381A
- Grain boundaries, Diffusion**
Chemical stresses induced by grain-boundary diffusion. 2121-2125A
- Grain boundary migration**
A mathematical model for the solute drag effect on recrystallization. 1029-1034A
- Grain boundary sliding**
Quantitative analysis on boundary sliding and its accommodation mode during superplastic deformation of two-phase Ti-6Al-4V alloy. 217-226A
- Grain growth**
The sweep constant concept in phase coarsening. 2395-2398A
Grain growth and carbide precipitation in superalloy, UDIMET 520. 2687-2695A
<110> dendrite growth in aluminum feathery grains. 2807-2817A
Modeling grain growth dependence on the liquid content in liquid-phase-sintered materials. 3057-3067A
- Grain growth, Cryogenic effects**
Grain growth of nanocrystalline cryomilled Fe-Al powders. 2469-2475A
- Grain growth, Deformation effects**
Effect of ferrite formation on abnormal austenite grain coarsening in low-alloy steels during the hot rolling process. 1375-1381A
Microstructural characteristics of 5083 Al alloys processed by reactive spray deposition for net-shape manufacturing. 2597-2611A

Grain growth, Stress effects		
Stress-assisted transformation in Ti-60 wt.% Ta alloys.	139-147A	
Grain refinement		
Fundamental studies of copper anode passivation during electrorefining. III. The effect of thiourea.	53-58B	
Influence of casting size and graphite nodule refinement on fracture toughness of austempered ductile iron.	2511-2521A	
Grain refinement, Alloying effects		
Grain refining of Al-4.5Cu alloy by adding an Al-30TiC master alloy.	1707-1710A	
Grain refinement, Deformation effects		
Optimizing the rotation conditions for grain refinement in equal-channel angular pressing.	2011-2013A	
Grain size		
The role of grain size and selected microstructural parameters in strengthening fully lamellar TiAl alloys.	37-47A	
Relationship between fracture toughness, fracture path, and microstructure of 7050 aluminum alloy. II. Multiple micro-mechanisms-based fracture toughness model.	1203-1210A	
A study of superplasticity in a modified 5083 Al-Mg-Mn alloy.	1211-1220A	
An examination of the interparticle contact area during sintering of W-0.3 wt.% Co.	1309-1317A	
Fabrication of bulk ultrafine-grained materials through intense plastic straining.	2237-2243A	
On the relation between the number-weighted and volume-weighted grain volume distribution parameters.	3081-3086A	
Grain size, Composition effects		
Factors influencing the equilibrium grain size in equal-channel angular pressing: role of Mg additions to aluminum.	2503-2510A	
Grain size, Deformation effects		
Grain size estimation in anisotropic materials.	237-244A	
Microstructural evolution during the austenite-to-ferrite transformation from deformed austenite.	417-426A	
Microstructural characteristics of ultrafine-grained aluminum produced using equal-channel angular pressing.	2245-2252A	
Microstructures and properties of nanocomposites obtained through SPTS consolidation of powders.	2253-2260A	
Grain size, Processing effects		
Mechanical properties, ductility, and grain size of nanocrystalline iron produced by mechanical attrition.	2285-2295A	
Transmission electron microscope specimen preparation of Zn powders using the focused ion beam lift-off technique.	2399-2406A	
Grain structure		
Effect of ordering energy and stoichiometry in $\Sigma=5$ boundaries in B2 compounds.	2655-2668A	
On the relation between the number-weighted and volume-weighted grain volume distribution parameters.	3081-3086A	
Grain structure, Alloying effects		
Effect of Y, Sr, and Nd additions on the microstructure and microfracture mechanism of squeeze-cast AZ91-Mg magnesium alloys.	1221-1235A	
Grain structure, Deformation effects		
New grain formation during warm deformation of ferritic stainless steel.	161-167A	
Strain-induced grain evolution in polycrystalline copper during warm deformation.	2957-2965A	
Microstructural and mechanical behavior of a duplex stainless steel under hot working conditions.	2975-2986A	
Grain structure, Heating effects		
Microstructural evaluation of Ti-6-22-22 alloy.	1585-1592A	
Graphite, Reactions (chemical)		
Influence of melt carbon and sulfur on the wetting of solid graphite by Fe-C-S melts.	471-477B	
Graphitic structure, Heating effects		
Controlled graphitization as a potential option for improving wear resistance of unalloyed white irons.	2147-2159A	
Graphitization, Heating effects		
Controlled graphitization as a potential option for improving wear resistance of unalloyed white irons.	2147-2159A	
Gravitation		
The effect of gravity on the combustion synthesis of metal-ceramic composites.	889-897B	
The unidirectional solidification of Al-4 wt.% Cu ingots in micro-gravity.	1101-1111A	
The influence of gravity-related convection on secondary arm evolution in $\text{NH}_4\text{Cl-H}_2\text{O}$.	1137-1139A	
Grinding		
Comparison of grinding kinetics between a typical ball mill and a ball mill fitted with a breaker plate.	17-22B	
Guinier Preston zone		
High-resolution electron microscopy on the structure of Guinier-Preston zones in an Al-1.6 mass% Mg_2Si alloy.	1161-1167A	
Hafnium, Alloying elements		
Plastic instability during creep deformation of a NiAl-Hf single-crystal alloy—a case study.	179-189A	
Ir-base refractory superalloys for ultra-high temperatures.	537-549A	
Hafnium, Heat treatment		
Investigation of the annealing texture evolution in hafnium.	757-764A	
Hafnium compounds, Composite materials		
Combustion synthesis of HfB_2 -Al composites.	877-887B	
The effect of gravity on the combustion synthesis of metal-ceramic composites.	889-897B	
Hall Heroult process		
A porous titanium diboride composite cathode coating for Hall-Heroult cells. I. Thin coatings.	59-67B	
Peltier effects in electrode carbon.	69-76B	
Hard anodizing, Impurity effects		
On the nature of the Fe-bearing particles influencing hard anodizing behavior of AA 7075 extrusion products.	979-987A	
Hardenability		
A computational model for the prediction of steel hardenability.	661-672B	
Hardenability, Heating effects		
Effect of prestrain on aging and bake hardening of cold-rolled, continuously annealed steel sheets.	463-467A	
Hardness, Alloying effects		
Effects of Co and Ni on secondary hardening and fracture behavior of martensitic steels bearing W and Cr.	397-401A	
Microstructure and properties of Cu-C pseudoalloy films prepared by sputter deposition.	647-658A	
Effect of Ni on vacancy concentrations and hardness in FeAl alloys.	1911-1915A	
Hardness, Composition effects		
Microstructure and mechanical behavior of reaction hot-pressed titanium silicide and titanium silicide-based alloys and composites.	1629-1641A	
Hardness, Heating effects		
Age hardening and the potential for superplasticity in a fine-grained Al-Mg-Li-Zr alloy.	169-177A	
A computational model for the prediction of steel hardenability.	661-672B	
The effect of heat input on the microstructure and properties of nickel aluminum bronze laser clad with a consumable of composition Cu-9.0Al-4.6Ni-3.9Fe-1.2Mn.	1677-1690A	
Hardness, Processing effects		
Correlation between the cold-working and aging treatments in a Cu-15 wt.% Cr in situ composite.	2195-2203A	
Hardness, Welding effects		
A study of the structure of dissimilar submerged arc welds.	823-832A	
Heap leaching		
Bioleaching model of a copper-sulfide ore bed in heap and dump configurations.	899-909B	
Heat affected zone, Mechanical properties		
Brittle fracture initiation associated with the strain localization in a heat-affected zone of a low carbon steel.	551-558A	
Properties of friction-stir-welded 7075 T651 aluminum.	1955-1964A	
Improving the weldability and service performance of nickel- and iron-based superalloys by grain boundary engineering.	3069-3079A	
Heat affected zone, Oxidation		
Role of microstructural degradation in the heat-affected zone of 2.25Cr-1Mo steel weldments on subscale features during steam oxidation and their role in weld failures.	577-586A	
Heat affected zone, Phase transformations		
A combined solubility product/new PHACOMP approach for estimating temperatures of secondary solidification reactions in superalloy weld metals containing Nb and C.	1449-1456A	
Spatially resolved x-ray diffraction phase mapping and $\alpha \rightarrow \beta \rightarrow \alpha$ transformation kinetics in the heat-affected zone of commercially pure titanium arc welds.	2761-2773A	
Heat of adsorption		
Evaluation of hydrogen-trap binding enthalpy. II. Hydrogen and deuterium in Pd-25% Ag alloy: permeation, diffusion, solubilization, and surface reaction.	1017-1021A	
Heat of formation		
Electrochemical determination of Gibbs energy of formation of NiTiO_3 (ilmenite).	31-38B	
Physical constants, deformation twinning, and microcracking of titanium aluminides.	49-63A	
Standard enthalpies of formation for some samarium alloys, $\text{Sm}+\text{Me}$ (Me=Ni, Rh, Pd, Pt), determined by high-temperature direct synthesis calorimetry.	815-820B	
Experimental investigation on the enthalpies of formation of the DyFe_2 , $\text{Dy}_2\text{Fe}_{17}$, ErFe_2 , and ErFe_3 intermetallic compounds.	1367-1374A	
Heat of mixing		
Thermodynamic properties and phase equilibria for Pt-Rh alloys.	1545-1550A	

Heat resistant alloys, Phases (state of matter)

- Lattice constants and compositions of the metastable Ni_3Nb phase precipitated in a Ni-15Cr-8Fe-6Nb alloy. 1169-1174A

Heat transfer

- Transport phenomena in electric smelting of nickel matte. II. Mathematical modeling. 85-94B
- A correlation to describe interfacial heat transfer during solidification simulation and its use in the optimal feeding design of castings. 437-448B
- Modeling the heat flow to an operating Siros melt lance. 485-492B
- The movement of the concave casting surface during mushy-type solidification and its effect on the heat-transfer coefficient. 1051-1056B
- Analytical/finite-element modeling and experimental verification of spray-cooling process in steel. 1485-1498A

Hematite, Reduction (chemical)

- Modeling of multi gas-solid reactions; effect of bulk environment parameters on solid conversion. 229-238B

Hematite process

- Modeling of multi gas-solid reactions; effect of bulk environment parameters on solid conversion. 229-238B

High alloy steels, Crystal growth

- Microsegregation behavior during solidification and homogenization of AerMet100 steel. 205-210B

High alloy steels, Structural hardening

- On the characteristics of M_2C carbides in the peak hardening regime of AerMet 100 steel. 903-905A

High carbon steels, Casting

- Stress formation in solidifying bodies. Solidification in a round continuous casting mold. 1057-1068B

High carbon steels, Mechanical properties

- The effects of residual macrostresses and microstresses on fatigue crack propagation. 2127-2136A

High carbon steels, Phase transformations

- The divorced eutectoid transformation in steel. 1181-1189A
- Transitions in carbide morphology in a ternary Fe-C-W steel. 2087-2100A

High cycle fatigue, Microstructural effects

- Effects of test temperature on internal fatigue crack generation associated with nonmetallic particles in austenitic steels. 3017-3028A

High speed tool steels, Mechanical properties

- Cutting performance and microstructure of high speed steels: contributions of matrix strengthening and undissolved carbides. 205-216A

High speed tool steels, Phase transformations

- Solidification microstructure and M_2C carbide decomposition in a spray-formed high-speed steel. 1395-1404A

High strength low alloy steels, Coating

- On optimization of the powder plasma arc surfacing process. 929-931B

High strength steels, Crystal growth

- Microsegregation behavior during solidification and homogenization of AerMet100 steel. 205-210B

High strength steels, Heat treatment

- Analytical/finite-element modeling and experimental verification of spray-cooling process in steel. 1485-1498A

High strength steels, Mechanical properties

- A strain energy-based approach to the low-cycle fatigue damage mechanism in a high-strength spring steel. 1431-1439A
- Use of the nanoindentation technique for studying microstructure/crack interactions in the fatigue of 4340 steel. 3029-3036A

High strength steels, Structural hardening

- On the characteristics of M_2C carbides in the peak hardening regime of AerMet 100 steel. 903-905A

High temperature

- Ir-base refractory superalloys for ultra-high temperatures. 537-549A
- The effect of environment on high-temperature hold time fatigue behavior of annealed 2.25Cr-1Mo steel. 2137-2145A
- Role of cold work and SiC reinforcements on the β'/β precipitation in Al-10% Mg alloy. 2835-2842A

Historical metallurgy

- Who was Henry Howe? 5-16B

Holes

- Flow localization in sheet specimens with pairs of holes. 775-780A

Homogenizing

- Microsegregation behavior during solidification and homogenization of AerMet100 steel. 205-210B

Hot dip galvanizing

- The effect of iron oxide as an inhibition layer on iron-zinc reactions during hot-dip galvanizing. 479-484B
- Solidification and spangle formation of hot-dip-galvanized zinc coatings. 631-646A

Hot extrusion

- Supertransus processing of TiAl-based alloys. 27-36A

Hot forging

- Solidification microstructure and M_2C carbide decomposition in a spray-formed high-speed steel. 1395-1404A

Hot isostatic pressing

- Changes in microstructure during primary creep of a Ti-47Al-2Nb-1Mn-0.5W-0.5Mo-0.2Si alloy. 89-98A
- Mechanical behavior of a bulk nanostructured iron alloy. 2261-2271A
- Effect of B on the microstructure and mechanical properties of mechanically milled TiAl alloys. 2273-2283A

Hot rolling

- Microstructural evolution during the austenite-to-ferrite transformation from deformed austenite. 417-426A
- Modeling the microstructural changes during hot tandem rolling of AA5XXX aluminum alloys. I. Microstructural evolution. 611-620B
- Modeling the microstructural changes during hot tandem rolling of AA5XXX aluminum alloys. II. Textural evolution. 621-633B
- Sticking mechanism during hot rolling of two stainless steels. 700-705A
- Modeling the microstructural changes during hot tandem rolling of AA5XXX aluminum alloys. III. Overall model development and validation. 709-719B
- Investigation of thermomechanical behavior of a work roll and of roll life in hot strip rolling. 2407-2424A

Hot strip mills, Service life

- Investigation of thermomechanical behavior of a work roll and of roll life in hot strip rolling. 2407-2424A

Hot working

- High-temperature deformation behavior of the intermetallic Ti-47 at.% Al-3 at.% Cr alloy. 1425-1430A
- Intergranular fracture of gamma titanium aluminides under hot working conditions. 1991-1999A
- High-temperature deformation of commercial-purity aluminum. 2345-2359A
- Microstructural and mechanical behavior of a duplex stainless steel under hot working conditions. 2975-2986A

Hydrides

- Damage process in commercially pure α -titanium alloy without (Ti40) and with (Ti40-H) hydrides. 1615-1628A

Hydrides, Reactions (chemical)

- Effect of oxidation treatment and surface filming on hydrogen degassing from TiH_2 . 1315-1319B

Hydrodynamics

- Numerical and experimental study of a hydrodynamic cavitation tube. 911-917B

Hydrogen, Diffusion

- Hydrogen uptake in titanium aluminides covered with oxide layers. 307-314A
- Evaluation of hydrogen-trap binding enthalpy. II. 1017-1021A
- Hydrogen and deuterium in Pd-25% Ag alloy: permeation, diffusion, solubilization, and surface reaction. 1023-1028A
- Gaseous hydrogen embrittlement of a hydrided zirconium alloy. 1047-1056A
- Effect of oxidation treatment and surface filming on hydrogen degassing from TiH_2 . 1315-1319B

Hydrogen, Reactions (chemical)

- Steady-state studies of the reactions of H_2O -CO and CO_2 - H_2 mixtures with liquid iron. 829-836B

Hydrogen, Solubility

- A novel method for the determination of the hydrogen solubility in aluminum and aluminum alloy melts. 421-427B

Hydrogen embrittlement

- Gaseous hydrogen embrittlement of a hydrided zirconium alloy. 1047-1056A

Hydrogen embrittlement, Coating effects

- Hydrogen uptake in titanium aluminides covered with oxide layers. 307-314A

Hydrogen embrittlement, Heating effects

- The effect of carbide precipitation on the hydrogen-enhanced fracture behavior of alloy 690. 1265-1277A

Hydrometallurgy

- Physicochemical and structural factors in the sulfuric acid leaching of nickel- and copper-bearing synthetic bismessites. 527-540B
- Pressure acid leaching of laterites at 250°C: A solution chemical model and its applications. 945-952B
- Model for the ferric chloride leaching of galena. 953-960B
- Leaching kinetics of digenite concentrate in oxygenated chloride media at ambient pressure. 961-969B
- Beneficiation of West Sibaiya phosphate ores by flotation in alkaline media. 1149-1156B
- The acid-base behavior of zinc sulfate electrolytes: the temperature effect. 1157-1166B

Ilmenite, Powder technology

- Formation of TiN/TiC-Fe composites from ilmenite (FeTiO_3) concentrate. 1077-1083B

Ilmenite, Reactions (chemical)		
Electrochemical determination of Gibbs energy of formation of NiTiO_3 (ilmenite).	31-38B	
Ilmenite, Reduction (chemical)		
A study on carbothermic reduction of ilmenite ore in a plasma reactor.	1175-1180B	
Impact		
Microstructural development of adiabatic shear bands formed by ballistic impact in a Weldalite 049 alloy.	477-483A	
Impact strength, Welding effects		
Charpy V-notch properties and microstructures of narrow gap ferritic welds of a quenched and tempered steel plate.	2775-2784A	
Inclusions		
Effect of matrix constitutive behavior and inclusions on forming limits of Fe-42% Ni alloy sheet.	289-298A	
Investigation of inclusion re-entrainment from the steel-slag interface.	641-649B	
Indentation		
Use of the nanoindentation technique for studying microstructure/crack interactions in the fatigue of 4340 steel.	3029-3036A	
Indium, Ternary systems		
Thermodynamics and phase equilibria in the Al-In-Sb system.	611-616A	
Indium base alloys, Thermal properties		
Determination of the melting and solidification characteristics of solders using differential scanning calorimetry.	1965-1972A	
Infiltration		
Titanium preconditioning of Al_2O_3 for liquid-state processing of Al- Al_2O_3 composite materials.	327-337A	
Dynamic analysis of unidirectional pressure infiltration of porous preforms by pure metals.	377-385A	
Reactive infiltration processing of aluminum-nickel intermetallic compounds.	2819-2828A	
Fabrication of Al-3 wt.% Mg matrix composites reinforced with Al_2O_3 and SiC particulates by the pressureless infiltration technique.	3087-3095A	
Ingot casting		
Microsegregation behavior during solidification and homogenization of AerMet100 steel.	205-210B	
Inhibition		
The effect of iron oxide as an inhibition layer on iron-zinc reactions during hot-dip galvanizing.	479-484B	
Injection		
Mixing time and fluid flow phenomena in liquids of varying kinematic viscosities agitated by bottom gas injection.	569-575B	
Water model study of the frequency of bubble formation under reduced and elevated pressures.	755-761B	
Effects of pore diameter, bath surface pressure, and nozzle diameter on the bubble formation from a porous nozzle.	1209-1218B	
Effect of cross-flow on the frequency of bubble formation from a single-hole nozzle.	1219-1225B	
Injection molding		
Bulk amorphous metallic alloys: synthesis by fluxing techniques and properties.	1795-1804A	
Integrated circuits, Coating		
Perovskite phase lead zirconate titanate thin film deposition on $\text{Pt/SiO}_2/\text{Si}$ substrate at low temperature.	907-909A	
Interdendritic structure		
An observation on microstructure of a casting Zn-40 wt.% Al alloy.	2477-2481A	
Interface reactions		
The effect of sulfur on the interfacial rates of reaction of CO_2 and CO with liquid copper.	296-298B	
Influence of melt carbon and sulfur on the wetting of solid graphite by Fe-C-S melts.	471-477B	
Liquid-solid mass transfer from a wall in contact with a gas/liquid interface undergoing wave motion.	563-567B	
Investigation of inclusion re-entrainment from the steel-slag interface.	641-649B	
Experimental approaches to simulating interfacial reactions in metal matrix composites.	1347-1355A	
Fabrication of Al-3 wt.% Mg matrix composites reinforced with Al_2O_3 and SiC particulates by the pressureless infiltration technique.	3087-3095A	
Interface reactions, Diffusion effects		
Interfacial reaction-controlled reprecipitation of W atoms in liquid matrix phase during the sintering of W-8 wt.% Mo-7% Ni-3% Fe.	2885-2892A	
Interface reactions, Heating effects		
Interface-controlled fatigue cracking of SCS-6/Ti-22Al-23Nb "orthorhombic" titanium aluminide composite.	2737-2746A	
Interface reactions, Processing effects		
Effect of interfacial reaction on bending strength of $\text{Al}_{18}\text{B}_4\text{O}_{33}$ whisker-reinforced aluminum composites.	1517-1524A	
Control of interfacial reactions during liquid phase processing of aluminum matrix composites reinforced with Inconel 601 fibers.	1727-1739A	
Interfaces		
Atomic arrangement and the formation of partially coherent interfaces in the Ti-V-N system.	2049-2058A	
Intergranular corrosion, Alloying effects		
Isolation of carbon and grain boundary carbide effects on the creep and intergranular stress corrosion cracking behavior of Ni-16Cr-9Fe-xC alloys in 360°C primary water.	1035-1046A	
Intergranular corrosion, Microstructural effects		
Mitigating intergranular attack and growth in lead-acid battery electrodes for extended cycle and operating life.	387-396A	
Intergranular fracture		
Grain boundary cracking.	509-518B	
Deformation structure and subsurface fatigue crack generation in austenitic steels at low temperature.	809-822A	
Intergranular fracture, Deformation effects		
Intergranular fracture of gamma titanium aluminides under hot working conditions.	1991-1999A	
Intergranular fracture, Heating effects		
The effect of carbide precipitation on the hydrogen-enhanced fracture behavior of alloy 690.	1265-1277A	
Intergranular fracture, Low temperature effects		
A study on fractography in the low-temperature brittle fracture of an 18Cr-18Mn-0.7N austenitic steel.	791-798A	
Intergranular fracture, Temperature effects		
Effect of test temperature on the dynamic torsional deformation behavior of two aluminum-lithium alloys.	469-476A	
Intermetallic phases		
Assessment of the Fe-Ti system.	361-370B	
Thermochemistry of ternary liquid Cu-Mg-Si alloys.	807-813B	
Standard enthalpies of formation for some samarium alloys, Sm+Me (Me=Ni, Rh, Pd, Pt), determined by high-temperature direct synthesis calorimetry.	815-820B	
Multistage sintering process for Ni_3Al powder metallurgical products.	1069-1076B	
An analytical electron microscopy study of constituent particles in commercial 7075-T6 and 2024-T3 alloys.	1145-1151A	
A transmission electron microscopy study of constituent-particle-induced corrosion in 7075-T6 and 2024-T3 aluminum alloys.	1153-1160A	
Experimental investigation on the enthalpies of formation of the DyFe_2 , $\text{Dy}_2\text{Fe}_{17}$, ErFe_2 , and ErFe_3 intermetallic compounds.	1367-1374A	
F-type icosahedral phase and a related cubic phase in the Al-Rh-Cu system.	1559-1563A	
On the observation of a new ternary MgSiCa phase in Mg-Si alloys.	1759-1763A	
Intermetallic phases, Alloying effects		
Microstructural studies of a Cu-Zn-Al shape-memory alloy with manganese and zirconium addition.	1865-1871A	
Effect of Mg and Sr additions on the formation of intermetallics in Al-6 wt.% Si-3.5 wt.% Cu-(0.45) to (0.8) wt.% Fe 319-type alloys.	2871-2884A	
Intermetallic phases, Crystal growth		
Phase transformation behavior of gamma titanium aluminide alloys during supertransus heat treatment.	7-18A	
Microstructure evolution through the $\alpha \rightarrow \gamma$ phase transformation in a Ti-48 at.% Al alloy.	19-26A	
Ternary alloying study of MoSi_2 .	119-129A	
Evolution and thermal stability of Ni_3V and Ni_2V phases in a Ni-29 at.% V alloy.	1883-1894A	
Growth of δ' on dislocations in a dilute Al-Li alloy.	2073-2085A	
Evolution of aluminide coating microstructure on nickel-base cast superalloy CM-247 in a single-step high-activity aluminizing process.	2173-2188A	
Intermetallics, Casting		
The free-surface shape and temperature distribution produced in liquid metal droplets by heating coil pulses in the TEMPUS electromagnetic levitation facility.	1127-1134B	
Intermetallics, Coatings		
Synthesis of nanocomposite thin films based on the Mo-Si-C ternary system and compositional tailoring through controlled ion bombardment.	1719-1725A	
Intermetallics, Composite materials		
An investigation of toughening in NiAl composites reinforced with yttria-partially stabilized zirconia particles.	493-505A	
Combustion characteristics of the $\text{Ni}_3\text{Ti-TiB}_2$ intermetallic matrix composites.	867-875B	
The effect of gravity on the combustion synthesis of metal-ceramic composites.	889-897B	
Thermomechanical behavior of TiNi shape memory alloy fiber reinforced 6061 aluminum matrix composite.	1127-1135A	
Experimental approaches to simulating interfacial reactions in metal matrix composites.	1347-1355A	

- Microstructure and mechanical behavior of reaction hot-pressed titanium silicide and titanium silicide-based alloys and composites. 1629-1641A
- Elevated-temperature oxidation behavior of titanium silicide and titanium silicide-based alloy and composite. 1665-1675A
- Effects of R-ratio on the fatigue crack growth of Nb-Si(ss) and Nb-10Si in situ composites. 1749-1757A
- Fracture toughness and R-curve behavior of laminated brittle-matrix composites. 2483-2496A
- Intermetallics, Crystal growth**
Growth of semicoherent TiFe nanoparticles in β -Ti matrix in the $\text{Ti}_{73}\text{Fe}_{27}$ rapidly quenched ribbon. 131-137A
- Intermetallics, Mechanical properties**
Supertransus processing of TiAl-based alloys. 27-36A
The role of grain size and selected microstructural parameters in strengthening fully lamellar TiAl alloys. 37-47A
Physical constants, deformation twinning, and microcracking of titanium aluminides. 49-63A
Tension and compression testing of single-crystalline gamma Ti-55.5% Al. 65-71A
Fundamental aspects of fatigue and fracture in a TiAl sheet alloy. 73-87A
Plastic instability during creep deformation of a NiAl-Hf single-crystal alloy—a case study. 179-189A
Tensile properties and fracture toughness of a Ti-45Al-1.6Mn alloy at loading velocities of up to 12 m/s. 263-277A
Hydrogen uptake in titanium aluminides covered with oxide layers. 307-314A
Coherency stresses in lamellar TiAl. 937-942A
Effect of deformation temperature on fatigue and fracture behavior in TiAl polysynthetically twinned crystals. 943-950A
Atomistic simulation of fracture in TiAl. 951-955A
Finite element analysis of cavitating facet interaction in a fully lamellar titanium aluminide alloy under creep conditions. 957-964A
Microstructural development and creep deformation in equiaxed γ , $\gamma+\alpha_2$, and $\gamma+\alpha_2+\text{B2}$ titanium aluminides. 965-978A
High-temperature deformation behavior of the intermetallic Ti-47 at.% Al-3 at.% Cr alloy. 1425-1430A
The Knoop-hardness yield locus of an orthorhombic titanium aluminide alloy. 1763-1765A
Effect of Ni on vacancy concentrations and hardness in FeAl alloys. 1911-1915A
Intergranular fracture of gamma titanium aluminides under hot working conditions. 1991-1999A
Effect of B on the microstructure and mechanical properties of mechanically milled TiAl alloys. 2273-2283A
An investigation of the fracture and fatigue crack growth behavior of forged damage-tolerant niobium aluminide intermetallics. 2361-2374A
- Intermetallics, Microstructure**
Changes in microstructure during primary creep of a Ti-47Al-2Nb-1Mn-0.5W-0.5Mo-0.2Si alloy. 89-98A
Microstructural evolution during creep of single-phase gamma TiAl. 99-104A
Development of ultrafine lamellar structures in two-phase γ -TiAl alloys. 105-117A
Processing-property-microstructure relationships in TiAl-based alloys. 919-925A
Structural models of τ^2 -inflated monoclinic and orthorhombic Al-Co phases. 1565-1572A
Strain-induced self-organization of steps and islands in SiGe/Si multilayer films. 2111-2119A
- Intermetallics, Oxidation**
Oxidation protection of Ti-aluminide orthorhombic alloys: an engineered multilayer approach. 1279-1288A
- Intermetallics, Phase transformations**
Stress-induced martensitic phase transformations in polycrystalline CuZnAl shape memory alloys under different stress states. 765-773A
Effect of thermal cycling on the R-phase and martensitic transformations in a Ti-rich NiTi alloy. 1175-1180A
Superheating behavior of NiAl. 2221-2225A
Ordering and martensitic transformations of Ni_2AlMn Heusler alloys. 2225-2227A
- Intermetallics, Powder technology**
Multistage sintering process for Ni_3Al powder metallurgical products. 1069-1076B
- Intermetallics, Solubility**
Thermodynamics of yttrium and oxygen in molten Ti, Ti_3Al , and TiAl. 1037-1042B
- Intermetallics, Synthesis**
Formation mechanism of LaNi_5 in the reduction-diffusion process. 331-338B
Synthesis of ultrafine particles of intermetallic compounds by the vapor-phase magnesium reduction of chloride mixtures. I. Titanium aluminides. 457-464B
- Synthesis of ultrafine particles of intermetallic compounds by the vapor-phase magnesium reduction of chloride mixtures. II. Nickel aluminides. 465-469B
- Intermetallics, Welding**
Autogenous gas tungsten arc weldability of cast alloy Ti-48Al-2Cr-2Nb (at.%) versus extruded alloy Ti-46Al-2Cr-2Nb-0.9Mo (at.%). 927-935A
- Iron implantation, Russia**
An overview of some advanced surface technology in Russia. 593-610A
- Iridium base alloys, Mechanical properties**
Ir-base refractory superalloys for ultra-high temperatures. 537-549A
- Iron, Alloying additive**
Ternary alloying study of MoSi₂. 119-129A
Solidification of Nb-bearing superalloys. I. Reaction sequences. 2785-2796A
Solidification of Nb-bearing superalloys. II. Pseudoternary solidification surfaces. 2797-2806A
- Iron, Alloying elements**
Characterization by thermoelectric power of a commercial aluminum-iron-silicon alloy (8011) during isothermal precipitation. 2669-2677A
- Iron, Binary systems**
Assessment of the Fe-Ti system. 361-370B
Experimental investigation on the enthalpies of formation of the DyFe_2 , $\text{Dy}_2\text{Fe}_{17}$, ErFe_2 , and ErFe_3 intermetallic compounds. 1367-1374A
- Iron, Composite materials**
Transformation superplasticity of iron and Fe/TiC metal matrix composites. 565-575A
Formation of TiN/TiC-Fe composites from ilmenite (FeTiO_3) concentrate. 1077-1083B
- Iron, Extraction**
Modeling of multi gas-solid reactions; effect of bulk environment parameters on solid conversion. 229-238B
Iron redox equilibria in $\text{CaO-Al}_2\text{O}_3\text{-SiO}_2$ and $\text{MgO-CaO-Al}_2\text{O}_3\text{-SiO}_2$ slags. 837-845B
Reduction of FeO in smelting slags by solid carbon: re-examination of the influence of the gas-carbon reaction. 935-938B
Mathematical modeling of the reduction process of iron ore particles in two stages of twin-fluidized beds connected in series. 1107-1115B
- Iron, Impurities**
On the nature of the Fe-bearing particles influencing hard anodizing behavior of AA 7075 extrusion products. 979-987A
- Iron, Mechanical properties**
Torsion textures produced by dynamic recrystallization in α -iron and two interstitial-free steels. 447-462A
Grain boundary cracking. 509-518B
Mechanical properties, ductility, and grain size of nanocrystalline iron produced by mechanical attrition. 2285-2295A
- Iron, Microstructure**
On the relation between the number-weighted and volume-weighted grain volume distribution parameters. 3081-3086A
- Iron, Powder technology**
Grain growth of nanocrystalline cryomilled Fe-Al powders. 2469-2475A
Liquidlike sintering behavior of nanometric Fe and Cu powders: experimental approach. 2941-2949A
- Iron, Quaternary systems**
Thermodynamics of the Fe-Nb-C-N system and the solubility of niobium carbonitrides in austenite. 163-176B
Assessment of the Fe-Ti-C system, calculation of the Fe-Ti-N system, and prediction of the solubility limit of Ti(C,N) in liquid Fe. 371-384B
- Iron, Reactions (chemical)**
The kinetics of dephosphorization of carbon-saturated iron using an oxidizing slag. 111-118B
Henrian activity coefficient of Pb in Cu-Fe mattes and white metal. 429-436B
Influence of melt carbon and sulfur on the wetting of solid graphite by Fe-C-S melts. 471-477B
The effect of iron oxide as an inhibition layer on iron-zinc reactions during hot-dip galvanizing. 479-484B
Thermodynamic modeling of liquid Fe-Ni-Cu-Co-S mattes. 591-601B
- Iron, Recycling**
Removal of copper from carbon-saturated iron with an aluminum sulfide/ferrous sulfide flux. 493-495B
- Iron, Refining**
Steady-state studies of the reactions of $\text{H}_2\text{O-CO}$ and $\text{CO}_2\text{-H}_2$ mixtures with liquid iron. 829-836B
- Iron, Solubility**
Equilibrium of calcium vapor with liquid iron and the interaction of third elements. 415-420B
- Iron, Ternary systems**
Thermodynamic properties of the Fe-Cr-P liquid solution. 155-161B

- Thermodynamic assessment of liquid Fe-Mn-C system. 397-403B
Discussion of "Uwakweh and Liu's Reply" and Authors' Reply. 2643-2645A
- Iron and steel making**
Who was Henry Howe? 5-16B
Influence of melt carbon and sulfur on the wetting of solid graphite by Fe-C-S melts. 471-477B
Simplified simulation of the transient behavior of temperatures in the upper shaft of the blast furnace. 691-697B
Kinetics studies on the dissolution of nitrogen in the CaO-Al₂O₃-SiO₂ and CaO-Al₂O₃-TiO₂ melts. 1235-1240B
Activities in the spinel solid solution Fe₂Mg_{1-x}Al₂O₄. 1241-1248B
- Iron compounds, Crystal growth**
Growth of semicoherent TiFe nanoparticles in β -Ti matrix in the Ti₇₃Fe₂₇ rapidly quenched ribbon. 131-137A
- Iron compounds, Mechanical properties**
Effect of Ni on vacancy concentrations and hardness in FeAl alloys. 1911-1915A
- Iron compounds, Microstructure**
Effect of ordering energy and stoichiometry in $\Sigma=5$ boundaries in B2 compounds. 2655-2668A
- Iron compounds, Reduction (chemical)**
Communication: Reduction of FeWO₄-NiWO₄ solid solutions by hydrogen gas. 1136-1139B
- Iron ores, Reduction (chemical)**
Thermodynamic estimation on the reduction behavior of iron-chromium ore with carbon. 351-360B
Reduction of FeO in smelting slags by solid carbon: re-examination of the influence of the gas-carbon reaction. 935-938B
Mathematical modeling of the reduction process of iron ore particles in two stages of twin-fluidized beds connected in series. 1107-1115B
- Iron oxides, Reactions (chemical)**
The effect of surfactants on the interfacial rates of reaction of CO₂ and CO with liquid iron oxide. 137-145B
Review and modeling of viscosity of silicate melts. II. Viscosity of melts containing iron oxide in the CaO-MgO-MnO-FeO-Fe₂O₃-SiO₂ system. 187-195B
Formation of hexavalent chromium by reaction between slag and magnesite-chrome refractory. 405-410B
The effect of iron oxide as an inhibition layer on iron-zinc reactions during hot-dip galvanizing. 479-484B
- Iron oxides, Reduction (chemical)**
Communication: Estimation of isothermal values of activation energy for aluminothermic reduction. 1135-1136B
- Ironmaking**
Phosphorus distribution between carbon-saturated iron at 1350°C and lime-based slags containing Na₂ and CaF₂. 147-153B
Modeling mean flow and turbulence characteristics in gas-agitated bath with top layer. 211-222B
Reduction of FeO in smelting slags by solid carbon: re-examination of the influence of the gas-carbon reaction. 935-938B
- Isothermal treatment**
Microstructure evolution through the $\alpha \rightarrow \gamma$ phase transformation in a Ti-48 at.% Al alloy. 19-26A
- Isothermal treatment, Impurity effects**
Upper acicular ferrite formation in a medium-carbon microalloyed steel by isothermal transformation: nucleation enhancement by CuS. 1003-1015A
- Kinetics**
Comparison of grinding kinetics between a typical ball mill and a ball mill fitted with a breaker plate. 17-22B
Desorption kinetics of carbon and oxygen in liquid niobium. 1309-1314B
- Knoop hardness**
The Knoop-hardness yield locus of an orthorhombic titanium aluminide alloy. 1763-1765A
- Ladle liners, Thermal properties**
Model for temperature profile estimation in the refractory of a metallurgical ladle. 651-659B
- Ladle metallurgy**
Activities of SiO₂ and Al₂O₃ and activity coefficients of Fe₂O and MnO in CaO-SiO₂-Al₂O₃-MgO slags. 119-129B
Modeling mean flow and turbulence characteristics in gas-agitated bath with top layer. 211-222B
- Ladles**
Decay of fluid motion in a filling ladle after tapping. 931-935B
- Ladles, Thermal properties**
Model for temperature profile estimation in the refractory of a metallurgical ladle. 651-659B
- Lamellar structure**
The role of grain size and selected microstructural parameters in strengthening fully lamellar TiAl alloys. 37-47A
Fundamental aspects of fatigue and fracture in a TiAl sheet alloy. 73-87A
- Structural transition and macrosegregation of Al-Cu eutectic alloy solidified in the electromagnetic centrifugal casting process. 404-408A
Coherency stresses in lamellar Ti-Al. 937-942A
Transitions in carbide morphology in a ternary Fe-C-W steel. 2087-2100A
The effect of undercooling on the cellular precipitation reaction in Cu-3Ti. 2101-2110A
An observation on microstructure of a casting Zn-40 wt.% Al alloy. 2477-2481A
- Lamellar structure, Deformation effects**
Supertrans processing of TiAl-based alloys. 27-36A
Changes in microstructure during primary creep of a Ti-47Al-2Nb-1Mn-0.5W-0.5Mo-0.2Si alloy. 89-98A
Processing-property-microstructure relationships in TiAl-based alloys. 919-925A
- Lamellar structure, Heating effects**
Microstructure evolution through the $\alpha \rightarrow \gamma$ phase transformation in a Ti-48 at.% Al alloy. 19-26A
Development of ultrafine lamellar structures in two-phase γ -TiAl alloys. 105-117A
Microstructure and creep behavior of an orthorhombic Ti-25Al-17Nb-1Mo alloy. 559-564A
Nanometer-scale, fully lamellar microstructure in an aged TiAl-based alloy. 2679-2685A
- Laminates, Mechanical properties**
Fracture toughness and R-curve behavior of laminated brittle-matrix composites. 2483-2496A
Numerical analysis of the formability of an aluminum 2024 alloy sheet and its laminates with steel sheets. 2829-2834A
- Lances, Thermal properties**
Modeling the heat flow to an operating Siros melt lance. 485-492B
- Lanthanum compounds, Synthesis**
Formation mechanism of LaNi₅ in the reduction-diffusion process. 331-338B
- Laser beam cladding**
The effect of heat input on the microstructure and properties of nickel aluminum bronze laser clad with a consumable of composition Cu-9.0Al-4.6Ni-3.9Fe-1.2Mn. 1677-1690A
- Laser beam melting**
Solidification behavior and microstructural evolution during laser beam-material interaction. 1269-1279B
- Lasers**
Failure of SiC particulate-reinforced metal matrix composites induced by laser thermal shock. 685-692A
- Laterites, Beneficiation**
Pressure acid leaching of laterites at 250°C: A solution chemical model and its applications. 945-952B
The ion-association-interaction approach as applied to aqueous H₂SO₄-Al₂(SO₄)₃-MgSO₄ solutions at 250°C. 1021-1030B
- Lattice parameters**
Physical constants, deformation twinning, and microcracking of titanium aluminides. 49-63A
Coherency stresses in lamellar Ti-Al. 937-942A
Lattice constants and compositions of the metastable Ni₃Nb phase precipitated in a Ni-15Cr-8Fe-6Nb alloy. 1169-1174A
Atomic arrangement and the formation of partially coherent interfaces in the Ti-V-N system. 2049-2058A
- Lattice parameters, Alloying effects**
Effect of Ni on vacancy concentrations and hardness in FeAl alloys. 1911-1915A
- Lattice vacancies, Alloying effects**
Effect of Ni on vacancy concentrations and hardness in FeAl alloys. 1911-1915A
- Lattice vacancies, Deformation effects**
In situ nuclear magnetic resonance investigation of strain, temperature, and strain-rate variations of deformation-induced vacancy concentration in aluminum. 153-159A
- Laves phase, Crystal growth**
A combined solubility product/new PHACOMP approach for estimating temperatures of secondary solidification reactions in superalloy weld metals containing Nb and C. 1449-1456A
- Leaching**
Particle suspension in (air-agitated) Pachuca tanks. 339-349B
Pressure acid leaching of laterites at 250°C: A solution chemical model and its applications. 945-952B
Model for the ferric chloride leaching of galena. 953-960B
Leaching kinetics of digenite concentrate in oxygenated chloride media at ambient pressure. 961-969B
The acid-base behavior of zinc sulfate electrolytes: the temperature effect. 1157-1166B
Evaluation of velocity-dependent in situ leaching processes: single-porosity model. 1227-1234B
- Lead (metal), Extraction**
Model for the ferric chloride leaching of galena. 953-960B

Lead (metal), Reactions (chemical)

- Factors affecting the immobilization of metals in geopolymerized flyash. 283-291B
- Henrian activity coefficient of Pb in Cu-Fe mattes and white metal. 429-436B

Lead base alloys, Corrosion

- Mitigating intergranular attack and growth in lead-acid battery electrodes for extended cycle and operating life. 387-396A

Lead base alloys, Crystal growth

- Numerical simulation of macrosegregation: a comparison between finite volume method and finite element method predictions and a confrontation with experiments. 617-630A
- Solidification of a ternary metal alloy: a comparison of experimental measurements and model predictions in a Pb-Sb-Sn system. 843-853A

Lead base alloys, Directional solidification

- Primary spacing in directional solidification. 1113-1119A
- Model of banding in diffusive and convective regimes during directional solidification of peritectic systems. 1457-1470A

Lead compounds, Coatings

- Perovskite phase lead zirconate titanate thin film deposition on Pt/SiO₂/Si substrate at low temperature. 907-909A

Lead compounds, Reactions (chemical)

- Experimental study of phase equilibria in the systems PbO_x-CaO and PbO_x-CaO-SiO₂. 541-553B

Levitation

- Effect of processing conditions on drop behavior in an electromagnetic levitator. 223-228B

Levitation casting

- The free-surface shape and temperature distribution produced in liquid metal droplets by heating coil pulses in the TEMPUS electromagnetic levitation facility. 1127-1134B
- The use of particle image velocimetry in the physical modeling of flow in electromagnetic or direct-chill casting of aluminum. I. Development of the physical model. 1281-1288B
- The use of particle image velocimetry in the physical modeling of flow in electromagnetic or direct-chill casting of aluminum. II. Results of the physical model, including bag geometry, blockage, and nozzle placement. 1289-1295B

Levitation melting

- Superheating behavior of NiAl. 2221-2225A

Lime, Reactions (chemical)

- Activities of SiO₂ and Al₂O₃ and activity coefficients of FeO and MnO in CaO-SiO₂-Al₂O₃-MgO slags. 119-129B
- Thermodynamics of chromium oxides in CaO-SiO₂-CaF₂ slag. 131-136B
- Phosphorus distribution between carbon-saturated iron at 1350°C and lime-based slags containing Na₂ and CaF₂. 147-153B
- Review and modeling of viscosity of silicate melts. I. Viscosity of binary and ternary silicates containing CaO, MgO, and MnO. 177-186B
- Review and modeling of viscosity of silicate melts. II. Viscosity of melts containing iron oxide in the CaO-MgO-MnO-FeO-Fe₂O₃-SiO₂ system. 187-195B
- Formation of hexavalent chromium by reaction between slag and magnesite-chrome refractory. 405-410B
- Experimental study of phase equilibria in the systems PbO_x-CaO and PbO_x-CaO-SiO₂. 541-553B
- Effects of CaO, Al₂O₃, and MgO additions on the copper solubility, ferric/ferrous ratio, and minor-element behavior of iron-silicate slags. 583-590B

Limestone, Beneficiation

- Comparison of grinding kinetics between a typical ball mill and a ball mill fitted with a breaker plate. 17-22B

Limonite, Beneficiation

- The ion-association-interaction approach as applied to aqueous H₂SO₄-Al₂(SO₄)₃-MgSO₄ solutions at 250°C. 1021-1030B

Liquid flow

- Liquid flow on a rotating disk prior to centrifugal atomization and spray deposition. 1357-1369B

Liquid metals, Electrical properties

- Surface-coupled modeling of magnetically confined liquid metal in three-dimensional geometry. 275-281B

Liquid metals, Magnetic properties

- Effect of processing conditions on drop behavior in an electromagnetic levitator. 223-228B

Liquid metals, Mechanical properties

- Thermodynamic and kinetic properties of amorphous and liquid states. 1837-1843A

Liquid metals, Physical properties

- A mathematical model for the dynamic behavior of metals subjected to electromagnetic forces. I. Model development and comparison of predictions with published experimental results. 919-928B

Liquid metals, Reactions (chemical)

- The effect of sulfur on the interfacial rates of reaction of CO₂ and CO with liquid copper. 296-298B
- Chemical reactions between aluminum and fly ash during synthesis and reheating of Al-fly ash composite. 519-525B
- Steady-state studies of the reactions of H₂O-CO and CO₂-H₂ mixtures with liquid iron. 829-836B
- Thermodynamic properties of aluminum, magnesium, and calcium in molten silicon. 1043-1049B
- Reactive infiltration processing of aluminum-nickel intermetallic compounds. 2819-2828A

Liquid metals, Solubility

- Equilibrium of calcium vapor with liquid iron and the interaction of third elements. 415-420B
- A novel method for the determination of the hydrogen solubility in aluminum and aluminum alloy melts. 421-427B
- Thermodynamics of yttrium and oxygen in molten Ti, Ti₃Al, and TiAl. 1037-1042B

Liquid metals, Sorption

- Desorption kinetics of carbon and oxygen in liquid niobium. 1309-1314B

Liquid metals, Surface properties

- Interfacial tension between aluminum and NaCl-KCl-based salt systems. 821-827B
- Surface tension measurements on liquid metals in microgravity. 1031-1035B

Liquid phase sintering

- Finite element modeling of distortion during liquid phase sintering. 659-664A
- Microstructural effects on distortion and solid-liquid segregation during liquid phase sintering under microgravity conditions. 857-866B
- Shape distortion in liquid-phase-sintered tungsten heavy alloys. 2631-2638A
- Modeling grain growth dependence on the liquid content in liquid-phase-sintered materials. 3057-3067A

Long range order, Deformation effects

- Strain-induced self-organization of steps and islands in SiGe/Si multilayer films. 2111-2119A

Low alloy steels, Mechanical properties

- Microstructures controlling the ductile crack growth resistance of low carbon steels. 279-287A

Low alloy steels, Phase transformations

- Continuous cooling transformation temperatures determined by compression tests in low carbon bainitic grades. 989-1001A
- Upper acicular ferrite formation in a medium-carbon microalloyed steel by isothermal transformation: nucleation enhancement by CuS. 1003-1015A
- Effect of ferrite formation on abnormal austenite grain coarsening in low-alloy steels during the hot rolling process. 1375-1381A
- Transformation during the isothermal deformation of low-carbon Nb-B steels. 1383-1394A

Low carbon steels, Coating

- Surface segregation of phosphorus, carbon, and sulfur in commercial low-carbon grades of steel. 2707-2715A

Low carbon steels, Composite materials

- Processing and mechanical properties of magnesium-lithium composites containing steel fibers. 863-873A

Low carbon steels, Mechanical properties

- Microstructures controlling the ductile crack growth resistance of low carbon steels. 279-287A
- Effect of small loads on crack growth rate and crack tip deformation in the fatigue process of A537 steel. 401-403A

Low carbon steels, Microstructure

- Grain size estimation in anisotropic materials. 237-244A
- Microstructural evolution during the austenite-to-ferrite transformation from deformed austenite. 417-426A

Low carbon steels, Phase transformations

- Continuous cooling transformation temperatures determined by compression tests in low carbon bainitic grades. 989-1001A

Low carbon steels, Welding

- Brittle fracture initiation associated with the strain localization in a heat-affected zone of a low carbon steel. 551-558A

Low cycle fatigue

- A strain energy-based approach to the low-cycle fatigue damage mechanism in a high-strength spring steel. 1431-1439A

Low cycle fatigue, Microstructural effects

- The influence of crystallographic orientation and strain rate on the high-temperature low-cyclic fatigue property of a nickel-base single-crystal superalloy. 1093-1099A

Luders lines

- Correlation of dynamic torsional properties with adiabatic shear banding behavior in ballistically impacted aluminum-lithium alloys. 227-235A

Luders lines, Deformation effects

- A model for microstructure evolution in adiabatic shear bands. Microstructural development of adiabatic shear bands formed by ballistic impact in a Weldalite 049 alloy. Cyclic deformation behavior of high-purity titanium single crystals. II. Microstructure and mechanism.

191-203A
477-483A
513-518A

Magnesite refractories, Reactions (chemical)

- Formation of hexavalent chromium by reaction between slag and magnesite-chrome refractory.

405-410B

Magnesium, Alloying additive

- Effect of Mg and Sr additions on the formation of intermetallics in Al-6 wt.% Si-3.5 wt.% Cu-(0.45) to (0.8) wt.% Fe 319-type alloys.

2871-2884A

Magnesium, Alloying elements

- Factors influencing the equilibrium grain size in equal-channel angular pressing: role of Mg additions to aluminum.

2503-2510A

Magnesium, Binary systems

- A mathematical model for the solute drag effect on recrystallization.

1029-1034A

Magnesium, Impurities

- Chlorine fluxing for removal of magnesium from molten aluminum: I. Laboratory-scale measurements of reaction rates and bubble behavior. Chlorine fluxing for removal of magnesium from molten aluminum: II. Mathematical model.

971-978B
979-986B

Magnesium, Mechanical properties

- Grain boundary cracking.

509-518B

Magnesium, Reactions (chemical)

- Deoxidation equilibria of molten nickel by Mg-Al and Mn-Al. Thermodynamic properties of aluminum, magnesium, and calcium in molten silicon.

197-203B
1043-1049B

Magnesium, Ternary systems

- Thermochemistry of ternary liquid Cu-Mg-Si alloys. On the observation of a new ternary MgSiCa phase in Mg-Si alloys.

807-813B
1759-1763A

Magnesium base alloys, Composite materials

- Processing and mechanical properties of magnesium-lithium composites containing steel fibers. Mechanical property and fracture behavior of squeeze-cast Mg matrix composites.

863-873A
2543-2554A

Magnesium base alloys, Mechanical properties

- Effect of Y, Sr, and Nd additions on the microstructure and microfracture mechanism of squeeze-cast AZ91-X magnesium alloys.

1221-1235A

Magnesium base alloys, Phases (state of matter)

- Thermochemistry of ternary liquid Cu-Mg-Si alloys. On the observation of a new ternary MgSiCa phase in Mg-Si alloys.

807-813B
1759-1763A

Magnesium compounds, Reactions (chemical)

- Deoxidation equilibria of molten nickel by Mg-Al and Mn-Al.

197-203B

Magnesium oxide, Reactions (chemical)

- Activities of SiO_2 and Al_2O_3 and activity coefficients of Fe_2O_3 and MnO in $\text{CaO-SiO}_2\text{-Al}_2\text{O}_3\text{-MgO}$ slags. Review and modeling of viscosity of silicate melts. I. Viscosity of binary and ternary silicates containing CaO , MgO , and MnO . Review and modeling of viscosity of silicate melts. II. Viscosity of melts containing iron oxide in the $\text{CaO-MgO-MnO-FeO-Fe}_2\text{O}_3\text{-SiO}_2$ system. Formation of hexavalent chromium by reaction between slag and magnesite-chrome refractory. Effects of CaO , Al_2O_3 , and MgO additions on the copper solubility, ferric/ferrous ratio, and minor-element behavior of iron-silicate slags.

119-129B
177-186B
187-195B
405-410B
583-590B

Magnetic fields

- Surface-coupled modeling of magnetically confined liquid metal in three-dimensional geometry.

275-281B

Magnetohydrodynamics

- A mathematical model for the dynamic behavior of metals subjected to electromagnetic forces. I. Model development and comparison of predictions with published experimental results.

919-928B

Manganese, Alloying additive

- Microstructural studies of a Cu-Zn-Al shape-memory alloy with manganese and zirconium addition.

1865-1871A

Manganese, Alloying elements

- Evolution of microstructure and tensile strength of rapidly solidified Al-4.7% Zn-2.5% Mg-0.2% Zr-X wt.% Mn alloys.

1873-1882A

Manganese, Reactions (chemical)

- Deoxidation equilibria of molten nickel by Mg-Al and Mn-Al.

197-203B

Manganese, Ternary systems

- Thermodynamic assessment of liquid Fe-Mn-C system.

397-403B

Manganese compounds, Impurities

- Upper acicular ferrite formation in a medium-carbon microalloyed steel by isothermal transformation: nucleation enhancement by CuS.

1003-1015A

Manganese compounds, Phase transformations

- Ordering and martensitic transformations of Ni_2AlMn Heusler alloys.

2225-2227A

Manganese compounds, Reactions (chemical)

- Review and modeling of viscosity of silicate melts. I. Viscosity of binary and ternary silicates containing CaO , MgO , and MnO . Review and modeling of viscosity of silicate melts. II. Viscosity of melts containing iron oxide in the $\text{CaO-MgO-MnO-FeO-Fe}_2\text{O}_3\text{-SiO}_2$ system. Deoxidation equilibria of molten nickel by Mg-Al and Mn-Al.

177-186B
187-195B
197-203B

Manganese compounds, Reduction (chemical)

- Communication: Estimation of isothermal values of activation energy for aluminothermic reduction.

1135-1136B

Manganese steels, Mechanical properties

- Creep and rupture properties of an austenitic Fe-30Mn-9Al-1C alloy. Deformation structure and subsurface fatigue crack generation in austenitic steels at low temperature.

299-306A
809-822A

Manganese steels, Steel making

- Thermodynamic assessment of liquid Fe-Mn-C system.

397-403B

Marine environments

- Influence of residual stresses and loading frequencies on corrosion fatigue crack growth behavior of weldments.

1289-1298A

Martensite, Alloying effects

- Clusters in carbon martensite: thermodynamics and kinetics.

2903-2912A

Martensitic stainless steels, Casting

- Microstructural investigation of a rapidly solidified 12Cr-Mo-V steel.

367-376A

Martensitic stainless steels, Mechanical properties

- Effects of Co and Ni on secondary hardening and fracture behavior of martensitic steels bearing W and Cr.

397-401A

Martensitic stainless steels, Microstructure

- Observations of the columnar-to-equiaxed transition in stainless steels.

855-861A

Martensitic transformations

- Effect of thermal cycling on the R-phase and martensitic transformations in a Ti-rich NiTi alloy. The $\gamma \rightarrow \epsilon$ -martensitic transformation and its reversion in the FeMnSiCrNi shape-memory alloy. Ordering and martensitic transformations of Ni_2AlMn Heusler alloys. Transformation relaxation and aging in a CuZnAl shape-memory alloy studied by modulated differential scanning calorimetry.

1175-1180A
1579-1583A
2225-2227A
2697-2705A

Martensitic transformations, Alloying effects

- Microstructural studies of a Cu-Zn-Al shape-memory alloy with manganese and zirconium addition. Clusters in carbon martensite: thermodynamics and kinetics.

1865-1871A
2903-2912A

Martensitic transformations, Deformation effects

- Formability of stainless steel.

2161-2172A

Martensitic transformations, Stress effects

- Stress-assisted transformation in Ti-60 wt.% Ta alloys. Stress-state effects on the stress-induced martensitic transformation of carburized 4320 steels. Stress-induced martensitic phase transformations in polycrystalline CuZnAl shape memory alloys under different stress states.

139-147A
427-437A
765-773A

Mass transfer

- Liquid-solid mass transfer from a wall in contact with a gas/liquid interface undergoing wave motion. Interdiffusivities and mass transfer coefficients of NaF gas.

563-567B
763-771B

Master alloys, Alloying additive

- Grain refining of Al-4.5Cu alloy by adding an Al-30TiC master alloy.

1707-1710A

Mathematical analysis

- Alternative approach to the problem of additivity. Dynamic analysis of unidirectional pressure infiltration of porous preforms by pure metals. A diffusion solution for the melting/dissolution of a solid at constant temperature and its use for measuring the diffusion coefficient in liquids. On optimization of the powder plasma arc surfacing process. Evaluation of hydrogen-trap binding enthalpy. II. The free-surface shape and temperature distribution produced in liquid metal droplets by heating coil pulses in the TEMPUS electromagnetic levitation facility. Fractal analysis of the surface cracks on continuously cast steel slabs.

269-273B
377-385A
751-755A
929-931B
1017-1021A
1127-1134B
1261-1267B

- Discussion of error in the analysis of the wake dislocation problem. 1357-1360A
- On the calculation of ionic equilibria using the Gibbs energy minimization method. 1372-1374B
- Fiber fragmentation during processing of metallic matrix composites. 1499-1507A
- Discussion of "Retrograde solubility in semiconductors" and author's reply. 1525-1527A
- Electronic structure and related properties of metallic glasses: linear muffin-tin orbital approach. 1853-1863A
- Creep rupture life prediction of short fiber-reinforced metal matrix composites. 1983-1989A
- The sweep constant concept in phase coarsening. 2395-2398A
- Discussion of "Effect of dendrite arm coarsening on microsegregation" and authors' reply. 2447-2450A
- Influence of hydrostatic pressure and multiaxial straining on cavitating superplastic materials. 2555-2561A
- On the relation between the number-weighted and volume-weighted grain volume distribution parameters. 3081-3086A
- Mathematical models**
- Transport phenomena in electric smelting of nickel matte. II. Mathematical modeling. 85-94B
- Review and modeling of viscosity of silicate melts. II. Viscosity of melts containing iron oxide in the CaO-MgO-MnO-FeO-Fe₂O₃-SiO₂ system. 187-195B
- A model for microstructure evolution in adiabatic shear bands. 191-203A
- Cutting performance and microstructure of high speed steels: contributions of matrix strengthening and undissolved carbides. 205-216A
- Modeling mean flow and turbulence characteristics in gas-activated bath with top layer. 211-222B
- Effect of processing conditions on drop behavior in an electro-magnetic levitator. 223-228B
- Modeling of multi gas-solid reactions; effect of bulk environment parameters on solid conversion. 229-238B
- A kinetic model of the Peirce-Smith converter. I. Model formulation and validation. 239-249B
- A kinetic model of the Peirce-Smith converter. II. Model application and discussion. 251-259B
- Surface-coupled modeling of magnetically confined liquid metal in three-dimensional geometry. 275-281B
- An analytical solution of the critical interface velocity for the encapsuring of insoluble particles by a moving solid/liquid interface. 351-358A
- The influence of temperature gradient zone melting on microsegregation. 361-367A
- Dynamic analysis of unidirectional pressure infiltration of porous preforms by pure metals. 377-385A
- A Monte Carlo approach for simulation of heat flow in sand and metal mold castings (virtual mold modeling). 495-499B
- Crystal plasticity forming limit diagram analysis of rolled aluminum sheets. 527-535A
- A novel approach for predicting the tensile strength of brazed joints. 587-592A
- Numerical simulation of macrosegregation: a comparison between finite volume method and finite element method predictions and a confrontation with experiments. 617-630A
- Solidification and spangle formation of hot-dip-galvanized zinc coatings. 631-646A
- Model for temperature profile estimation in the refractory of a metallurgical ladle. 651-659B
- Finite element modeling of distortion during liquid phase sintering. 659-664A
- A computational model for the prediction of steel hardenability. 661-672B
- A three-dimensional model of the spray forming method. 699-708B
- Modeling the microstructural changes during hot tandem rolling of AA5XXX aluminum alloys. III. Overall model development and validation. 709-719B
- Water model study of the frequency of bubble formation under reduced and elevated pressures. 755-761B
- Modeling studies of fluid flow below flash-smelting burners including transient behavior. 773-784B
- Flow localization in sheet specimens with pairs of holes. 775-780A
- Monte Carlo simulation of clustering of alumina particles in turbulent liquid aluminum. 785-791B
- Solidification of a ternary metal alloy: a comparison of experimental measurements and model predictions in a Pb-Sb-Sn system. 843-853A
- Modeling freckle formation in three dimensions during solidification of multicomponent alloys. 847-855B
- Bioleaching model of a copper-sulfide ore bed in heap and dump configurations. 899-909B
- Numerical and experimental study of a hydrodynamic cavitation tube. 911-917B
- A mathematical model for the dynamic behavior of metals subjected to electromagnetic forces. I. Model development and comparison of predictions with published experimental results. 919-928B
- Finite element analysis of cavitating facet interaction in a fully lamellar titanium aluminide alloy under creep conditions. 957-964A
- Chlorine fluxing for removal of magnesium from molten aluminum: II. Mathematical model. 979-986B
- Experimental and mathematical investigation of the fluid flow inside and below a 1/4 scale air model of a flash smelting burner. 993-1006B
- A mathematical model for the solute drag effect on recrystallization. 1029-1034A
- Modeling of porosity during spray forming: I. Effects of processing parameters. 1085-1096B
- The influence of crystallographic orientation and strain rate on the high-temperature low-cyclic fatigue property of a nickel-base single-crystal superalloy. 1093-1099A
- Modeling of porosity during spray forming: II. Effects of atomization gas chemistry and alloy compositions. 1097-1106B
- Primary spacing in directional solidification. 1113-1119A
- Numerical investigation of the free surface in a continuous steel casting mold model. 1117-1126B
- The acid-base behavior of zinc sulfate electrolytes: the temperature effect. 1157-1166B
- Thermodynamic model for MnO-containing slags and gas-slag-metal equilibrium in ferromanganese smelting. 1181-1191B
- Directional dendritic solidification of a composite slurry. I. Dendrite morphology. 1319-1327A
- Directional dendritic solidification of a composite slurry. II. Particle distribution. 1329-1339A
- Mathematical simulation on coupled flow, heat, and solute transport in slab continuous casting process. 1345-1356B
- Liquid flow on a rotating disk prior to centrifugal atomization and spray deposition. 1357-1369B
- Model of banding in diffusive and convective regimes during directional solidification of peritectic systems. 1457-1470A
- Analytical/finite-element modeling and experimental verification of spray-cooling process in steel. 1485-1498A
- Behavior and rupture of hydrided Zircaloy-4 tubes and sheets. 1643-1651A
- Assessment of void growth models from porosity measurements in cold-drawn copper bars. 1895-1909A
- The relationship between microstructure and the J-R curve. 1917-1922A
- A model for roughness-induced fatigue crack closure. 1933-1939A
- Dependence of thermal residual stress on temperature in a SiC particle-reinforced 6061 Al alloy. 2001-2009A
- Dynamic interaction between a coherent precipitate and an edge dislocation. 2039-2048A
- Determining interphase boundary orientations from near-coincidence sites. 2059-2072A
- Chemical stresses induced by grain-boundary diffusion. 2121-2125A
- Simplified computation of macrosegregation in multicomponent aluminum alloys. 2189-2194A
- Static recrystallization kinetics with homogeneous and heterogeneous nucleation using a cellular automata model. 2307-2321A
- Analysis of ridging in aluminum auto body sheet metal. 2323-2332A
- Investigation of thermomechanical behavior of a work roll and of roll life in hot strip rolling. 2407-2424A
- Creep cavity growth under interaction between lattice diffusion and grain-boundary diffusion. 2533-2542A
- Interface-controlled fatigue cracking of SCS-6/Ti-22Al-23Nb "orthorhombic" titanium aluminide composite. 2737-2746A
- The effect of geometrical assumptions in modeling solid-state transformation kinetics. 2925-2931A
- A diffusion-kinetic model for predicting solder/conductor interactions in high density interconnections. 2951-2956A
- Dependence of fracture toughness of austempered ductile iron on austempering temperature. 3005-3016A
- A free dendritic growth model accommodating curved phase boundaries and high Peclet number conditions. 3047-3056A
- Modeling grain growth dependence on the liquid content in liquid-phase-sintered materials. 3057-3067A
- Mattes, Reactions (chemical)**
- Impact of sulfur loss on activity coefficient measurements of trace elements in matte. 298-300B
- Thermodynamic modeling of liquid Fe-Ni-Cu-Co-S mattes. 591-601B
- Mechanical alloying**
- Effect of B on the microstructure and mechanical properties of mechanically milled TiAl alloys. 2273-2283A
- A novel way of amorphous phase formation during mechanical alloying of copper and cadmium powders. 2425-2432A
- Mechanical alloying, Cryogenic effects**
- Grain growth of nanocrystalline cryomilled Fe-Al powders. 2469-2475A
- Medium carbon steels, Phase transformations**
- Upper acicular ferrite formation in a medium-carbon microalloyed steel by isothermal transformation: nucleation enhancement by CuS. 1003-1015A
- Nonclassical decomposition products of austenite in Fe-C-Cr alloys. 2913-2924A
- Melt spinning**
- Growth of semicoherent TiFe nanoparticles in β -Ti matrix in the Ti₇₃Fe₂₇ rapidly quenched ribbon. 131-137A
- Microstructural investigation of a rapidly solidified 12Cr-Mo-V steel. 367-376A
- Ferromagnetic bulk amorphous alloys. 1779-1793A
- Melting**
- Desulfurization behavior of molten copper alloy by a soda ash. 23-29B

Melting furnaces			
Gas flow analysis in melting furnaces.	1199-1207B		
Melting points			
Determination of the melting and solidification characteristics of solders using differential scanning calorimetry.	1965-1972A		
Melts, Physical properties			
Review and modeling of viscosity of silicate melts. I. Viscosity of binary and ternary silicates containing CaO, MgO, and MnO.	177-186B		
Review and modeling of viscosity of silicate melts. II. Viscosity of melts containing iron oxide in the CaO-MgO-MnO-FeO-Fe ₂ O ₃ -SiO ₂ system.	187-195B		
Melts, Reactions (chemical)			
Computer study of structures, thermodynamic, and electrical transport properties of Na ₃ AlF ₆ -Al ₂ O ₃ and CaF ₂ -Al ₂ O ₃ melts.	105-110B		
Mercury, Melting			
A mathematical model for the dynamic behavior of metals subjected to electromagnetic forces. I. Model development and comparison of predictions with published experimental results.	919-928B		
Metal powders, Synthesis			
Synthesis of ultrafine particles of intermetallic compounds by the vapor-phase magnesium reduction of chloride mixtures. I. Titanium aluminides.	457-464B		
Metal scrap, Melting			
Interfacial tension between aluminum and NaCl-KCl-based salt systems.	821-827B		
Metal scrap, Recycling			
Desulfurization behavior of molten copper alloy by a soda ash. Removal of copper from carbon-saturated iron with an aluminum sulfide/ferrous sulfide flux.	23-29B 493-495B		
Metallic glasses, Casting			
Ferromagnetic bulk amorphous alloys.	1779-1793A		
Bulk amorphous metallic alloys: synthesis by fluxing techniques and properties.	1795-1804A		
Metallic glasses, Heat treatment			
Bulk titanium-rich alloys containing nanoscale disordered regions.	1821-1824A		
Metallic glasses, Mechanical properties			
Test environments and mechanical properties of Zr-base bulk amorphous alloys.	1811-1820A		
Thermodynamic and kinetic properties of amorphous and liquid states.	1837-1843A		
Metallic glasses, Microstructure			
Structure of bulk amorphous Pd-Ni-P alloys determined by synchrotron radiation.	1805-1809A		
An analysis of the formation of bulk amorphous silicon from the melt.	1825-1828A		
Ab initio studies of the electronic structure and energetics of bulk amorphous metals.	1845-1851A		
Electronic structure and related properties of metallic glasses: linear muffin-tin orbital approach.	1853-1863A		
Metallic glasses, Phase transformations			
A correlation method for determination of crystallization mechanism and activation energy of amorphous alloy.	149-151A		
Metallic glasses, Thermal properties			
Metastability and thermophysical properties of metallic bulk glass forming alloys.	1829-1835A		
Metastable phases			
Computer simulation and experimental investigation of the spinodal decomposition in the β Ti-Cr binary alloy system. High-resolution electron microscopy on the structure of Guinier-Preston zones in an Al-1.6 mass% Mg ₂ Si alloy.	739-749A 1161-1167A		
Metastable phases, Heating effects			
Bulk titanium-rich alloys containing nanoscale disordered regions.	1821-1824A		
Metastable phases, Microstructure			
Lattice constants and compositions of the metastable Ni ₃ Nb phase precipitated in a Ni-15Cr-8Fe-6Nb alloy.	1169-1174A		
Metastable phases, Stress effects			
Stress-assisted transformation in Ti-60 wt.% Ta alloys.	139-147A		
Microgravity			
The effect of gravity on the combustion synthesis of metal-ceramic composites.	889-897B		
Marangoni convection flow in NaNO ₃ -KNO ₃ mixture under microgravity.	987-991B		
Surface tension measurements on liquid metals in microgravity.	1031-1035B		
Particle engulfment and pushing by solidifying interfaces. II. Microgravity experiments and theoretical analysis.	1697-1706A		
Microhardness, Welding effects			
Autogenous gas tungsten arc weldability of cast alloy Ti-48Al-2Cr-2Nb (at.%) versus extruded alloy Ti-46Al-2Cr-2Nb-0.9Mo (at.%).	927-935A		
Microporosity			
Simulation of microporosity formation in modified and unmodified A356 alloy castings.	1249-1260B		
Mixing			
Mixing time and fluid flow phenomena in liquids of varying kinematic viscosities agitated by bottom gas injection.	569-575B		
Modulus of elasticity			
Damage mechanisms in a cast ductile iron and a Al ₂ O ₃ /Al composite.	2855-2862A		
Modulus of elasticity, Composition effects			
Al-TiC composites in situ-processed by ingot metallurgy and rapid solidification technology. II. Mechanical behavior.	893-902A		
Modulus of elasticity, Microstructural effects			
Physical constants, deformation twinning, and microcracking of titanium aluminides.	49-63A		
Modulus of rupture in bending, Composition effects			
Mechanical property and fracture behavior of squeeze-cast Mg matrix composites.	2543-2554A		
Molybdenum, Alloying additive			
Autogenous gas tungsten arc weldability of cast alloy Ti-48Al-2Cr-2Nb (at.%) versus extruded alloy Ti-46Al-2Cr-2Nb-0.9Mo (at.%).	927-935A		
Microstructural development and creep deformation in equiaxed γ , γ - α_2 , and γ - α_2 +B2 titanium aluminides.	965-978A		
Molybdenum, Alloying elements			
Continuous cooling transformation temperatures determined by compression tests in low carbon bainitic grades. Transformation during the isothermal deformation of low-carbon Nb-B steels.	989-1001A 1383-1394A		
Molybdenum, Diffusion			
Interfacial reaction-controlled reprecipitation of W atoms in liquid matrix phase during the sintering of W-8 wt.% Mo-7 % Ni-3% Fe.	2885-2892A		
Molybdenum-tungsten interdiffusion and the influence on potassium bubbles in tungsten lamp wire.	2933-2939A		
Molybdenum, Ternary systems			
Synthesis of nanocomposite thin films based on the Mo-Si-C ternary system and compositional tailoring through controlled ion bombardment.	1719-1725A		
Molybdenum base alloys, Coatings			
Synthesis of nanocomposite thin films based on the Mo-Si-C ternary system and compositional tailoring through controlled ion bombardment.	1719-1725A		
Molybdenum base alloys, Phases (state of matter)			
Ternary alloying study of MoSi ₂ .	119-129A		
Molybdenum compounds, Coatings			
Synthesis of nanocomposite thin films based on the Mo-Si-C ternary system and compositional tailoring through controlled ion bombardment.	1719-1725A		
Molybdenum compounds, Crystal growth			
Ternary alloying study of MoSi ₂ .	119-129A		
Multilayers, Microstructure			
Strain-induced self-organization of steps and islands in SiGe/Si multilayer films.	2111-2119A		
Nanomaterials, Coatings			
Synthesis of nanocomposite thin films based on the Mo-Si-C ternary system and compositional tailoring through controlled ion bombardment.	1719-1725A		
Nanomaterials, Crystal growth			
Growth of semicoherent TiFe nanoparticles in β -Ti matrix in the Ti ₇₃ Fe ₂₇ rapidly quenched ribbon.	131-137A		
Nanomaterials, Mechanical properties			
Mechanical behavior of a bulk nanostructured iron alloy.	2261-2271A		
Nanomaterials, Metallography			
The role of nanosized particles. A frontier in modern materials science, from nanoelectronics to environmental problems.	713-725A		
Nanomaterials, Powder technology			
Microstructures and properties of nanocomposites obtained through SPTS consolidation of powders.	2253-2260A		
Near net shaping			
Characterization of spray atomization of 3003 aluminum alloy during linear spray atomization and deposition.	793-806B		
Liquid flow on a rotating disk prior to centrifugal atomization and spray deposition.	1357-1369B		
Bulk amorphous metallic alloys: synthesis by fluxing techniques and properties.	1795-1804A		

- Microstructural characteristics of 5083 Al alloys processed by reactive spray deposition for net-shape manufacturing. 2597-2611A
- Neodymium, Alloying additive**
Effect of Y, Sr, and Nd additions on the microstructure and microfracture mechanism of squeeze-cast AZ91-X magnesium alloys. 1221-1235A
- Neodymium base alloys, Casting**
Ferromagnetic bulk amorphous alloys. 1779-1793A
- Neodymium base alloys, Synthesis**
Synthesis of neodymium aluminide by aluminothermic reduction of neodymium oxide. 309-315B
- Neodymium compounds, Synthesis**
Synthesis of neodymium aluminide by aluminothermic reduction of neodymium oxide. 309-315B
- Neural networks**
Predictive control of aluminum electrolytic cells using neural networks. 1007-1019B
- Nickel, Alloying additive**
Ternary alloying study of MoSi₂. 119-129A
Effects of Co and Ni on secondary hardening and fracture behavior of martensitic steels bearing W and Cr. 397-401A
Effect of Ni on vacancy concentrations and hardness in FeAl alloys. 1911-1915A
- Nickel, Alloying elements**
Observations of the columnar-to-equiaxed transition in stainless steels. 855-861A
- Nickel, Binary systems**
Standard enthalpies of formation for some samarium alloys, Sm+Me (Me=Ni, Rh, Pd, Pt), determined by high-temperature direct synthesis calorimetry. 815-820B
- Nickel, Casting**
The free-surface shape and temperature distribution produced in liquid metal droplets by heating coil pulses in the TEMPUS electromagnetic levitation facility. 1127-1134B
- Nickel, Extraction**
Modeling of multi gas-solid reactions; effect of bulk environment parameters on solid conversion. 229-238B
Physicochemical and structural factors in the sulfuric acid leaching of nickel- and copper-bearing synthetic birnessites. 527-540B
Pressure acid leaching of laterites at 250°C: A solution chemical model and its applications. 945-952B
The ion-association-interaction approach as applied to aqueous H₂SO₄-Al₂(SO₄)₃-MgSO₄ solutions at 250°C. 1021-1030B
Measurement of pH in the vicinity of a cathode during the chloride electrowinning of nickel. 1193-1198B
Evaluation of nickel flash smelting through piloting and simulation. 1329-1343B
The metal saturation line and tie-lines in the nickel-cobalt-sulfur ternary system between 1273 and 1573K. 1941-1945A
- Nickel, Powder technology**
Mechanically activated reduction of nickel oxide with graphite. 449-455B
- Nickel, Reactions (chemical)**
Deoxidation equilibria of molten nickel by Mg-Al and Mn-Al. 197-203B
Thermodynamic modeling of liquid Fe-Ni-Cu-Co-S mattes. 591-601B
- Nickel, Refining**
Surface interactions between fayalite slags and synthetic spinels and solid solutions. 317-323B
- Nickel base alloys, Casting**
Modeling freckle formation in three dimensions during solidification of multicomponent alloys. 847-855B
Bulk amorphous metallic alloys: synthesis by fluxing techniques and properties. 1795-1804A
- Nickel base alloys, Coating**
Effects of sulfur impurity on the scale adhesion behavior of a desulfurized Ni-based superalloy aluminized by chemical vapor deposition. 833-841A
Evolution of aluminide coating microstructure on nickel-base cast superalloy CM-247 in a single-step high-activity aluminizing process. 2173-2188A
- Nickel base alloys, Composite materials**
An investigation of toughening in NiAl composites reinforced with yttria-partially stabilized zirconia particles. 493-505A
Combustion characteristics of the Ni₃Ti-TiB₂ intermetallic matrix composites. 867-875B
The effect of gravity on the combustion synthesis of metal-ceramic composites. 889-897B
Fiber fragmentation during processing of metallic matrix composites. 1499-1507A
Strength degradation of sapphire fibers during pressure casting of a sapphire-reinforced Ni-base superalloy. 1527-1530A
Control of interfacial reactions during liquid phase processing of aluminum matrix composites reinforced with Inconel 601 fibers. 1727-1739A
- Nickel base alloys, Crystal growth**
Solidification of Nb-bearing superalloys. I. Reaction sequences. 2785-2796A
Solidification of Nb-bearing superalloys. II. Pseudoternary solidification surfaces. 2797-2806A
- Nickel base alloys, Directional solidification**
Primary spacing in directional solidification. 1113-1119A
- Nickel base alloys, Mechanical properties**
Plastic instability during creep deformation of a NiAl-Hf single-crystal alloy—a case study. 179-189A
The critical resolved shear stress of a superalloy as a combination of those of its γ matrix and γ' precipitates. 799-807A
Isolation of carbon and grain boundary carbide effects on the creep and intergranular stress corrosion cracking behavior of Ni-16Cr-9Fe-xC alloys in 360°C primary water. 1035-1046A
The influence of crystallographic orientation and strain rate on the high-temperature low-cyclic fatigue property of a nickel-base single-crystal superalloy. 1093-1099A
The effect of carbide precipitation on the hydrogen-enhanced fracture behavior of alloy 690. 1265-1277A
Parametric analysis of monocrystalline CMSX-4 creep and rupture data. 2645-2647A
Experimental and theoretical studies of the superposition of intergranular and macroscopic strains in Ni-based industrial alloys. 2967-2973A
- Nickel base alloys, Microstructure**
Structure of bulk amorphous Pd-Ni-P alloys determined by synchrotron radiation. 1805-1809A
Ab initio studies of the electronic structure and energetics of bulk amorphous metals. 1845-1851A
Grain boundary segregation of boron in Inconel 718. 1947-1954A
- Nickel base alloys, Phase transformations**
Effect of thermal cycling on the R-phase and martensitic transformations in a Ti-rich NiTi alloy. 1175-1180A
Evolution and thermal stability of Ni₃V and Ni₂V phases in a Ni-29 at.% V alloy. 1883-1894A
Superheating behavior of NiAl. 2221-2225A
Ordering and martensitic transformations of Ni₂AlMn Heusler alloys. 2225-2227A
Grain growth and carbide precipitation in superalloy, UDIMET 520. 2687-2695A
Recrystallization behavior of boron-doped Ni₇₅Al₂₅. 2893-2902A
- Nickel base alloys, Phases (state of matter)**
Lattice constants and compositions of the metastable Ni₃Nb phase precipitated in a Ni-15Cr-8Fe-6Nb alloy. 1169-1174A
Determining interphase boundary orientations from near-coincidence sites. 2059-2072A
- Nickel base alloys, Powder technology**
Multistage sintering process for Ni₃Al powder metallurgical products. 1069-1076B
Modeling of porosity during spray forming: I. Effects of processing parameters. 1085-1096B
Modeling of porosity during spray forming: II. Effects of atomization gas chemistry and alloy compositions. 1097-1106B
- Nickel base alloys, Synthesis**
Formation mechanism of LaNi₅ in the reduction-diffusion process. 331-338B
Synthesis of ultrafine particles of intermetallic compounds by the vapor-phase magnesium reduction of chloride mixtures. II. Nickel aluminides. 465-469B
Reactive infiltration processing of aluminum-nickel intermetallic compounds. 2819-2828A
- Nickel base alloys, Welding**
A combined solubility product/new PHACOMP approach for estimating temperatures of secondary solidification reactions in superalloy weld metals containing Nb and C. 1449-1456A
Improving the weldability and service performance of nickel- and iron-based superalloys by grain boundary engineering. 3069-3079A
- Nickel chromium molybdenum steels, Heat treatment**
Calculation of α/γ equilibria in SA508 grade 3 steels for intercritical heat treatment. 1441-1447A
- Nickel chromium molybdenum steels, Mechanical properties**
Use of the nanoindentation technique for studying microstructure/crack interactions in the fatigue of 4340 steel. 3029-3036A
- Nickel chromium molybdenum steels, Metal working**
Formability of stainless steel. 2161-2172A
- Nickel chromium molybdenum steels, Phase transformations**
Stress-state effects on the stress-induced martensitic transformation of carburized 4320 steels. 427-437A
- Nickel chromium steels, Mechanical properties**
Effects of test temperature on internal fatigue crack generation associated with nonmetallic particles in austenitic steels. 3017-3028A
- Nickel compounds, Composite materials**
An investigation of toughening in NiAl composites reinforced with yttria-partially stabilized zirconia particles. 493-505A

- Combustion characteristics of the $\text{Ni}_3\text{Ti-TiB}_2$ intermetallic matrix composites. 867-875B
- The effect of gravity on the combustion synthesis of metal-ceramic composites. 889-897B
- Thermomechanical behavior of TiNi shape memory alloy fiber reinforced 6061 aluminum matrix composite. 1127-1135A
- Nickel compounds, Mechanical properties**
- Plastic instability during creep deformation of a NiAl-Hf single-crystal alloy—a case study. 179-189A
- Nickel compounds, Microstructure**
- Effect of ordering energy and stoichiometry in $\Sigma=5$ boundaries in B2 compounds. 2655-2668A
- Nickel compounds, Phase transformations**
- Effect of thermal cycling on the R-phase and martensitic transformations in a Ti-rich NiTi alloy. 1175-1180A
- Superheating behavior of NiAl. 2221-2225A
- Ordering and martensitic transformations of Ni_2AlMn Heusler alloys. 2225-2227A
- Recrystallization behavior of boron-doped $\text{Ni}_{76}\text{Al}_{24}$. 2893-2902A
- Nickel compounds, Powder technology**
- Multistage sintering process for Ni_3Al powder metallurgical products. 1069-1076B
- Nickel compounds, Reduction (chemical)**
- Communication: Reduction of $\text{FeWO}_4\text{-NiWO}_4$ solid solutions by hydrogen gas. 1136-1139B
- Nickel compounds, Synthesis**
- Formation mechanism of LaNi_5 in the reduction-diffusion process. 331-338B
- Synthesis of ultrafine particles of intermetallic compounds by the vapor-phase magnesium reduction of chloride mixtures. II. Nickel aluminides. 465-469B
- Reactive infiltration processing of aluminum-nickel intermetallic compounds. 2819-2828A
- Nickel mattes, Melting**
- Transport phenomena in electric smelting of nickel matte. I. Electric potential distribution. 77-83B
- Transport phenomena in electric smelting of nickel matte. II. Mathematical modeling. 85-94B
- Nickel ores, Reduction (chemical)**
- Modeling of multi gas-solid reactions; effect of bulk environment parameters on solid conversion. 229-238B
- Evaluation of nickel flash smelting through piloting and simulation. 1329-1343B
- The metal saturation line and tie-lines in the nickel-cobalt-sulfur ternary system between 1273 and 1573K. 1941-1945A
- Niobium, Alloying additive**
- Ternary alloying study of MoSi_2 . 119-129A
- Effect of ferrite formation on abnormal austenite grain coarsening in low-alloy steels during the hot rolling process. 1375-1381A
- Solidification of Nb-bearing superalloys. I. Reaction sequences. 2785-2796A
- Solidification of Nb-bearing superalloys. II. Pseudoternary solidification surfaces. 2797-2806A
- Niobium, Alloying elements**
- Ir-base refractory superalloys for ultra-high temperatures. Continuous cooling transformation temperatures determined by compression tests in low carbon bainitic grades. 537-549A
- Transformation during the isothermal deformation of low-carbon Nb-B steels. 989-1001A
- 1383-1394A
- Niobium, Binary systems**
- Combined refinement of diffusion coefficients applied on the Nb-C and Nb-N systems. 439-446A
- Niobium, Composite materials**
- Effects of R-ratio on the fatigue crack growth of Nb-Si(ss) and Nb-10Si in situ composites. 1749-1757A
- Fracture toughness and R-curve behavior of laminated brittle-matrix composites. 2483-2496A
- Niobium, Diffusion**
- Interdiffusion in the carbides of the Nb-C system. 2717-2726A
- Niobium, Quaternary systems**
- Thermodynamics of the Fe-Nb-C-N system and the solubility of niobium carbonitrides in austenite. 163-176B
- Niobium, Sorption**
- Desorption kinetics of carbon and oxygen in liquid niobium. 1309-1314B
- Niobium base alloys, Composite materials**
- Effects of R-ratio on the fatigue crack growth of Nb-Si(ss) and Nb-10Si in situ composites. 1749-1757A
- Niobium base alloys, Mechanical properties**
- An investigation of the fracture and fatigue crack growth behavior of forged damage-tolerant niobium aluminide intermetallics. 2361-2374A
- Niobium compounds, Composite materials**
- Effects of R-ratio on the fatigue crack growth of Nb-Si(ss) and Nb-10Si in situ composites. 1749-1757A
- Fracture toughness and R-curve behavior of laminated brittle-matrix composites. 2483-2496A
- Niobium compounds, Mechanical properties**
- The Knoop-hardness yield locus of an orthorhombic titanium aluminide alloy. 1763-1765A
- An investigation of the fracture and fatigue crack growth behavior of forged damage-tolerant niobium aluminide intermetallics. 2361-2374A
- Niobium compounds, Oxidation**
- Oxidation protection of Ti-aluminide orthorhombic alloys: an engineered multilayer approach. 1279-1288A
- Niobium compounds, Solubility**
- Thermodynamics of the Fe-Nb-C-N system and the solubility of niobium carbonitrides in austenite. 163-176B
- Nitrogen, Binary systems**
- Combined refinement of diffusion coefficients applied on the Nb-C and Nb-N systems. 439-446A
- Nitrogen, Quaternary systems**
- Thermodynamics of the Fe-Nb-C-N system and the solubility of niobium carbonitrides in austenite. 163-176B
- Assessment of the Fe-Ti-C system, calculation of the Fe-Ti-N system, and prediction of the solubility limit of Ti(C,N) in liquid Fe. 371-384B
- Nitrogen, Reactions (chemical)**
- Kinetics studies on the dissolution of nitrogen in the $\text{CaO-Al}_2\text{O}_3\text{-SiO}_2$ and $\text{CaO-Al}_2\text{O}_3\text{-TiO}_2$ melts. 1235-1240B
- Nitrogen, Ternary systems**
- Atomic arrangement and the formation of partially coherent interfaces in the Ti-V-N system. 2049-2058A
- Nodular graphitic structure**
- Influence of casting size and graphite nodule refinement on fracture toughness of austempered ductile iron. 2511-2521A
- Nodular iron, Mechanical properties**
- Solid particle erosion of an Fe-Fe₃C metal matrix composite. Influence of casting size and graphite nodule refinement on fracture toughness of austempered ductile iron. 1071-1079A
- Damage mechanisms in a cast ductile iron and a $\text{Al}_2\text{O}_3\text{p/Al}$ composite. 2511-2521A
- Dependence of fracture toughness of austempered ductile iron on austempering temperature. 2855-2862A
- 3005-3016A
- Nodular iron, Phase transformations**
- A transmission electron microscope study of 1% Mn ductile iron with different austempering treatments. 2297-2306A
- Nonferrous castings, Crystal growth**
- <110> dendrite growth in aluminum feathery grains. 2807-2817A
- Nonferrous castings, Mechanical properties**
- Al-TiC composites in situ-processed by ingot metallurgy and rapid solidification technology. II. Mechanical behavior. 893-902A
- Effect of temperature on silicon particle damage in A356 alloy. 905-907A
- Mechanical property and fracture behavior of squeeze-cast Mg matrix composites. 2543-2554A
- Nonferrous castings, Microstructure**
- Changes in microstructure during primary creep of a Ti-47Al-2Nb-1Mn-0.5W-0.5Mo-0.2Si alloy. 89-98A
- Structural transition and macrosegregation of Al-Cu eutectic alloy solidified in the electromagnetic centrifugal casting process. 404-408A
- Nonferrous castings, Quality control**
- A novel method for the determination of the hydrogen solubility in aluminum and aluminum alloy melts. 421-427B
- Nonferrous castings, Welding**
- Autogenous gas tungsten arc weldability of cast alloy Ti-48Al-2Cr-2Nb (at.%) versus extruded alloy Ti-46Al-2Cr-2Nb-0.9Mo (at.%). 927-935A
- Nonferrous metals, Extraction**
- Particle suspension in (air-agitated) Pachuca tanks. 339-349B
- Nonmetallic inclusions**
- Effects of test temperature on internal fatigue crack generation associated with nonmetallic particles in austenitic steels. 3017-3028A
- Nonmetallic inclusions, Impurities**
- Upper acicular ferrite formation in a medium-carbon microalloyed steel by isothermal transformation: nucleation enhancement by CuS. 1003-1015A
- Nonmetallic inclusions, Reactions (chemical)**
- Reactive phosphide inclusions in commercial ferrosilicon. 325-329B
- Notch sensitivity**
- Behavior and rupture of hydrided Zircaloy-4 tubes and sheets. 1643-1651A

Notch strength, Diffusion effects

- Gaseous hydrogen embrittlement of a hydrided zirconium alloy. 1047-1056A

Nuclear fuel elements, Cladding

- Gaseous hydrogen embrittlement of a hydrided zirconium alloy. 1047-1056A

Nuclear fusion reactors, Materials selection

- Microstructural characterization of 5 to 9% Cr-2% W-V-Ta martensitic steels. 1551-1558A

Nuclear magnetic resonance

- In situ nuclear magnetic resonance investigation of strain, temperature, and strain-rate variations of deformation-induced vacancy concentration in aluminum. 153-159A

Nuclear reactor components, Materials selection

- Microstructural characterization of 5 to 9% Cr-2% W-V-Ta martensitic steels. 1551-1558A

Nucleation

- Solidification and spangle formation of hot-dip-galvanized zinc coatings. 631-646A
Al-TiC composites in situ-processed by ingot metallurgy and rapid solidification technology. I. Microstructural evolution. 875-891A
An analysis of the formation of bulk amorphous silicon from the melt. 1825-1828A

Nucleation, Heating effects

- Upper acicular ferrite formation in a medium-carbon microalloyed steel by isothermal transformation: nucleation enhancement by CuS. 1003-1015A

Offshore structures, Welding

- Influence of residual stresses and loading frequencies on corrosion fatigue crack growth behavior of weldments. 1289-1298A

Order disorder

- Ordering and martensitic transformations of Ni₂AlMn Heusler alloys. 2225-2227A

Ores, Beneficiation

- Numerical and experimental study of a hydrodynamic cavitation tube. 911-917B
Beneficiation of West Sibaiya phosphate ores by flotation in alkaline media. 1149-1156B
Evaluation of velocity-dependent in situ leaching processes: single-porosity model. 1227-1234B

Orientation relationships

- Microstructural investigation of a rapidly solidified 12Cr-Mo-V steel. 367-376A
Mitigating intergranular attack and growth in lead-acid battery electrodes for extended cycle and operating life. 387-396A
Atomistic simulation of fracture in TiAl. 951-955A
The influence of crystallographic orientation and strain rate on the high-temperature low-cyclic fatigue property of a nickel-base single-crystal superalloy. 1093-1099A
Comparison of cyclic deformation behavior between copper bicrystals and their component crystals. 2563-2569A
Experimental and theoretical studies of the superposition of intergranular and macroscopic strains in Ni-based industrial alloys. 2967-2973A

Orientation relationships, Deformation effects

- Microtexture evolution during annealing and superplastic deformation of Al-5% Ca-5% Zn. 485-492A
Heterogeneous microstructures and microtextures in cube-oriented Al crystals after channel die compression. 2333-2344A

Osmium, Impurities

- Distillation and rectification of osmium tetroxide solution in carbon tetrachloride. 293-295B

Osmium compounds, Reactions (chemical)

- Distillation and rectification of osmium tetroxide solution in carbon tetrachloride. 293-295B

Ostwald ripening

- The sweep constant concept in phase coarsening. 2395-2398A

Oxidation resistance, Coating effects

- Oxidation protection of Ti-aluminide orthorhombic alloys: an engineered multilayer approach. 1279-1288A

Oxidation resistance, High temperature effects

- Elevated-temperature oxidation behavior of titanium silicide and titanium silicide-based alloy and composite. 1665-1675A

Oxide coatings, Diffusion

- Hydrogen uptake in titanium aluminides covered with oxide layers. 307-314A

Oxides, Reduction (chemical)

- Mechanically activated reduction of nickel oxide with graphite. 449-455B
Kinetics of carbochlorination of chromium(III) oxide. 729-737B

Oxygen, Solubility

- Thermodynamics of yttrium and oxygen in molten Ti, Ti₃Al, and TiAl. 1037-1042B

Oxygen, Sorption

- Desorption kinetics of carbon and oxygen in liquid niobium. 1309-1314B

Pachucas, Design

- Particle suspension in (air-agitated) Pachuca tanks. 339-349B

Palladium, Binary systems

- Standard enthalpies of formation for some samarium alloys, Sm+Me (Me=Ni, Rh, Pd, Pt), determined by high-temperature direct synthesis calorimetry. 815-820B

Palladium, Diffusion

- Effect of dislocation trapping on deuterium diffusion in deformed, single-crystal Pd. 1593-1598A

Palladium base alloys, Casting

- Bulk amorphous metallic alloys: synthesis by fluxing techniques and properties. 1795-1804A

Palladium base alloys, Diffusion

- Hydrogen and deuterium in Pd-25% Ag alloy: permeation, diffusion, solubilization, and surface reaction. 1023-1028A

Palladium base alloys, Microstructure

- Structure of bulk amorphous Pd-Ni-P alloys determined by synchrotron radiation. 1805-1809A
Ab initio studies of the electronic structure and energetics of bulk amorphous metals. 1845-1851A

Particle shape

- Effect of tungsten particle shape on dynamic deformation and fracture behavior of tungsten heavy alloys. 1057-1069A

Particle size

- Characterizations of pore and constituent particle populations in 7050-T7451 aluminum plate alloys. 727-737A
Al-TiC composites in situ-processed by ingot metallurgy and rapid solidification technology. I. Microstructural evolution. 875-891A
Influence of casting size and graphite nodule refinement on fracture toughness of austempered ductile iron. 2511-2521A
Effect of SiC volume fraction and particle size on the fatigue resistance of a 2080 Al/SiC_p composite. 2843-2854A

Particle size distribution

- Characterizations of pore and constituent particle populations in 7050-T7451 aluminum plate alloys. 727-737A
Al-TiC composites in situ-processed by ingot metallurgy and rapid solidification technology. I. Microstructural evolution. 875-891A
Directional dendritic solidification of a composite slurry. II. Particle distribution. 1329-1339A

Particulate composites, Casting

- An analytical solution of the critical interface velocity for the encapsulating of insoluble particles by a moving solid/liquid interface. 351-358A
Al-TiC composites in situ-processed by ingot metallurgy and rapid solidification technology. I. Microstructural evolution. 875-891A
Al-TiC composites in situ-processed by ingot metallurgy and rapid solidification technology. II. Mechanical behavior. 893-902A
Fabrication of Al-3 wt.% Mg matrix composites reinforced with Al₂O₃ and SiC particulates by the pressureless infiltration technique. 3087-3095A

Particulate composites, Crystal growth

- Directional dendritic solidification of a composite slurry. I. Dendrite morphology. 1319-1327A
Directional dendritic solidification of a composite slurry. II. Particle distribution. 1329-1339A
Particle engulfment and pushing by solidifying interfaces. I. Ground experiments. 1691-1696A
Particle engulfment and pushing by solidifying interfaces. II. Microgravity experiments and theoretical analysis. 1697-1706A
Solidification processing of Al-Al₂O₃ composite using turbine stirrer. 1711-1718A

Particulate composites, Mechanical properties

- An investigation of toughening in NiAl composites reinforced with yttria-partially stabilized zirconia particles. 493-505A
Transformation superplasticity of iron and Fe/TiC metal matrix composites. 565-575A
Superplastic behavior and cavitation in high-strain-rate superplastic Si₃N₄/Al-Mg-Si composites. 677-683A
Failure of SiC particulate-reinforced metal matrix composites induced by laser thermal shock. 685-692A
Effects of thickness and precracking on the fracture toughness of particle-reinforced Al-alloy composites. 1237-1243A
Microstructure and mechanical behavior of reaction hot-pressed titanium silicide and titanium silicide-based alloys and composites. 1629-1641A
Dry sliding wear of a Ti₅₀Ni₂₅Cu₂₅ particulate-reinforced aluminum matrix composite. 1741-1747A
Effects of R-ratio on the fatigue crack growth of Nb-Si(ss) and Nb-10Si in situ composites. 1749-1757A
Dependence of thermal residual stress on temperature in a SiC particle-reinforced 6061 Al alloy. 2001-2009A
Optimization of the strength-fracture toughness relation in particulate-reinforced aluminum composites via control of the matrix microstructure. 2433-2446A

A comparison of the creep properties of an Al-6092 composite and the unreinforced matrix alloy.	2523-2531A	Evolution and thermal stability of Ni ₃ V and Ni ₂ V phases in a Ni-29 at.% V alloy.	1883-1894A
Effect of SiC volume fraction and particle size on the fatigue resistance of a 2080 Al/SiC ₃ composite.	2843-2854A	Transformation relaxation and aging in a CuZnAl shape-memory alloy studied by modulated differential scanning calorimetry.	2697-2705A
Damage mechanisms in a cast ductile iron and a Al ₂ O ₃ p/Al composite.	2855-2862A		
Particulate composites, Melting		Phase stability, Alloying effects	
Monte Carlo simulation of clustering of alumina particles in turbulent liquid aluminum.	785-791B	Ternary alloying study of MoSi ₂ .	119-129A
Particulate composites, Oxidation		Phase transformations	
Elevated-temperature oxidation behavior of titanium silicide and titanium silicide-based alloy and composite.	1665-1675A	Alternative approach to the problem of additivity.	269-273B
Particulate composites, Phase transformations		The motion of multiple height ledges and disconnections in phase transformations.	2033-2038A
Role of cold work and SiC reinforcements on the β/β' precipitation in Al-10% Mg alloy.	2835-2842A	Phosphates, Beneficiation	
Particulate composites, Phases (state of matter)		Beneficiation of West Sibaiya phosphate ores by flotation in alkaline media.	1149-1156B
High-temperature phase equilibria in the Al-rich corner of the Al-Ti-C system.	1341-1345A	Phosphides, Reactions (chemical)	
Particulate composites, Powder technology		Reactive phosphide inclusions in commercial ferrosilicon.	325-329B
The mechanism of formation of TiB ₂ particulates prepared by in situ reaction in molten aluminum.	635-640B	Phosphorus, Diffusion	
Combustion characteristics of the Ni ₃ Ti-TiB ₂ intermetallic matrix composites.	867-875B	Surface segregation of phosphorus, carbon, and sulfur in commercial low-carbon grades of steel.	2707-2715A
Combustion synthesis of HfB ₂ -Al composites.	877-887B	Phosphorus, Reactions (chemical)	
The effect of gravity on the combustion synthesis of metal-ceramic composites.	889-897B	Reactive phosphide inclusions in commercial ferrosilicon.	325-329B
Formation of TiN/TiC-Fe composites from ilmenite (FeTiO ₃) concentrate.	1077-1083B	Phosphorus, Sorption	
Microstructures and properties of nanocomposites obtained through SPTS consolidation of powders.	2253-2260A	Grain boundary cracking.	509-518B
Particulate composites, Reactions (chemical)		Phosphorus, Ternary systems	
Chemical reactions between aluminum and fly ash during synthesis and reheating of Al-fly ash composite.	519-525B	Thermodynamic properties of the Fe-Cr-P liquid solution.	155-161B
A study on carbothermic reduction of ilmenite ore in a plasma reactor.	1175-1180B	Physical chemistry	
Passivation		The ion-association-interaction approach as applied to aqueous H ₂ SO ₄ -Al ₂ (SO ₄) ₃ -MgSO ₄ solutions at 250°C.	1021-1030B
Fundamental studies of copper anode passivation during electrorefining. III. The effect of thiourea.	53-58B	Physical simulation	
Penetration		Marangoni convection flow in NaNO ₃ -KNO ₃ mixture under microgravity.	987-991B
Hydrogen and deuterium in Pd-25% Ag alloy: permeation, diffusion, solubilization, and surface reaction.	1023-1028A	Experimental and mathematical investigation of the fluid flow inside and below a 1/4 scale air model of a flash smelting burner.	993-1006B
Peritectic reactions		The use of particle image velocimetry in the physical modeling of flow in electromagnetic or direct-chill casting of aluminum. I. Development of the physical model.	1281-1288B
Model of banding in diffusive and convective regimes during directional solidification of peritectic systems.	1457-1470A	The use of particle image velocimetry in the physical modeling of flow in electromagnetic or direct-chill casting of aluminum. II. Results of the physical model, including bag geometry, blockage, and nozzle placement.	1289-1295B
Permanent mold casting		Numerical investigation of the interface in a continuous steel casting mold water model.	1321-1327B
A correlation to describe interfacial heat transfer during solidification simulation and its use in the optimal feeding design of castings.	437-448B	Pilot plants	
A Monte Carlo approach for simulation of heat flow in sand and metal mold castings (virtual mold modeling).	495-499B	Evaluation of nickel flash smelting through piloting and simulation.	1329-1343B
Permanent mold castings, Crystal growth		Pipe, Rolling	
A correlation to describe interfacial heat transfer during solidification simulation and its use in the optimal feeding design of castings.	437-448B	Effect of ferrite formation on abnormal austenite grain coarsening in low-alloy steels during the hot rolling process.	1375-1381A
pH		Pitting (corrosion)	
Measurement of pH in the vicinity of a cathode during the chloride electrowinning of nickel.	1193-1198B	Effect of pitting corrosion in NaCl solutions on the statistics of fracture of beryllium.	2753-2760A
Phase boundary		Pitting (corrosion), Microstructural effects	
Determining interphase boundary orientations from near-coincidence sites.	2059-2072A	An analytical electron microscopy study of constituent particles in commercial 7075-T6 and 2024-T3 alloys.	1145-1151A
A free dendritic growth model accommodating curved phase boundaries and high Peclet number conditions.	3047-3056A	A transmission electron microscopy study of constituent-particle-induced corrosion in 7075-T6 and 2024-T3 aluminum alloys.	1153-1160A
Phase decomposition		Plasma arc surfacing	
Solidification microstructure and M ₂ C carbide decomposition in a spray-formed high-speed steel.	1395-1404A	On optimization of the powder plasma arc surfacing process.	929-931B
Transitions in carbide morphology in a ternary Fe-C-W steel.	2087-2100A	Plasma processing	
Nonclassical decomposition products of austenite in Fe-C-Cr alloys.	2913-2924A	Transmission electron microscope specimen preparation of Zn powders using the focused ion beam lift-out technique.	2399-2406A
The effect of geometrical assumptions in modeling solid-state transformation kinetics.	2925-2931A	Plasma processing, Russia	
Phase decomposition, Heating effects		An overview of some advanced surface technology in Russia.	593-610A
A transmission electron microscope study of 1% Mn ductile iron with different austempering treatments.	2297-2306A	Plasma spraying	
Phase diagram reactions		Wettability, surface tension, and reactivity of the molten manganese/zirconia-yttria ceramic system.	1121-1125A
Electrochemical determination of Gibbs energy of formation of NiTiO ₃ (ilmenite).	31-38B	Plastic deformation	
Discussion of "Uwakweh and Liu's Reply" and Authors' Reply.	2643-2645A	New grain formation during warm deformation of ferritic stainless steel.	161-167A
Phase diagrams		Quantitative analysis on boundary sliding and its accommodation mode during superplastic deformation of two-phase Ti-6Al-4V alloy.	217-226A
Discussion of "Uwakweh and Liu's Reply" and Authors' Reply.	2643-2645A	Correlation of dynamic torsional properties with adiabatic shear banding behavior in ballistically impacted aluminum-lithium alloys.	227-235A
Phase stability		Microstructural development of adiabatic shear bands formed by ballistic impact in a Weldalite 049 alloy.	477-483A
High-temperature phase equilibria in the Al-rich corner of the Al-Ti-C system.	1341-1345A	Microtexture evolution during annealing and superplastic deformation of Al-5% Ca-5% Zn.	485-492A

- Cyclic deformation behavior of high-purity titanium single crystals. I. Orientation dependence of stress-strain response. 507-512A
- Cyclic deformation behavior of high-purity titanium single crystals. II. Microstructure and mechanism. 513-518A
- Processing and mechanical properties of magnesium-lithium composites containing steel fibers. 863-873A
- High-temperature deformation behavior of the intermetallic Ti-47 at.% Al-3 at.% Cr alloy. 1425-1430A
- Test environments and mechanical properties of Zr-base bulk amorphous alloys. 1811-1820A
- Compressive deformation and energy absorbing characteristic of foamed aluminum. 2497-2502A
- Noncontact ultrasonic spectroscopy on deforming polycrystalline copper: dislocation damping and acoustoelasticity. 2987-2993A
- Plastic deformation, Microstructural effects**
- Effect of tungsten particle shape on dynamic deformation and fracture behavior of tungsten heavy alloys. 1057-1069A
- The relationship between microstructure and the J-R curve. Experimental and theoretical studies of the superposition of intergranular and macroscopic strains in Ni-based industrial alloys. 1917-1922A
- 2967-2973A
- Plastic deformation, Processing effects**
- Mechanical behavior of a bulk nanostructured iron alloy. 2261-2271A
- Plastic deformation, Shape effects**
- Flow localization in sheet specimens with pairs of holes. 775-780A
- Plastic deformation, Stress effects**
- Torsion textures produced by dynamic recrystallization in α -iron and two interstitial-free steels. 447-462A
- Plastic deformation, Temperature effects**
- Effect of test temperature on the dynamic torsional deformation behavior of two aluminum-lithium alloys. 469-476A
- Plastic flow, Alloying effects**
- Superplastic flow and cavitation in Zn-22% Al doped with Cu. 1653-1663A
- Plastic flow, Shape effects**
- Flow localization in sheet specimens with pairs of holes. 775-780A
- Plasticity**
- Crystal plasticity forming limit diagram analysis of rolled aluminum sheets. 527-535A
- Plasticity, Microstructural effects**
- Enhancement of the mechanical properties of a low-carbon, low-silicon steel by formation of a multiphased microstructure containing retained austenite. 2383-2393A
- Plate metal, Microstructure**
- Characterizations of pore and constituent particle populations in 7050-T7451 aluminum plate alloys. 727-737A
- Plate metal, Welding**
- Charpy V-notch properties and microstructures of narrow gap ferritic welds of a quenched and tempered steel plate. 2775-2784A
- Platinum, Binary systems**
- Standard enthalpies of formation for some samarium alloys, Sm+Me (Me=Ni, Rh, Pd, Pt), determined by high-temperature direct synthesis calorimetry. 815-820B
- Thermodynamic properties and phase equilibria for Pt-Rh alloys. 1545-1550A
- Platinum, Coating**
- Perovskite phase lead zirconate titanate thin film deposition on Pt/SiO₂/Si substrate at low temperature. 907-909A
- Platinum, Electrical properties**
- Peltier effects in electrode carbon. 69-76B
- Platinum, Refining**
- Distillation and rectification of osmium tetroxide solution in carbon tetrachloride. 293-295B
- Platinum, Solubility**
- The influence of basicity on the solubility of platinum in oxide melts. 411-414B
- Platinum base alloys, Phases (state of matter)**
- Thermodynamic properties and phase equilibria for Pt-Rh alloys. 1545-1550A
- Point defects, Deformation effects**
- Physical constants, deformation twinning, and microcracking of titanium aluminides. 49-63A
- Poissons ratio, Microstructural effects**
- Physical constants, deformation twinning, and microcracking of titanium aluminides. 49-63A
- Pole figures**
- Microtexture evolution during annealing and superplastic deformation of Al-5% Ca-5% Zn. 485-492A
- Evolution of texture and microstructure in a thermomechanically processed Al-Li-Cu-Mg alloy. 665-675A
- Investigation of the annealing texture evolution in hafnium. 757-764A
- Damage process in commercially pure α -titanium alloy without (Ti40) and with (Ti40-H) hydrides. 1615-1628A
- The Knoop-hardness yield locus of an orthorhombic titanium aluminide alloy. 1763-1765A
- Heterogeneous microstructures and microtextures in cube-oriented Al crystals after channel die compression. 2333-2344A
- Pollution abatement**
- Factors affecting the immobilization of metals in geopolymerized flyash. 283-291B
- The role of nanosized particles. A frontier in modern materials science, from nanoelectronics to environmental problems. 713-725A
- Polycrystals, Microstructure**
- On the relation between the number-weighted and volume-weighted grain volume distribution parameters. 3081-3086A
- Polymerization**
- Review and modeling of viscosity of silicate melts. I. Viscosity of binary and ternary silicates containing CaO, MgO, and MnO. 177-186B
- Review and modeling of viscosity of silicate melts. II. Viscosity of melts containing iron oxide in the CaO-MgO-MnO-FeO-Fe₂O₃-SiO₂ system. 187-195B
- Factors affecting the immobilization of metals in geopolymerized flyash. 283-291B
- Porosity**
- Characterizations of pore and constituent particle populations in 7050-T7451 aluminum plate alloys. 727-737A
- Evaluation of velocity-dependent in situ leaching processes: single-porosity model. 1227-1234B
- Porosity, Processing effects**
- Modeling of porosity during spray forming: I. Effects of processing parameters. 1085-1096B
- Modeling of porosity during spray forming: II. Effects of atomization gas chemistry and alloy compositions. 1097-1106B
- Postheating**
- Improving the weldability and service performance of nickel- and iron-based superalloys by grain boundary engineering. 3069-3079A
- Potassium, Dopants**
- Molybdenum-tungsten interdiffusion and the influence on potassium bubbles in tungsten lamp wire. 2933-2939A
- Pourbaix diagrams**
- Isolation of carbon and grain boundary carbide effects on the creep and intergranular stress corrosion cracking behavior of Ni-16Cr-9Fe-xC alloys in 360°C primary water. 1035-1046A
- Powder compacts, Mechanical properties**
- The effect of density anisotropy on the yielding and flow behavior of partially consolidated powder compacts. 1471-1475A
- Powder compacts, Microstructure**
- Transmission electron microscope specimen preparation of Zn powders using the focused ion beam lift-out technique. 2399-2406A
- A novel way of amorphous phase formation during mechanical alloying of copper and cadmium powders. 2425-2432A
- Powder metallurgy parts, Metal working**
- Ductilization of a powder metallurgy Al-17 wt.% Cu by means of channel-die compression and extrusion. 2613-2620A
- Powder metallurgy parts, Microstructure**
- Microstructural effects on distortion and solid-liquid segregation during liquid phase sintering under microgravity conditions. 857-866B
- Praseodymium base alloys, Casting**
- Ferromagnetic bulk amorphous alloys. 1779-1793A
- Precipitates**
- Microstructural characterization of 5 to 9% Cr-2% W-V-Ta martensitic steels. 1551-1558A
- Dynamic interaction between a coherent precipitate and an edge dislocation. 2039-2048A
- Precipitates, Crystal growth**
- Evolution and thermal stability of Ni₃V and Ni₂V phases in a Ni-29 at.% V alloy. 1883-1894A
- Transitions in carbide morphology in a ternary Fe-C-W steel. 2087-2100A
- The effect of undercooling on the cellular precipitation reaction in Cu-3Ti. 2101-2110A
- Grain growth and carbide precipitation in superalloy, UDIMET 520. 2687-2695A
- Carbon migration in 5Cr-0.5Mo/21Cr-12Ni dissimilar metal welds. 3037-3046A
- Precipitates, Crystal lattices**
- Atomic arrangement and the formation of partially coherent interfaces in the Ti-V-N system. 2049-2058A
- Precipitates, Deformation effects**
- Changes in microstructure during primary creep of a Ti-47Al-2Nb-1Mn-0.5W-0.5Mo-0.2Si alloy. 89-98A
- Precipitation**
- Microstructural characterization of the matrix in the SiC fiber-reinforced Ti-15-3 composite. 693-696A

- Grain boundary precipitation reactions in a wrought Fe-8Al-5Ni-2C alloy prepared by the conventional ingot process. 696-700A
- Transformation during the isothermal deformation of low-carbon Nb-B steels. 1383-1394A
- Evolution and thermal stability of Ni_3V and Ni_2V phases in a Ni-29 at.% V alloy. 1883-1894A
- Transitions in carbide morphology in a ternary Fe-C-W steel. 2087-2100A
- The sweep constant concept in phase coarsening. 2395-2398A
- Characterization by thermoelectric power of a commercial aluminum-iron-silicon alloy (8011) during isothermal precipitation. 2669-2677A
- Grain growth and carbide precipitation in superalloy, UDIMET 520. 2687-2695A
- Precipitation, Alloying effects**
- Microstructural studies of a Cu-Zn-Al shape-memory alloy with manganese and zirconium addition. 1865-1871A
- Effect of Mg and Sr additions on the formation of intermetallics in Al-6 wt.% Si-3.5 wt.% Cu-(0.45) to (0.8) wt.% Fe 319-type alloys. 2871-2884A
- Precipitation, Cooling effects**
- The effect of undercooling on the cellular precipitation reaction in Cu-3Ti. 2101-2110A
- Precipitation, Deformation effects**
- Microstructural development of adiabatic shear bands formed by ballistic impact in a Weldalite 049 alloy. 477-483A
- Precipitation, Diffusion effects**
- Interfacial reaction-controlled reprecipitation of W atoms in liquid matrix phase during the sintering of W-8 wt.% Mo-7 % Ni-3% Fe. 2885-2892A
- Carbon migration in 5Cr-0.5Mo/21Cr-12Ni dissimilar metal welds. 3037-3046A
- Precipitation, Heating effects**
- The effect of heat input on the microstructure and properties of nickel aluminum bronze laser clad with a consumable of composition Cu-9.0Al-4.6Ni-3.9Fe-1.2Mn. 1677-1690A
- A transmission electron microscope study of 1% Mn ductile iron with different austempering treatments. 2297-2306A
- Phase transformations in Ti-6.8Mo-4.5Fe-1.5Al. 2455-2467A
- Precipitation, Processing effects**
- Correlation between the cold-working and aging treatments in a Cu-15 wt.% Cr in situ composite. 2195-2203A
- Role of cold work and SiC reinforcements on the β/β' precipitation in Al-10% Mg alloy. 2835-2842A
- Precipitation hardening**
- Age hardening and the potential for superplasticity in a fine-grained Al-Mg-Li-Zr alloy. 169-177A
- On the characteristics of M_2C carbides in the peak hardening regime of AerMet 100 steel. 903-905A
- Precipitation hardening alloys, Composite materials**
- Numerical analysis of the formability of an aluminum 2024 alloy sheet and its laminates with steel sheets. 2829-2834A
- Precipitation hardening alloys, Mechanical properties**
- Relationship between fracture toughness, fracture path, and microstructure of 7050 aluminum alloy. I. Quantitative characterization. 1191-1201A
- Relationship between fracture toughness, fracture path, and microstructure of 7050 aluminum alloy. II. Multiple micro-mechanisms-based fracture toughness model. 1203-1210A
- Precipitation hardening alloys, Phase transformations**
- Phase transformations in Ti-6.8Mo-4.5Fe-1.5Al. 2455-2467A
- Precipitation hardening alloys, Phases (state of matter)**
- Lattice constants and compositions of the metastable Ni_3Nb phase precipitated in a Ni-15Cr-8Fe-6Nb alloy. 1169-1174A
- Precipitation hardening alloys, Structural hardening**
- Age hardening and the potential for superplasticity in a fine-grained Al-Mg-Li-Zr alloy. 169-177A
- Precipitation hardening steels, Structural hardening**
- On the characteristics of M_2C carbides in the peak hardening regime of AerMet 100 steel. 903-905A
- Precipitation heat treatment**
- Optimization of the strength-fracture toughness relation in particulate-reinforced aluminum composites via control of the matrix microstructure. 2433-2446A
- Pressing**
- Optimizing the rotation conditions for grain refinement in equal-channel angular pressing. 2011-2013A
- Microstructural characteristics of ultrafine-grained aluminum produced using equal-channel angular pressing. 2245-2252A
- Pressure casting**
- Strength degradation of sapphire fibers during pressure casting of a sapphire-reinforced Ni-base superalloy. 1527-1530A
- Pressure castings, Mechanical properties**
- Effect of Y, Sr, and Nd additions on the microstructure and microfracture mechanism of squeeze-cast AZ91-X magnesium alloys. 1221-1235A
- Pressure leaching**
- The ion-association-interaction approach as applied to aqueous $\text{H}_2\text{SO}_4\text{-Al}_2(\text{SO}_4)_3\text{-MgSO}_4$ solutions at 250°C. 1021-1030B
- Prestraining**
- Effect of prestrain on aging and bake hardening of cold-rolled, continuously annealed steel sheets. 463-467A
- Thermomechanical behavior of TiNi shape memory alloy fiber reinforced 6061 aluminum matrix composite. 1127-1135A
- Process control**
- Investigation of inclusion re-entrainment from the steel-slag interface. 641-649B
- Predictive control of aluminum electrolytic cells using neural networks. 1007-1019B
- Calculation of α/γ equilibria in SA508 grade 3 steels for inter-critical heat treatment. 1441-1447A
- Process parameters**
- Evaluation of velocity-dependent in situ leaching processes: single-porosity model. 1227-1234B
- Protective coatings, Crystal growth**
- Solidification and spangle formation of hot-dip-galvanized zinc coatings. 631-646A
- Evolution of aluminide coating microstructure on nickel-base cast superalloy CM-247 in a single-step high-activity aluminizing process. 2173-2188A
- Protective coatings, Diffusion**
- Hydrogen uptake in titanium aluminides covered with oxide layers. 307-314A
- Protective coatings, Mechanical properties**
- Effects of sulfur impurity on the scale adhesion behavior of a desulfurized Ni-based superalloy aluminized by chemical vapor deposition. 833-841A
- Gaseous hydrogen embrittlement of a hydrided zirconium alloy. 1047-1056A
- Protective coatings, Microstructure**
- Surface segregation of phosphorus, carbon, and sulfur in commercial low-carbon grades of steel. 2707-2715A
- Protective coatings, Oxidation**
- Oxidation protection of Ti-aluminide orthorhombic alloys: an engineered multilayer approach. 1279-1288A
- Purification**
- Distillation and rectification of osmium tetroxide solution in carbon tetrachloride. 293-295B
- Removal of copper from carbon-saturated iron with an aluminum sulfide/ferrous sulfide flux. 493-495B
- Chlorine fluxing for removal of magnesium from molten aluminum: I. Laboratory-scale measurements of reaction rates and bubble behavior. 971-978B
- Chlorine fluxing for removal of magnesium from molten aluminum: II. Mathematical model. 979-986B
- Pyrite, Reactions (chemical)**
- The kinetics and mechanism of the pyrite-to-pyrrhotite transformation. 385-396B
- Pyrometallurgy**
- Synthesis of neodymium aluminide by aluminothermic reduction of neodymium oxide. 309-315B
- Experimental study of phase equilibria in the systems $\text{PbO}_x\text{-CaO}$ and $\text{PbO}_x\text{-CaO-SiO}_2$. 541-553B
- Kinetics of carbochlorination of chromium(III) oxide. 729-737B
- Deoxidation of molten copper with a rotating graphite cylinder. 739-747B
- Chlorine fluxing for removal of magnesium from molten aluminum: I. Laboratory-scale measurements of reaction rates and bubble behavior. 971-978B
- Chlorine fluxing for removal of magnesium from molten aluminum: II. Mathematical model. 979-986B
- Titanium powder production by TiCl_4 gas injection into magnesium through molten salts. 1167-1174B
- A study on carbothermic reduction of ilmenite ore in a plasma reactor. 1175-1180B
- Thermodynamic model for MnO-containing slags and gas-slag-metal equilibrium in ferromanganese smelting. 1181-1191B
- The metal saturation line and tie-lines in the nickel-cobalt-sulfur ternary system between 1273 and 1573K. 1941-1945A
- Pyrrhotite, Reactions (chemical)**
- The kinetics and mechanism of the pyrite-to-pyrrhotite transformation. 385-396B
- Quaternary systems, Phases (state of matter)**
- Thermodynamics of the Fe-Nb-C-N system and the solubility of niobium carbonitrides in austenite. 163-176B
- Assessment of the Fe-Ti-C system, calculation of the Fe-Ti-N system, and prediction of the solubility limit of Ti(C,N) in liquid Fe. 371-384B

Quenching (cooling)

- Microstructure evolution through the $\alpha \rightarrow \gamma$ phase transformation in a Ti-48 at.% Al alloy. 19-26A

Quenching and tempering

- Charpy V-notch properties and microstructures of narrow gap ferritic welds of a quenched and tempered steel plate. 2775-2784A
- Use of the nanoindentation technique for studying microstructure/crack interactions in the fatigue of 4340 steel. 3029-3036A

Rapid solidification

- Microstructural investigation of a rapidly solidified 12Cr-Mo-V steel. 367-376A
- Grain boundary precipitation reactions in a wrought Fe-8Al-5Ni-2C alloy prepared by the conventional ingot process. 696-700A
- Al-TiC composites in situ-processed by ingot metallurgy and rapid solidification technology. I. Microstructural evolution. 875-891A
- Al-TiC composites in situ-processed by ingot metallurgy and rapid solidification technology. II. Mechanical behavior. 893-902A
- Ferromagnetic bulk amorphous alloys. 1779-1793A
- Evolution of microstructure and tensile strength of rapidly solidified Al-4.7% Zn-2.5% Mg-0.2% Zr-X wt.% Mn alloys. 1873-1882A
- Microstructural features and heat flow analysis of atomized and spray-formed Al-Fe-V-Si alloy. 2205-2219A
- Superheating behavior of NiAl. 2221-2225A

Reaction kinetics

- Selective oxidation of copper from liquid copper-silver alloys. 39-51B
- Transport phenomena in electric smelting of nickel matte. II. Mathematical modeling. 85-94B
- Titanium-assisted photoreduction of Cr(VI) to Cr(III) in aqueous media: kinetics and mechanisms. 95-104B
- The kinetics of dephosphorization of carbon-saturated iron using an oxidizing slag. 111-118B
- The effect of surfactants on the interfacial rates of reaction of CO_2 and CO with liquid iron oxide. 137-145B
- A correlation method for determination of crystallization mechanism and activation energy of amorphous alloy. 149-151A
- A kinetic model of the Peirce-Smith converter. I. Model formulation and validation. 239-249B
- A kinetic model of the Peirce-Smith converter. II. Model application and discussion. 251-259B
- Kinetic modeling of minor element behavior in copper converting. 261-268B
- Alternative approach to the problem of additivity. 269-273B
- The effect of sulfur on the interfacial rates of reaction of CO_2 and CO with liquid copper. 296-298B
- Impact of sulfur loss on activity coefficient measurements of trace elements in matte. 298-300B
- Synthesis of neodymium aluminide by aluminothermic reduction of neodymium oxide. 309-315B
- Isothermal solidification kinetics of diffusion brazing. 315-325A
- Formation mechanism of LaNi_5 in the reduction-diffusion process. 331-338B
- Thermodynamic estimation on the reduction behavior of iron-chromium ore with carbon. 351-360B
- The kinetics and mechanism of the pyrite-to-pyrrhotite transformation. 385-396B
- Henrian activity coefficient of Pb in Cu-Fe mattes and white metal. 429-436B
- Mechanically activated reduction of nickel oxide with graphite. 449-455B
- Synthesis of ultrafine particles of intermetallic compounds by the vapor-phase magnesium reduction of chloride mixtures. I. Titanium aluminides. 457-464B
- Synthesis of ultrafine particles of intermetallic compounds by the vapor-phase magnesium reduction of chloride mixtures. II. Nickel aluminides. 465-469B
- Removal of copper from carbon-saturated iron with an aluminum sulfide/ferrous sulfide flux. 493-495B
- Tellurium distribution in copper anode slimes smelting. 555-562B
- Thermodynamic modeling of liquid Fe-Ni-Cu-Co-S mattes. 591-601B
- Kinetics of carbochlorination of chromium(III) oxide. 729-737B
- Al-TiC composites in situ-processed by ingot metallurgy and rapid solidification technology. I. Microstructural evolution. 875-891A
- Reduction of FeO in smelting slags by solid carbon: re-examination of the influence of the gas-carbon reaction. 935-938B
- Pressure acid leaching of laterites at 250°C: A solution chemical model and its applications. 945-952B
- Model for the ferric chloride leaching of galena. 953-960B
- Leaching kinetics of digenite concentrate in oxygenated chloride media at ambient pressure. 961-969B
- Chlorine fluxing for removal of magnesium from molten aluminum: I. Laboratory-scale measurements of reaction rates and bubble behavior. 971-978B
- Chlorine fluxing for removal of magnesium from molten aluminum: II. Mathematical model. 979-986B
- The ion-association-interaction approach as applied to aqueous $\text{H}_2\text{SO}_4\text{-Al}_2(\text{SO}_4)_3\text{-MgSO}_4$ solutions at 250°C. 1021-1030B
- A mathematical model for the solute drag effect on recrystallization. 1029-1034A
- Thermodynamic properties of aluminum, magnesium, and calcium in molten silicon. 1043-1049B

- Mathematical modeling of the reduction process of iron ore particles in two stages of twin-fluidized beds connected in series. 1107-1115B
- Communication: Estimation of isothermal values of activation energy for aluminothermic reduction. 1135-1136B
- Communication: Reduction of $\text{FeWO}_4\text{-NiWO}_4$ solid solutions by hydrogen gas. 1136-1139B
- Titanium powder production by TiCl_4 gas injection into magnesium through molten salts. 1167-1174B
- Kinetics studies on the dissolution of nitrogen in the $\text{CaO-Al}_2\text{O}_3\text{-SiO}_2$ and $\text{CaO-Al}_2\text{O}_3\text{-TiO}_2$ melts. 1235-1240B
- Kinetics of chlorination and oxychlorination of chromium(III) oxide. 1299-1308A
- Experimental approaches to simulating interfacial reactions in metal matrix composites. 1347-1355A
- Kinetics of strain aging in drawn pearlitic steels. 1415-1423A
- Model of banding in diffusive and convective regimes during directional solidification of peritectic systems. 1457-1470A
- Effect of interfacial kinetic barriers on interface motion in binary diffusion couples. 2021-2032A
- Microstructural characteristics of 5083 Al alloys processed by reactive spray deposition for net-shape manufacturing. 2597-2611A
- Grain growth and carbide precipitation in superalloy, UDIMET 520. 2687-2695A
- Clusters in carbon martensite: thermodynamics and kinetics. 2903-2912A
- The effect of geometrical assumptions in modeling solid-state transformation kinetics. 2925-2931A
- A diffusion-kinetic model for predicting solder/conductor interactions in high density interconnections. 2951-2956A

Reaction kinetics, Composition effects

- Characterization by thermoelectric power of a commercial aluminum-iron-silicon alloy (8011) during isothermal precipitation. 2669-2677A

Reaction kinetics, Deformation effects

- Static recrystallization kinetics with homogeneous and heterogeneous nucleation using a cellular automata model. 2307-2321A

Reaction kinetics, Diffusion effects

- Growth of δ' on dislocations in a dilute Al-Li alloy. 2073-2085A

Reaction kinetics, Heating effects

- Phase transformation behavior of gamma titanium aluminide alloys during supertransus heat treatment. 7-18A
- Chemical reactions between aluminum and fly ash during synthesis and reheating of Al-fly ash composite. 519-525B
- Recrystallization behavior of boron-doped $\text{Ni}_{76}\text{Al}_{24}$. 2893-2902A

Reaction kinetics, High temperature effects

- Elevated-temperature oxidation behavior of titanium silicide and titanium silicide-based alloy and composite. 1665-1675A

Reaction kinetics, Stress effects

- Stress-assisted transformation in Ti-60 wt.% Ta alloys. 139-147A

Reactivity

- Wettability, surface tension, and reactivity of the molten manganese/zirconia-yttria ceramic system. 1121-1125A

Recrystallization

- A model for microstructure evolution in adiabatic shear bands. 191-203A
- A mathematical model for the solute drag effect on recrystallization. 1029-1034A
- Relationship between fracture toughness, fracture path, and microstructure of 7050 aluminum alloy. I. Quantitative characterization. 1191-1201A
- Relationship between fracture toughness, fracture path, and microstructure of 7050 aluminum alloy. II. Multiple micro-mechanisms-based fracture toughness model. 1203-1210A

Recrystallization, Deformation effects

- Modeling the microstructural changes during hot tandem rolling of AA5XXX aluminum alloys. I. Microstructural evolution. 611-620B
- Modeling the microstructural changes during hot tandem rolling of AA5XXX aluminum alloys. II. Textural evolution. 621-633B
- Modeling the microstructural changes during hot tandem rolling of AA5XXX aluminum alloys. III. Overall model development and validation. 709-719B
- Static recrystallization kinetics with homogeneous and heterogeneous nucleation using a cellular automata model. 2307-2321A

Recrystallization, Heating effects

- Recrystallization behavior of boron-doped $\text{Ni}_{76}\text{Al}_{24}$. 2893-2902A

Recrystallization, Processing effects

- Correlation between the cold-working and aging treatments in a Cu-15 wt.% Cr in situ composite. 2195-2203A

Reduction of area, Diffusion effects

- Gaseous hydrogen embrittlement of a hydrided zirconium alloy. 1047-1056A

Refining

- Mixing time and fluid flow phenomena in liquids of varying kinematic viscosities agitated by bottom gas injection. 569-575B
- Effects of pore diameter, bath surface pressure, and nozzle diameter on the bubble formation from a porous nozzle. 1209-1218B

- Effect of cross-flow on the frequency of bubble formation from a single-hole nozzle. 1219-1225B
- Refractories, Corrosion**
Surface interactions between fayalite slags and synthetic spinels and solid solutions. 317-323B
- Refractories, Thermal properties**
Model for temperature profile estimation in the refractory of a metallurgical ladle. 651-659B
- Refractory metals, Recovering**
Kinetics of chlorination and oxychlorination of chromium(III) oxide. 1299-1308A
- Reinforcing steels, Composite materials**
Processing and mechanical properties of magnesium-lithium composites containing steel fibers. 863-873A
- Residual stress**
Stress formation in solidifying bodies. Solidification in a round continuous casting mold. 1057-1068B
Influence of residual stresses and loading frequencies on corrosion fatigue crack growth behavior of weldments. 1289-1298A
The effects of residual macrostresses and microstresses on fatigue crack propagation. 2127-2136A
- Residual stress, Microstructural effects**
Coherency stresses in lamellar Ti-Al. 937-942A
- Residual stress, Temperature effects**
Dependence of thermal residual stress on temperature in a SiC particle-reinforced 6061 Al alloy. 2001-2009A
- Resistivity, Alloying effects**
Microstructure and properties of Cu-C pseudoalloy films prepared by sputter deposition. 647-658A
- Resistivity, Deformation effects**
Kinetics of strain aging in drawn pearlitic steels. 1415-1423A
- Retained austenite**
Enhancement of the mechanical properties of a low-carbon, low-silicon steel by formation of a multiphased microstructure containing retained austenite. 2383-2393A
- Retained austenite, Phase transformations**
A transmission electron microscope study of 1% Mn ductile iron with different austempering treatments. 2297-2306A
- Retained austenite, Stress effects**
Stress-state effects on the stress-induced martensitic transformation of carburized 4320 steels. 427-437A
- Rhodium, Binary systems**
Standard enthalpies of formation for some samarium alloys, Sm+Me (Me=Ni, Rh, Pd, Pt), determined by high-temperature direct synthesis calorimetry. 815-820B
Thermodynamic properties and phase equilibria for Pt-Rh alloys. 1545-1550A
- Rhodium, Ternary systems**
F-type icosahedral phase and a related cubic phase in the Al-Rh-Cu system. 1559-1563A
- Rhodium base alloys, Phases (state of matter)**
Thermodynamic properties and phase equilibria for Pt-Rh alloys. 1545-1550A
- Rigidity, Processing effects**
Shape distortion in liquid-phase-sintered tungsten heavy alloys. 2631-2638A
- Rods, Powder technology**
A three-dimensional model of the spray forming method. 699-708B
- Rolling**
Processing and mechanical properties of magnesium-lithium composites containing steel fibers. 863-873A
- Rolling mill rolls, Service life**
Investigation of thermomechanical behavior of a work roll and of roll life in hot strip rolling. 2407-2424A
- Rolling texture**
Modeling the microstructural changes during hot tandem rolling of AA5XXX aluminum alloys. I. Microstructural evolution. 611-620B
Modeling the microstructural changes during hot tandem rolling of AA5XXX aluminum alloys. II. Textural evolution. 621-633B
Modeling the microstructural changes during hot tandem rolling of AA5XXX aluminum alloys. III. Overall model development and validation. 709-719B
- Room temperature**
Processing-property-microstructure relationships in TiAl-based alloys. 919-925A
- Roughness, Deformation effects**
Analysis of ridging in aluminum auto body sheet metal. 2323-2332A
- Rupturing**
Behavior and rupture of hydrided Zircaloy-4 tubes and sheets. 1643-1651A
- Ruthenium, Binary systems**
A thermodynamic study of Ru-Sn binary alloys. 577-581B
- Ruthenium, Impurities**
Distillation and rectification of osmium tetroxide solution in carbon tetrachloride. 293-295B
- Ruthenium base alloys, Phases (state of matter)**
A thermodynamic study of Ru-Sn binary alloys. 577-581B
- Rutile, Reduction (chemical)**
Carbochlorination kinetics of titanium dioxide with carbon and carbon monoxide as reductant. 1297-1307B
- S N diagrams**
The influence of crystallographic orientation and strain rate on the high-temperature low-cyclic fatigue property of a nickel-base single-crystal superalloy. 1093-1099A
- Samarium, Binary systems**
Standard enthalpies of formation for some samarium alloys, Sm+Me (Me=Ni, Rh, Pd, Pt), determined by high-temperature direct synthesis calorimetry. 815-820B
- Samarium base alloys, Phases (state of matter)**
Standard enthalpies of formation for some samarium alloys, Sm+Me (Me=Ni, Rh, Pd, Pt), determined by high-temperature direct synthesis calorimetry. 815-820B
- Sand casting**
A Monte Carlo approach for simulation of heat flow in sand and metal mold castings (virtual mold modeling). 495-499B
- Sand casting, Quality control**
Fluid flow in casting rigging systems: modeling, validation, and optimal design. 679-690B
- Sand castings, Quality control**
Fluid flow in casting rigging systems: modeling, validation, and optimal design. 679-690B
- Sapphire, Composite materials**
Fiber fragmentation during processing of metallic matrix composites. 1499-1507A
Strength degradation of sapphire fibers during pressure casting of a sapphire-reinforced Ni-base superalloy. 1527-1530A
- Scale (corrosion), Welding effects**
Role of microstructural degradation in the heat-affected zone of 2.25Cr-1Mo steel weldments on subscale features during steam oxidation and their role in weld failures. 577-586A
- Segregations**
Microsegregation behavior during solidification and homogenization of AerMet100 steel. 205-210B
Prevention of macrosegregation in squeeze casting of an Al-4.5 wt.% Cu alloy. 341-351A
The influence of temperature gradient zone melting on microsegregation. 361-367A
Structural transition and macrosegregation of Al-Cu eutectic alloy solidified in the electromagnetic centrifugal casting process. 404-408A
Numerical simulation of macrosegregation: a comparison between finite volume method and finite element method predictions and a confrontation with experiments. 617-630A
Modeling freckle formation in three dimensions during solidification of multicomponent alloys. 847-855B
Microstructural effects on distortion and solid-liquid segregation during liquid phase sintering under microgravity conditions. 857-866B
A mathematical model for the solute drag effect on recrystallization. 1029-1034A
Grain boundary segregation of boron in Inconel 718. 1947-1954A
Simplified computation of macrosegregation in multicomponent aluminum alloys. 2189-2194A
Discussion of "Effect of dendrite arm coarsening on microsegregation" and authors' reply. 2447-2450A
Surface segregation of phosphorus, carbon, and sulfur in commercial low-carbon grades of steel. 2707-2715A
- Self-propagating synthesis**
Combustion characteristics of the Ni₃Ti-TiB₂ intermetallic matrix composites. 867-875B
Combustion synthesis of HfB₂-Al composites. 877-887B
- Self-propagating synthesis, Field effects**
The effect of gravity on the combustion synthesis of metal-ceramic composites. 889-897B
- Semiconductors, Metallography**
The role of nanosized particles. A frontier in modern materials science, from nanoelectronics to environmental problems. 713-725A
- Semiconductors, Solubility**
Discussion of "Retrograde solubility in semiconductors" and author's reply. 1525-1527A
- Separation**
Numerical and experimental study of a hydrodynamic cavitation tube. 911-917B

Serrated yielding

- In situ nuclear magnetic resonance investigation of strain, temperature, and strain-rate variations of deformation-induced vacancy concentration in aluminum. 153-159A

Shape memory, Alloying effects

- Microstructural studies of a Cu-Zn-Al shape-memory alloy with manganese and zirconium addition. 1865-1871A

Shape memory, Stress effects

- Stress-induced martensitic phase transformations in polycrystalline CuZnAl shape memory alloys under different stress states. 765-773A

Shape memory alloys, Composite materials

- Thermomechanical behavior of TiNi shape memory alloy fiber reinforced 6061 aluminum matrix composite. 1127-1135A

Shape memory alloys, Phase transformations

- Stress-induced martensitic phase transformations in polycrystalline CuZnAl shape memory alloys under different stress states. 765-773A

- Effect of thermal cycling on the R-phase and martensitic transformations in a Ti-rich NiTi alloy. 1175-1180A

- The $\gamma \rightarrow \epsilon$ -martensitic transformation and its reversion in the FeMnSiCrNi shape-memory alloy. 1579-1583A

- Microstructural studies of a Cu-Zn-Al shape-memory alloy with manganese and zirconium addition. 1865-1871A

- Transformation relaxation and aging in a CuZnAl shape-memory alloy studied by modulated differential scanning calorimetry. 2697-2705A

Shear modulus, Temperature effects

- Thermodynamic and kinetic properties of amorphous and liquid states. 1837-1843A

Shear stress, Anisotropy

- The critical resolved shear stress of a superalloy as a combination of those of its γ matrix and γ' precipitates. 799-807A

Sheet metal, Coating

- Surface segregation of phosphorus, carbon, and sulfur in commercial low-carbon grades of steel. 2707-2715A

Sheet metal, Mechanical properties

- Effect of prestrain on aging and bake hardening of cold-rolled, continuously annealed steel sheets. 463-467A

- Flow localization in sheet specimens with pairs of holes. 775-780A

- Behavior and rupture of hydrided Zircaloy-4 tubes and sheets. 1643-1651A

Sheet metal, Metal working

- Analysis of ridging in aluminum auto body sheet metal. 2323-2332A

Short range order

- Structure of bulk amorphous Pd-Ni-P alloys determined by synchrotron radiation. 1805-1809A

Shrinkage

- Prevention of macrosegregation in squeeze casting of an Al-4.5 wt.% Cu alloy. 341-351A

Shrinkage, Processing effects

- Liquidlike sintering behavior of nanometric Fe and Cu powders: experimental approach. 2941-2949A

Silicates, Composite materials

- Mechanical property and fracture behavior of squeeze-cast Mg matrix composites. 2543-2554A

Silicates, Physical properties

- Review and modeling of viscosity of silicate melts. I. Viscosity of binary and ternary silicates containing CaO, MgO, and MnO. 177-186B

- Review and modeling of viscosity of silicate melts. II. Viscosity of melts containing iron oxide in the CaO-MgO-MnO-FeO-Fe₂O₃-SiO₂ system. 187-195B

Silicides, Coatings

- Synthesis of nanocomposite thin films based on the Mo-Si-C ternary system and compositional tailoring through controlled ion bombardment. 1719-1725A

Silicides, Composite materials

- Microstructure and mechanical behavior of reaction hot-pressed titanium silicide and titanium silicide-based alloys and composites. 1629-1641A

- Elevated-temperature oxidation behavior of titanium silicide and titanium silicide-based alloy and composite. 1665-1675A

- Effects of R-ratio on the fatigue crack growth of Nb-Si(ss) and Nb-10Si in situ composites. 1749-1757A

Silicides, Crystal growth

- Ternary alloying study of MoSi₂. 119-129A

Silicon, Alloying additive

- Solidification of Nb-bearing superalloys. I. Reaction sequences. 2785-2796A

- Solidification of Nb-bearing superalloys. II. Pseudoternary solidification surfaces. 2797-2806A

Silicon, Alloying elements

- Sliding wear behavior of some Al-Si alloys: role of shape and size of Si particles and test conditions. 2747-2752A

Silicon, Coating

- Perovskite phase lead zirconate titanate thin film deposition on Pt/SiO₂/Si substrate at low temperature. 907-909A

Silicon, Composite materials

- Effects of R-ratio on the fatigue crack growth of Nb-Si(ss) and Nb-10Si in situ composites. 1749-1757A

Silicon, Magnetic properties

- Effect of processing conditions on drop behavior in an electromagnetic levitator. 223-228B

Silicon, Microstructure

- An analysis of the formation of bulk amorphous silicon from the melt. 1825-1828A

- Strain-induced self-organization of steps and islands in SiGe/Si multilayer films. 2111-2119A

Silicon, Reactions (chemical)

- Thermodynamic properties of aluminum, magnesium, and calcium in molten silicon. 1043-1049B

Silicon, Ternary systems

- Thermochemistry of ternary liquid Cu-Mg-Si alloys. 807-813B

- Synthesis of nanocomposite thin films based on the Mo-Si-C ternary system and compositional tailoring through controlled ion bombardment. 1719-1725A

- On the observation of a new ternary MgSiCa phase in Mg-Si alloys. 1759-1763A

Silicon carbide, Coatings

- Synthesis of nanocomposite thin films based on the Mo-Si-C ternary system and compositional tailoring through controlled ion bombardment. 1719-1725A

Silicon carbide, Composite materials

- An analytical solution of the critical interface velocity for the encapsulating of insoluble particles by a moving solid/liquid interface. 351-358A

- Failure of SiC particulate-reinforced metal matrix composites induced by laser thermal shock. 685-692A

- Microstructural characterization of the matrix in the SiC fiber-reinforced Ti-15-3 composite. 693-696A

- Effects of thickness and precracking on the fracture toughness of particle-reinforced Al-alloy composites. 1237-1243A

- Directional dendritic solidification of a composite slurry. I. Dendrite morphology. 1319-1327A

- Directional dendritic solidification of a composite slurry. II. Particle distribution. 1329-1339A

- Experimental approaches to simulating interfacial reactions in metal matrix composites. 1347-1355A

- Dependence of thermal residual stress on temperature in a SiC particle-reinforced 6061 Al alloy. 2001-2009A

- Optimization of the strength-fracture toughness relation in particulate-reinforced aluminum composites via control of the matrix microstructure. 2433-2446A

- A comparison of the creep properties of an Al-6092 composite and the unreinforced matrix alloy. 2523-2531A

- Interface-controlled fatigue cracking of SCS-6/Ti-22Al-23Nb "orthorhombic" titanium aluminum nitride composite. 2737-2746A

- Role of cold work and SiC reinforcements on the β'/β precipitation in Al-10% Mg alloy. 2835-2842A

- Effect of SiC volume fraction and particle size on the fatigue resistance of a 2080 Al/SiC_p composite. 2843-2854A

- Fabrication of Al-3 wt.% Mg matrix composites reinforced with Al₂O₃ and SiC particulates by the pressureless infiltration technique. 3087-3095A

Silicon compounds, Microstructure

- Strain-induced self-organization of steps and islands in SiGe/Si multilayer films. 2111-2119A

Silicon dioxide, Coating

- Perovskite phase lead zirconate titanate thin film deposition on Pt/SiO₂/Si substrate at low temperature. 907-909A

Silicon dioxide, Reactions (chemical)

- Activities of SiO₂ and Al₂O₃ and activity coefficients of Fe₂O₃ and MnO in CaO-SiO₂-Al₂O₃-MgO slags. 119-129B

- Thermodynamics of chromium oxides in CaO-SiO₂-CaF₂ slag. 131-136B

- Review and modeling of viscosity of silicate melts. I. Viscosity of binary and ternary silicates containing CaO, MgO, and MnO. 177-186B

- Review and modeling of viscosity of silicate melts. II. Viscosity of melts containing iron oxide in the CaO-MgO-MnO-FeO-Fe₂O₃-SiO₂ system. 187-195B

- Formation of hexavalent chromium by reaction between slag and magnesite-chrome refractory. 405-410B

- Experimental study of phase equilibria in the systems PbO_x-CaO and PbO_x-CaO-SiO₂. 541-553B

Silicon nitride, Composite materials

- Superplastic behavior and cavitation in high-strain-rate superplastic Si₃N₄/Al-Mg-Si composites. 677-683A

Silver, Brazing			
Isothermal solidification kinetics of diffusion brazing.	315-325A		
Silver, Mechanical properties			
Grain boundary cracking.	509-518B		
Simulation			
A correlation to describe interfacial heat transfer during solidification simulation and its use in the optimal feeding design of castings.	437-448B		
Simplified simulation of the transient behavior of temperatures in the upper shaft of the blast furnace.	691-697B		
Experimental approaches to simulating interfacial reactions in metal matrix composites.	1347-1355A		
Single crystals, Crystal growth			
Marangoni convection flow in $\text{NaNO}_3\text{-KNO}_3$ mixture under microgravity.	987-991B		
Single crystals, Mechanical properties			
Tension and compression testing of single-crystalline gamma Ti-55.5% Al.	65-71A		
Plastic instability during creep deformation of a NiAl-Hf single-crystal alloy—a case study.	179-189A		
Cyclic deformation behavior of high-purity titanium single crystals. I. Orientation dependence of stress-strain response.	507-512A		
Cyclic deformation behavior of high-purity titanium single crystals. II. Microstructure and mechanism.	513-518A		
The influence of crystallographic orientation and strain rate on the high-temperature low-cyclic fatigue property of a nickel-base single-crystal superalloy.	1093-1099A		
Sintered compacts, Mechanical properties			
In situ strength evolution during the sintering of bronze powders.	1257-1263A		
Sintered compacts, Microstructure			
An examination of the interparticle contact area during sintering of W-0.3 wt.% Co.	1309-1317A		
Sintered compacts, Physical properties			
The effect of tungsten particle size on the processing and properties of infiltrated W-Cu compacts.	1509-1516A		
Sintering (powder metallurgy)			
Multistage sintering process for Ni_3Al powder metallurgical products.	1069-1076B		
In situ strength evolution during the sintering of bronze powders.	1257-1263A		
An examination of the interparticle contact area during sintering of W-0.3 wt.% Co.	1309-1317A		
Liquidlike sintering behavior of nanometric Fe and Cu powders: experimental approach.	2941-2949A		
Slab casting			
Fractal analysis of the surface cracks on continuously cast steel slabs.	1261-1267B		
Slags, Diffusion			
Interdiffusivities and mass transfer coefficients of NaF gas.	763-771B		
Slags, Physical properties			
Modeling mean flow and turbulence characteristics in gas-agitated bath with top layer.	211-222B		
Mixing time and fluid flow phenomena in liquids of varying kinematic viscosities agitated by bottom gas injection.	569-575B		
Slags, Reactions (chemical)			
The kinetics of dephosphorization of carbon-saturated iron using an oxidizing slag.	111-118B		
Activities of SiO_2 and Al_2O_3 and activity coefficients of Fe_2O and MnO in $\text{CaO-SiO}_2\text{-Al}_2\text{O}_3\text{-MgO}$ slags.	119-129B		
Thermodynamics of chromium oxides in $\text{CaO-SiO}_2\text{-CaF}_2$ slag.	131-136B		
Phosphorus distribution between carbon-saturated iron at 1350°C and lime-based slags containing Na_2O and CaF_2 .	147-153B		
Surface interactions between fayalite slags and synthetic spinels and solid solutions.	317-323B		
Formation of hexavalent chromium by reaction between slag and magnesite-chrome refractory.	405-410B		
Experimental study of phase equilibria in the systems $\text{PbO}_x\text{-CaO}$ and $\text{PbO}_x\text{-CaO-SiO}_2$.	541-553B		
Effects of CaO , Al_2O_3 , and MgO additions on the copper solubility, ferric/ferrous ratio, and minor-element behavior of iron-silicate slags.	583-590B		
Investigation of inclusion re-entrainment from the steel-slag interface.	641-649B		
Iron redox equilibria in $\text{CaO-Al}_2\text{O}_3\text{-SiO}_2$ and $\text{MgO-CaO-Al}_2\text{O}_3\text{-SiO}_2$ slags.	837-845B		
Reduction of FeO in smelting slags by solid carbon: re-examination of the influence of the gas-carbon reaction.	935-938B		
Thermodynamic model for MnO-containing slags and gas-slag-metal equilibrium in ferromanganese smelting.	1181-1191B		
Kinetics studies on the dissolution of nitrogen in the $\text{CaO-Al}_2\text{O}_3\text{-SiO}_2$ and $\text{CaO-Al}_2\text{O}_3\text{-TiO}_2$ melts.	1235-1240B		
Activities in the spinel solid solution $\text{Fe}_3\text{Mg}_{1-x}\text{Al}_2\text{O}_4$.	1241-1248B		
The metal saturation line and tie-lines in the nickel-cobalt-sulfur ternary system between 1273 and 1573K.	1941-1945A		
Slags, Thermal properties			
Modeling the heat flow to an operating Sirosmeit lance.	485-492B		
Sliding friction			
Sliding wear response of a zinc-based alloy compared to a copper-based alloy.	1245-1255A		
Sliding friction, Composition effects			
Dry sliding wear of a $\text{Ti}_{50}\text{Ni}_{25}\text{Cu}_{25}$ particulate-reinforced aluminum matrix composite.	1741-1747A		
Sliding wear behavior of some Al-Si alloys: role of shape and size of Si particles and test conditions.	2747-2752A		
Slip planes			
Correlation of dynamic torsional properties with adiabatic shear banding behavior in ballistically impacted aluminum-lithium alloys.	227-235A		
Creep and rupture properties of an austenitic Fe-30Mn-9Al-1C alloy.	299-306A		
Slip planes, Deformation effects			
A model for microstructure evolution in adiabatic shear bands. Microstructural development of adiabatic shear bands formed by ballistic impact in a Weldalite 049 alloy.	191-203A		
Cyclic deformation behavior of high-purity titanium single crystals. II. Microstructure and mechanism.	513-518A		
Smelting			
Transport phenomena in electric smelting of nickel matte. I. Electric potential distribution.	77-83B		
Transport phenomena in electric smelting of nickel matte. II. Mathematical modeling.	85-94B		
Modeling the heat flow to an operating Sirosmeit lance.	485-492B		
Tellurium distribution in copper anode slimes smelting.	555-562B		
Effects of CaO , Al_2O_3 , and MgO additions on the copper solubility, ferric/ferrous ratio, and minor-element behavior of iron-silicate slags.	583-590B		
Thermodynamic modeling of liquid Fe-Ni-Cu-Co-S mattes.	591-601B		
Iron redox equilibria in $\text{CaO-Al}_2\text{O}_3\text{-SiO}_2$ and $\text{MgO-CaO-Al}_2\text{O}_3\text{-SiO}_2$ slags.	837-845B		
Reduction of FeO in smelting slags by solid carbon: re-examination of the influence of the gas-carbon reaction.	935-938B		
A study on carbothermic reduction of ilmenite ore in a plasma reactor.	1175-1180B		
Thermodynamic model for MnO-containing slags and gas-slag-metal equilibrium in ferromanganese smelting.	1181-1191B		
Soderberg electrodes, Electrochemistry			
Transport phenomena in electric smelting of nickel matte. I. Electric potential distribution.	77-83B		
Sodium compounds, Reactions (chemical)			
Phosphorus distribution between carbon-saturated iron at 1350°C and lime-based slags containing Na_2O and CaF_2 .	147-153B		
Sodium fluoride, Diffusion			
Interdiffusivities and mass transfer coefficients of NaF gas.	763-771B		
Soldered joints, Diffusion			
A diffusion-kinetic model for predicting solder/conductor interactions in high density interconnections.	2951-2956A		
Solders, Diffusion			
A diffusion-kinetic model for predicting solder/conductor interactions in high density interconnections.	2951-2956A		
Solders, Thermal properties			
Determination of the melting and solidification characteristics of solders using differential scanning calorimetry.	1965-1972A		
Solid phases			
Effect of phase morphology on fatigue crack growth behavior of α - β -titanium alloy—a crack closure rationale.	245-261A		
Microstructural characterization of the matrix in the SiC fiber-reinforced Ti-15-3 composite.	693-696A		
Grain boundary precipitation reactions in a wrought Fe-8Al-5Ni-2C alloy prepared by the conventional ingot process.	696-700A		
Solid phases, Diffusion			
A diffusion solution for the melting/dissolution of a solid at constant temperature and its use for measuring the diffusion coefficient in liquids.	751-755A		
Solidification			
Microsegregation behavior during solidification and homogenization of AerMet100 steel.	205-210B		
Isothermal solidification kinetics of diffusion brazing.	315-325A		
The influence of temperature gradient zone melting on microsegregation.	361-367A		
Structural transition and macrosegregation of Al-Cu eutectic alloy solidified in the electromagnetic centrifugal casting process.	404-408A		
A correlation to describe interfacial heat transfer during solidification simulation and its use in the optimal feeding design of castings.	437-448B		
Chemical reactions between aluminum and fly ash during synthesis and reheating of Al-fly ash composite.	519-525B		

- Numerical simulation of macrosegregation: a comparison between finite volume method and finite element method predictions and a confrontation with experiments. 617-630A
- Solidification and spangle formation of hot-dip-galvanized zinc coatings. 631-646A
- Solidification of a ternary metal alloy: a comparison of experimental measurements and model predictions in a Pb-Sb-Sn system. 843-853A
- Modeling freckle formation in three dimensions during solidification of multicomponent alloys. 847-855B
- Marangoni convection flow in $\text{NaNO}_3\text{-KNO}_3$ mixture under microgravity. 987-991B
- The movement of the concave casting surface during mushy-type solidification and its effect on the heat-transfer coefficient. 1051-1056B
- Stress formation in solidifying bodies. Solidification in a round continuous casting mold. 1057-1068B
- Solidification behavior and microstructural evolution during laser beam-material interaction. 1269-1279B
- Directional dendritic solidification of a composite slurry. I. Dendrite morphology. 1319-1327A
- Directional dendritic solidification of a composite slurry. II. Particle distribution. 1329-1339A
- Mathematical simulation on coupled flow, heat, and solute transport in slab continuous casting process. 1345-1356B
- Solidification microstructure and M_2C carbide decomposition in a spray-formed high-speed steel. 1395-1404A
- Solidification processing of $\text{Al-Al}_2\text{O}_3$ composite using turbine stirrer. 1711-1718A
- Determination of the melting and solidification characteristics of solders using differential scanning calorimetry. 1965-1972A
- Simplified computation of macrosegregation in multicomponent aluminum alloys. 2189-2194A
- A free dendritic growth model accommodating curved phase boundaries and high Peclet number conditions. 3047-3056A
- Solidification, Alloying effects**
- Solidification of Nb-bearing superalloys. I. Reaction sequences. 2785-2796A
- Solidification of Nb-bearing superalloys. II. Pseudoternary solidification surfaces. 2797-2806A
- Solidification, Composition effects**
- An analytical solution of the critical interface velocity for the encapsulating of insoluble particles by a moving solid/liquid interface. 351-358A
- Solidification, Field effects**
- The unidirectional solidification of Al-4 wt.% Cu ingots in microgravity. 1101-1111A
- The influence of gravity-related convection on secondary arm evolution in $\text{NH}_4\text{Cl-H}_2\text{O}$. 1137-1139A
- An investigation of the effects caused by electromagnetic vibrations in a hypereutectic Al-Si alloy melt. 1477-1484A
- Solubility**
- Hydrogen and deuterium in Pd-25% Ag alloy: permeation, diffusion, solubilization, and surface reaction. 1023-1028A
- Solubility, pH effects**
- The influence of basicity on the solubility of platinum in oxide melts. 411-414B
- Solution heat treatment**
- Correlation between the cold-working and aging treatments in a Cu-15 wt.% Cr in situ composite. 2195-2203A
- Phase transformations in Ti-6.8Mo-4.5Fe-1.5Al. 2455-2467A
- Space environment**
- The unidirectional solidification of Al-4 wt.% Cu ingots in microgravity. 1101-1111A
- The influence of gravity-related convection on secondary arm evolution in $\text{NH}_4\text{Cl-H}_2\text{O}$. 1137-1139A
- Specific heat, Temperature effects**
- Metastability and thermophysical properties of metallic bulk glass forming alloys. 1829-1835A
- Thermodynamic and kinetic properties of amorphous and liquid states. 1837-1843A
- Spectroscopy**
- Noncontact ultrasonic spectroscopy on deforming polycrystalline copper: dislocation damping and acoustoelasticity. 2987-2993A
- Spin glasses, Casting**
- Bulk amorphous metallic alloys: synthesis by fluxing techniques and properties. 1795-1804A
- Spinel, Corrosion**
- Surface interactions between fayalite slags and synthetic spinels and solid solutions. 317-323B
- Spinel, Reactions (chemical)**
- Activities in the spinel solid solution $\text{Fe}_x\text{Mg}_{1-x}\text{Al}_2\text{O}_4$. 1241-1248B
- Spinodal decomposition**
- Computer simulation and experimental investigation of the spinodal decomposition in the β Ti-Cr binary alloy system. 739-749A
- Spot welding**
- Autogenous gas tungsten arc weldability of cast alloy Ti-48Al-2Cr-2Nb (at.%) versus extruded alloy Ti-46Al-2Cr-2Nb-0.9Mo (at.%). 927-935A
- Spray cooling**
- Analytical/finite-element modeling and experimental verification of spray-cooling process in steel. 1485-1498A
- Spray forming**
- A three-dimensional model of the spray forming method. 699-708B
- Characterization of spray atomization of 3003 aluminum alloy during linear spray atomization and deposition. 793-806B
- Modeling of porosity during spray forming: I. Effects of processing parameters. 1085-1096B
- Modeling of porosity during spray forming: II. Effects of atomization gas chemistry and alloy compositions. 1097-1106B
- Liquid flow on a rotating disk prior to centrifugal atomization and spray deposition. 1357-1369B
- Solidification microstructure and M_2C carbide decomposition in a spray-formed high-speed steel. 1395-1404A
- Microstructural features and heat flow analysis of atomized and spray-formed Al-Fe-V-Si alloy. 2205-2219A
- Microstructural characteristics of 5083 Al alloys processed by reactive spray deposition for net-shape manufacturing. 2597-2611A
- Sprayed coatings, Reactions (chemical)**
- Wettability, surface tension, and reactivity of the molten manganese/zirconia-yttria ceramic system. 1121-1125A
- Spring steels, Mechanical properties**
- A strain energy-based approach to the low-cycle fatigue damage mechanism in a high-strength spring steel. 1431-1439A
- Sputtered coatings, Phases (state of matter)**
- Synthesis of nanocomposite thin films based on the Mo-Si-C ternary system and compositional tailoring through controlled ion bombardment. 1719-1725A
- Sputtering**
- Microstructure and properties of Cu-C pseudoalloy films prepared by sputter deposition. 647-658A
- Synthesis of nanocomposite thin films based on the Mo-Si-C ternary system and compositional tailoring through controlled ion bombardment. 1719-1725A
- Squeeze casting**
- Effect of Y, Sr, and Nd additions on the microstructure and microfracture mechanism of squeeze-cast AZ91-Mg magnesium alloys. 1221-1235A
- Effect of interfacial reaction on bending strength of $\text{Al}_3\text{B}_4\text{O}_{10}$ whisker-reinforced aluminum composites. 1517-1524A
- Control of interfacial reactions during liquid phase processing of aluminum matrix composites reinforced with Inconel 601 fibers. 1727-1739A
- Mechanical property and fracture behavior of squeeze-cast Mg matrix composites. 2543-2554A
- Squeeze casting, Quality control**
- Prevention of macrosegregation in squeeze casting of an Al-4.5 wt.% Cu alloy. 341-351A
- Stability, Microstructural effects**
- Structure of bulk amorphous Pd-Ni-P alloys determined by synchrotron radiation. 1805-1809A
- Stacking faults**
- Atomistic simulation of fracture in TiAl. 951-955A
- Stainless steels, Steel making**
- Thermodynamic estimation on the reduction behavior of iron-chromium ore with carbon. 351-360B
- Statistical methods**
- Grain size estimation in anisotropic materials. 237-244A
- Steam, Environment**
- Role of microstructural degradation in the heat-affected zone of 2.25Cr-1Mo steel weldments on subscale features during steam oxidation and their role in weld failures. 577-586A
- Steels, Casting**
- Investigation of inclusion re-entrainment from the steel-slag interface. 641-649B
- Model for temperature profile estimation in the refractory of a metallurgical ladle. 651-659B
- Numerical investigation of the free surface in a continuous steel casting mold model. 1117-1126B
- Fractal analysis of the surface cracks on continuously cast steel slabs. 1261-1267B
- Numerical investigation of the interface in a continuous steel casting mold water model. 1321-1327B
- Mathematical simulation on coupled flow, heat, and solute transport in slab continuous casting process. 1345-1356B
- Steels, Coating**
- The effect of iron oxide as an inhibition layer on iron-zinc reactions during hot-dip galvanizing. 479-484B

Steels, Composite materials

- Numerical analysis of the formability of an aluminum 2024 alloy sheet and its laminates with steel sheets. 2829-2834A

Steels, End uses

- Comparison of grinding kinetics between a typical ball mill and a ball mill fitted with a breaker plate. 17-22B

Steels, Heat treatment

- A computational model for the prediction of steel hardenability. 661-672B

Steels, Mechanical properties

- Torsion textures produced by dynamic recrystallization in α -iron and two interstitial-free steels. 447-462A
Effect of prestrain on aging and bake hardening of cold-rolled, continuously annealed steel sheets. 463-467A
Grain boundary cracking. 509-518B

Steels, Metal working

- Kinetics of strain aging in drawn pearlitic steels. 1415-1423A

Steels, Microstructure

- On the relation between the number-weighted and volume-weighted grain volume distribution parameters. 3081-3086A

Steels, Phase transformations

- The effect of geometrical assumptions in modeling solid-state transformation kinetics. 2925-2931A

Steels, Recycling

- Removal of copper from carbon-saturated iron with an aluminum sulfide/ferrous sulfide flux. 493-495B

Steels, Rolling

- Investigation of thermomechanical behavior of a work roll and of roll life in hot strip rolling. 2407-2424A

Steels, Steel making

- The kinetics of dephosphorization of carbon-saturated iron using an oxidizing slag. 111-118B
Modeling mean flow and turbulence characteristics in gas-agitated bath with top layer. 211-222B
Formation of hexavalent chromium by reaction between slag and magnesite-chrome refractory. 405-410B
Equilibrium of calcium vapor with liquid iron and the interaction of third elements. 415-420B
Water model study of the frequency of bubble formation under reduced and elevated pressures. 755-761B
Interdiffusivities and mass transfer coefficients of NaF gas. 763-771B
Decay of fluid motion in a filling ladle after tapping. 931-935B

Steels, Welding

- Charpy V-notch properties and microstructures of narrow gap ferritic welds of a quenched and tempered steel plate. 2775-2784A

Stiffness, Microstructural effects

- Physical constants, deformation twinning, and microcracking of titanium aluminides. 49-63A

Stirring

- Solidification processing of Al-Al₂O₃ composite using turbine stirrer. 1711-1718A

Stoichiometry

- Effect of ordering energy and stoichiometry in $\Sigma=5$ boundaries in B2 compounds. 2655-2668A

Strain

- Strain-induced self-organization of steps and islands in SiGe/Si multilayer films. 2111-2119A

Strain aging

- In situ nuclear magnetic resonance investigation of strain, temperature, and strain-rate variations of deformation-induced vacancy concentration in aluminum. 153-159A
Kinetics of strain aging in drawn pearlitic steels. 1415-1423A

Strain hardening

- Effect of matrix constitutive behavior and inclusions on forming limits of Fe-42% Ni alloy sheet. 289-298A

Strain hardening, Microstructural effects

- The relationship between microstructure and the J-R curve. 1917-1922A

Strain hardening, Temperature effects

- Temperature-dependent void-sheet fracture in Al-Cu-Mg-Ag-Zr. 1599-1613A

Strain rate

- In situ nuclear magnetic resonance investigation of strain, temperature, and strain-rate variations of deformation-induced vacancy concentration in aluminum. 153-159A
A model for microstructure evolution in adiabatic shear bands. 191-203A
Tensile properties and fracture toughness of a Ti-45Al-1.6Mn alloy at loading velocities of up to 12 m/s. 263-277A
Superplastic behavior and cavitation in high-strain-rate superplastic Si₃N₄/Al-Mg-Si composites. 677-683A
The influence of crystallographic orientation and strain rate on the high-temperature low-cycle fatigue property of a nickel-base single-crystal superalloy. 1093-1099A
Formability of stainless steel. 2161-2172A

- High-temperature deformation of commercial-purity aluminum. 2345-2359A

Straining

- Influence of hydrostatic pressure and multiaxial straining on cavitating superplastic materials. 2555-2561A

Stress corrosion cracking, Alloying effects

- Isolation of carbon and grain boundary carbide effects on the creep and intergranular stress corrosion cracking behavior of Ni-16Cr-9Fe-xC alloys in 360°C primary water. 1035-1046A

Stress corrosion cracking, Microstructural effects

- Mitigating intergranular attack and growth in lead-acid battery electrodes for extended cycle and operating life. 387-396A

Stress intensity

- A model for roughness-induced fatigue crack closure. 1933-1939A

Stress relaxation, Temperature effects

- Temperature-dependent void-sheet fracture in Al-Cu-Mg-Ag-Zr. 1599-1613A

Stress strain curves

- Effect of test temperature on the dynamic torsional deformation behavior of two aluminum-lithium alloys. 469-476A
Cyclic deformation behavior of high-purity titanium single crystals. I. Orientation dependence of stress-strain response. 507-512A
Ir-base refractory superalloys for ultra-high temperatures. 537-549A
Formability of stainless steel. 2161-2172A
Microstructures and properties of nanocomposites obtained through SPTS consolidation of powders. 2253-2260A
High-temperature deformation of commercial-purity aluminum. 2345-2359A
Compressive deformation and energy absorbing characteristic of foamed aluminum. 2497-2502A
Factors influencing the equilibrium grain size in equal-channel angular pressing: role of Mg additions to aluminum. 2503-2510A
Comparison of cyclic deformation behavior between copper bicrystals and their component crystals. 2563-2569A
Numerical analysis of the formability of an aluminum 2024 alloy sheet and its laminates with steel sheets. 2829-2834A
Microstructural and mechanical behavior of a duplex stainless steel under hot working conditions. 2975-2986A

Stress strain curves, Microstructural effects

- Stress-assisted transformation in Ti-60 wt.% Ta alloys. 139-147A

Stresses, Diffusion effects

- Chemical stresses induced by grain-boundary diffusion. 2121-2125A

Strip, Rolling

- Investigation of thermomechanical behavior of a work roll and of roll life in hot strip rolling. 2407-2424A

Strontium, Alloying additive

- Effect of Y, Sr, and Nd additions on the microstructure and microfracture mechanism of squeeze-cast AZ91-X magnesium alloys. 1221-1235A
Effect of Mg and Sr additions on the formation of intermetallics in Al-6 wt.% Si-3.5 wt.% Cu-(0.45) to (0.8) wt.% Fe 319-type alloys. 2871-2884A

Structural materials, Mechanical properties

- Effect of temperature on silicon particle damage in A356 alloy. 905-907A

Submerged arc welding

- A study of the structure of dissimilar submerged arc welds. 823-832A
Charpy V-notch properties and microstructures of narrow gap ferritic welds of a quenched and tempered steel plate. 2775-2784A

Sulfides, Impurities

- Upper acicular ferrite formation in a medium-carbon microalloyed steel by isothermal transformation: nucleation enhancement by CuS. 1003-1015A

Sulfur, Diffusion

- Surface segregation of phosphorus, carbon, and sulfur in commercial low-carbon grades of steel. 2707-2715A

Sulfur, Impurities

- Effects of sulfur impurity on the scale adhesion behavior of a desulfurized Ni-based superalloy aluminized by chemical vapor deposition. 833-841A

Sulfur, Reactions (chemical)

- The effect of sulfur on the interfacial rates of reaction of CO₂ and CO with liquid copper. 296-298B
Influence of melt carbon and sulfur on the wetting of solid graphite by Fe-C-S melts. 471-477B
Thermodynamic modeling of liquid Fe-Ni-Cu-Co-S mattes. 591-601B
The metal saturation line and tie-lines in the nickel-cobalt-sulfur ternary system between 1273 and 1573K. 1941-1945A

Sulfur, Trace elements

- Impact of sulfur loss on activity coefficient measurements of trace elements in matte. 298-300B

Sulfuric acid leaching

- Physicochemical and structural factors in the sulfuric acid leaching of nickel- and copper-bearing synthetic birnessites. 527-540B

Superalloys, Coating

- Effects of sulfur impurity on the scale adhesion behavior of a desulfurized Ni-based superalloy aluminized by chemical vapor deposition. 833-841A
- Evolution of aluminide coating microstructure on nickel-base cast superalloy CM-247 in a single-step high-activity aluminizing process. 2173-2188A

Superalloys, Composite materials

- Fiber fragmentation during processing of metallic matrix composites. 1499-1507A
- Strength degradation of sapphire fibers during pressure casting of a sapphire-reinforced Ni-base superalloy. 1527-1530A
- Control of interfacial reactions during liquid phase processing of aluminum matrix composites reinforced with Inconel 601 fibers. 1727-1739A

Superalloys, Crystal growth

- Solidification of Nb-bearing superalloys. I. Reaction sequences. 2785-2796A
- Solidification of Nb-bearing superalloys. II. Pseudoternary solidification surfaces. 2797-2806A

Superalloys, Directional solidification

- Primary spacing in directional solidification. 1113-1119A

Superalloys, Mechanical properties

- The critical resolved shear stress of a superalloy as a combination of those of its γ matrix and γ' precipitates. 799-807A
- The influence of crystallographic orientation and strain rate on the high-temperature low-cyclic fatigue property of a nickel-base single-crystal superalloy. 1093-1099A
- The effect of carbide precipitation on the hydrogen-enhanced fracture behavior of alloy 690. 1265-1277A
- Parametric analysis of monocrystalline CMSX-4 creep and rupture data. 2645-2647A

Superalloys, Microstructure

- Grain boundary segregation of boron in Inconel 718. 1947-1954A

Superalloys, Phase transformations

- Grain growth and carbide precipitation in superalloy, UDIMET 520. 2687-2695A

Superalloys, Phases (state of matter)

- Lattice constants and compositions of the metastable Ni_3Nb phase precipitated in a Ni-15Cr-8Fe-6Nb alloy. 1169-1174A
- Determining interphase boundary orientations from near-coincidence sites. 2059-2072A

Superalloys, Powder technology

- Modeling of porosity during spray forming: I. Effects of processing parameters. 1085-1096B
- Modeling of porosity during spray forming: II. Effects of atomization gas chemistry and alloy compositions. 1097-1106B

Superalloys, Welding

- Improving the weldability and service performance of nickel- and iron-based superalloys by grain boundary engineering. 3069-3079A

Supercooling

- Ferromagnetic bulk amorphous alloys. 1779-1793A
- The effect of undercooling on the cellular precipitation reaction in Cu-3Ti. 2101-2110A
- Superheating behavior of NiAl. 2221-2225A

Superheating

- Superheating behavior of NiAl. 2221-2225A

Superlattices, Deformation effects

- Strain-induced self-organization of steps and islands in SiGe/Si multilayer films. 2111-2119A

Superplastic forming

- Quantitative analysis on boundary sliding and its accommodation mode during superplastic deformation of two-phase Ti-6Al-4V alloy. 217-226A
- Microtexture evolution during annealing and superplastic deformation of Al-5% Ca-5% Zn. 485-492A
- Influence of hydrostatic pressure and multiaxial straining on cavitating superplastic materials. 2555-2561A
- Microstructural characteristics of 5083 Al alloys processed by reactive spray deposition for net-shape manufacturing. 2597-2611A

Superplasticity

- Influence of hydrostatic pressure and multiaxial straining on cavitating superplastic materials. 2555-2561A
- Transformation superplasticity of zirconium. 2571-2582A
- A theoretical investigation of the effect of material properties and cavity architecture/shape on ductile failure during the hot tension test. 2621-2630A

Superplasticity, Alloying effects

- Superplastic flow and cavitation in Zn-22% Al doped with Cu. 1653-1663A

Superplasticity, Composition effects

- Transformation superplasticity of iron and Fe/TiC metal matrix composites. 565-575A

Superplasticity, Deformation effects

- Superplastic behavior and cavitation in high-strain-rate superplastic $\text{Si}_3\text{N}_4/\text{Al-Mg-Si}$ composites. 677-683A

Superplasticity, Microstructural effects

- A study of superplasticity in a modified 5083 Al-Mg-Mn alloy. 1211-1220A
- Fabrication of bulk ultrafine-grained materials through intense plastic straining. 2237-2243A

Surface structure

- Surface segregation of phosphorus, carbon, and sulfur in commercial low-carbon grades of steel. 2707-2715A

Surface tension

- Interfacial tension between aluminum and NaCl-KCl-based salt systems. 821-827B
- Wettability, surface tension, and reactivity of the molten manganese/zirconia-yttria ceramic system. 1121-1125A

Surface tension, Field effects

- Surface tension measurements on liquid metals in microgravity. 1031-1035B

Surfactants, Reactions (chemical)

- The effect of surfactants on the interfacial rates of reaction of CO_2 and CO with liquid iron oxide. 137-145B

Swaging

- Processing and mechanical properties of magnesium-lithium composites containing steel fibers. 863-873A

Tantalum, Alloying elements

- Ir-base refractory superalloys for ultra-high temperatures. 537-549A

Tantalum, Crystal growth

- A model for microstructure evolution in adiabatic shear bands. 191-203A

Tantalum base alloys, Phase transformations

- Stress-assisted transformation in Ti-60 wt.% Ta alloys. 139-147A

Tapes (metallic), Microstructure

- Microstructural investigation of a rapidly solidified 12Cr-Mo-V steel. 367-376A

Tapes (metallic), Phase transformations

- Growth of semicoherent TiFe nanoparticles in β -Ti matrix in the $\text{Ti}_{73}\text{Fe}_{27}$ rapidly quenched ribbon. 131-137A

Tapping (pouring)

- Decay of fluid motion in a filling ladle after tapping. 931-935B

Tearing, Composition effects

- Effects of R-ratio on the fatigue crack growth of Nb-Si(ss) and Nb-10Si in situ composites. 1749-1757A

Tellurium, Reactions (chemical)

- Tellurium distribution in copper anode slimes smelting. 555-562B

Temperature distribution

- Effect of processing conditions on drop behavior in an electromagnetic levitator. 223-228B
- Model for temperature profile estimation in the refractory of a metallurgical ladle. 651-659B

Temperature distribution, Processing effects

- The free-surface shape and temperature distribution produced in liquid metal droplets by heating coil pulses in the TEMPUS electromagnetic levitation facility. 1127-1134B

Tensile strength

- A novel approach for predicting the tensile strength of brazed joints. 587-592A

Tensile strength, Alloying effects

- Ir-base refractory superalloys for ultra-high temperatures. 537-549A

Tensile strength, Composition effects

- Al-TiC composites in situ-processed by ingot metallurgy and rapid solidification technology. II. Mechanical behavior. 893-902A

Tensile strength, Deformation effects

- Tensile properties and fracture toughness of a Ti-45Al-1.6Mn alloy at loading velocities of up to 12 m/s. 263-277A
- Processing and mechanical properties of magnesium-lithium composites containing steel fibers. 863-873A
- Processing-property-microstructure relationships in TiAl-based alloys. 919-925A
- Evolution of microstructure and tensile strength of rapidly solidified Al-4.7% Zn-2.5% Mg-0.2% Zr-X wt.% Mn alloys. 1873-1882A
- Microstructures and properties of nanocomposites obtained through SPTS consolidation of powders. 2253-2260A

Tensile strength, Diffusion effects

- Gaseous hydrogen embrittlement of a hydrided zirconium alloy. 1047-1056A

Tensile strength, Microstructural effects

- Supertransus processing of TiAl-based alloys. 27-36A

Tensile strength, Processing effects

- Strength degradation of sapphire fibers during pressure casting of a sapphire-reinforced Ni-base superalloy. 1527-1530A

- Correlation between the cold-working and aging treatments in a Cu-15 wt.% Cr in situ composite. 2195-2203A
- Tensile stress**
Stress-state effects on the stress-induced martensitic transformation of carburized 4320 steels. 427-437A
The effect of environment on high-temperature hold time fatigue behavior of annealed 2.25Cr-1Mo steel. 2137-2145A
- Tension tests**
Tension and compression testing of single-crystalline gamma Ti-55.5% Al. 65-71A
A theoretical investigation of the effect of material properties and cavity architecture/shape on ductile failure during the hot tension test. 2621-2630A
- Ternary systems, Phases (state of matter)**
Thermodynamic properties of the Fe-Cr-P liquid solution. 155-161B
Assessment of the Fe-Ti-C system, calculation of the Fe-Ti-N system, and prediction of the solubility limit of Ti(C,N) in liquid Fe. 371-384B
Thermodynamic assessment of liquid Fe-Mn-C system. 397-403B
Thermodynamics and phase equilibria in the Al-In-Sb system. 611-616A
Thermochemistry of ternary liquid Cu-Mg-Si alloys. 807-813B
High-temperature phase equilibria in the Al-rich corner of the Al-Ti-C system. 1341-1345A
F-type icosahedral phase and a related cubic phase in the Al-Rh-Cu system. 1559-1563A
Synthesis of nanocomposite thin films based on the Mo-Si-C ternary system and compositional tailoring through controlled ion bombardment. 1719-1725A
On the observation of a new ternary MgSiCa phase in Mg-Si alloys. 1759-1763A
Atomic arrangement and the formation of partially coherent interfaces in the Ti-V-N system. 2049-2058A
Discussion of "Uwakweh and Liu's Reply" and Authors' Reply. 2643-2645A
- Texture, Deformation effects**
Torsion textures produced by dynamic recrystallization in α -iron and two interstitial-free steels. 447-462A
Microtexture evolution during annealing and superplastic deformation of Al-5% Ca-5% Zn. 485-492A
Evolution of texture and microstructure in a thermomechanically processed Al-Li-Cu-Mg alloy. 665-675A
Heterogeneous microstructures and microtextures in cube-oriented Al crystals after channel die compression. 2333-2344A
- Texture, Heating effects**
Investigation of the annealing texture evolution in hafnium. 757-764A
- Thermal barriers, Mechanical properties**
Effects of sulfur impurity on the scale adhesion behavior of a desulfurized Ni-based superalloy aluminized by chemical vapor deposition. 833-841A
- Thermal conductivity**
Modeling the heat flow to an operating Siros melt lance. 485-492B
- Thermal cycling**
Effect of thermal cycling on the R-phase and martensitic transformations in a Ti-rich NiTi alloy. 1175-1180A
- Thermal cycling, Composite materials**
Transformation superplasticity of iron and Fe/TiC metal matrix composites. 565-575A
- Thermal expansion, Microstructural effects**
Physical constants, deformation twinning, and microcracking of titanium aluminides. 49-63A
- Thermal fatigue**
Thermomechanical fatigue behavior of the high-temperature titanium alloy IMI 834. 2995-3004A
- Thermal shock**
Failure of SiC particulate-reinforced metal matrix composites induced by laser thermal shock. 685-692A
- Thermal stability**
Evolution and thermal stability of Ni₃V and Ni₂V phases in a Ni-29 at.% V alloy. 1883-1894A
- Thermal stability, Deformation effects**
Processing-property-microstructure relationships in TiAl-based alloys. 919-925A
- Thermal stability, Processing effects**
Grain growth of nanocrystalline cryomilled Fe-Al powders. 2469-2475A
- Thermal stresses, Temperature effects**
Dependence of thermal residual stress on temperature in a SiC particulate-reinforced 6061 Al alloy. 2001-2009A
- Thermodynamics**
Thermodynamics of chromium oxides in CaO-SiO₂-CaF₂ slag. 131-136B
Thermodynamic properties of the Fe-Cr-P liquid solution. 155-161B
Thermodynamics of the Fe-Nb-C-N system and the solubility of niobium carbonitrides in austenite. 163-176B
Thermodynamic estimation on the reduction behavior of iron-chromium ore with carbon. 351-360B
- Assessment of the Fe-Ti system. 361-370B
Assessment of the Fe-Ti-C system, calculation of the Fe-Ti-N system, and prediction of the solubility limit of Ti(C,N) in liquid Fe. 371-384B
Thermodynamic assessment of liquid Fe-Mn-C system. 397-403B
Equilibrium of calcium vapor with liquid iron and the interaction of third elements. 415-420B
Henrian activity coefficient of Pb in Cu-Fe mattes and white metal. 429-436B
Mechanically activated reduction of nickel oxide with graphite. 449-455B
Synthesis of ultrafine particles of intermetallic compounds by the vapor-phase magnesium reduction of chloride mixtures. I. Titanium aluminides. 457-464B
Synthesis of ultrafine particles of intermetallic compounds by the vapor-phase magnesium reduction of chloride mixtures. II. Nickel aluminides. 465-469B
Experimental study of phase equilibria in the systems PbO_x-CaO and PbO_x-CaO-SiO₂. 541-553B
Tellurium distribution in copper anode slimes smelting. 555-562B
A thermodynamic study of Ru-Sn binary alloys. 577-581B
Thermodynamic modeling of liquid Fe-Ni-Cu-Co-S mattes. 591-601B
Thermodynamics and phase equilibria in the Al-In-Sb system. 611-616A
Thermochemistry of ternary liquid Cu-Mg-Si alloys. 807-813B
Thermodynamics of yttrium and oxygen in molten Ti, Ti₃Al, and TiAl. 1037-1042B
Thermodynamic model for MnO-containing slags and gas-slag-metal equilibrium in ferromanganese smelting. 1181-1191B
Carbochlorination kinetics of titanium dioxide with carbon and carbon monoxide as reductant. 1297-1307B
A strain energy-based approach to the low-cycle fatigue damage mechanism in a high-strength spring steel. 1431-1439A
Calculation of α/γ equilibria in SA508 grade 3 steels for intercritical heat treatment. 1441-1447A
Discussion of "Retrograde solubility in semiconductors" and author's reply. 1525-1527A
Effect of interfacial kinetic barriers on interface motion in binary diffusion couples. 2021-2032A
Clusters in carbon martensite: thermodynamics and kinetics. 2903-2912A
- Thermoelectric properties, Composition effects**
Thermomechanical behavior of TiNi shape memory alloy fiber reinforced 6061 aluminum matrix composite. 1127-1135A
- Thermomechanical treatment**
Evolution of texture and microstructure in a thermomechanically processed Al-Li-Cu-Mg alloy. 665-675A
Processing-property-microstructure relationships in TiAl-based alloys. 919-925A
Ductilization of a powder metallurgy Al-17 wt.% Cu by means of channel-die compression and extrusion. 2613-2620A
- Thickness**
Effects of thickness and precracking on the fracture toughness of particle-reinforced Al-alloy composites. 1237-1243A
- Thin films, Electrical properties**
Microstructure and properties of Cu-C pseudoalloy films prepared by sputter deposition. 647-658A
- Tin, Binary systems**
A thermodynamic study of Ru-Sn binary alloys. 577-581B
- Tin, Diffusion**
A diffusion-kinetic model for predicting solder/conductor interactions in high density interconnections. 2951-2956A
- Tin, Melting**
A mathematical model for the dynamic behavior of metals subjected to electromagnetic forces. I. Model development and comparison of predictions with published experimental results. 919-928B
- Tin base alloys, Crystal growth**
Numerical simulation of macrosegregation: a comparison between finite volume method and finite element method predictions and a confrontation with experiments. 617-630A
A free dendritic growth model accommodating curved phase boundaries and high Peclet number conditions. 3047-3056A
- Tin base alloys, Powder technology**
Modeling of porosity during spray forming: I. Effects of processing parameters. 1085-1096B
Modeling of porosity during spray forming: II. Effects of atomization gas chemistry and alloy compositions. 1097-1106B
- Tin base alloys, Thermal properties**
Determination of the melting and solidification characteristics of solders using differential scanning calorimetry. 1965-1972A
- Titanates, Coatings**
Perovskite phase lead zirconate titanate thin film deposition on Pt/SiO₂/Si substrate at low temperature. 907-909A
- Titanium, Alloying additive**
Ternary alloying study of MoSi₂. 119-129A
- Titanium, Alloying elements**
Ir-base refractory superalloys for ultra-high temperatures. 537-549A

- An investigation of the fracture and fatigue crack growth behavior of forged damage-tolerant niobium aluminide intermetallics. 2361-2374A
- Titanium, Binary systems**
Assessment of the Fe-Ti system. 361-370B
Computer simulation and experimental investigation of the spinodal decomposition in the β Ti-Cr binary alloy system. 739-749A
- Titanium, Brazing**
A novel approach for predicting the tensile strength of brazed joints. 587-592A
- Titanium, Coating**
Electrochemical characterization of copper deposited on plasma and thermally modified titanium surfaces. 749-754B
- Titanium, Coatings**
Titanium preconditioning of Al_2O_3 for liquid-state processing of Al- Al_2O_3 composite materials. 327-337A
- Titanium, Extraction**
Electrochemical determination of Gibbs energy of formation of $NiTiO_3$ (ilmenite). 31-38B
Titanium powder production by $TiCl_4$ gas injection into magnesium through molten salts. 1167-1174B
Carbochlorination kinetics of titanium dioxide with carbon and carbon monoxide as reductant. 1297-1307B
- Titanium, Mechanical properties**
Cyclic deformation behavior of high-purity titanium single crystals. I. Orientation dependence of stress-strain response. 507-512A
Grain boundary cracking. 509-518B
Cyclic deformation behavior of high-purity titanium single crystals. II. Microstructure and mechanism. 513-518A
Damage process in commercially pure α -titanium alloy without (Ti40) and with (Ti40-H) hydrides. 1615-1628A
- Titanium, Microstructure**
On the relation between the number-weighted and volume-weighted grain volume distribution parameters. 3081-3086A
- Titanium, Quaternary systems**
Assessment of the Fe-Ti-C system, calculation of the Fe-Ti-N system, and prediction of the solubility limit of Ti(C,N) in liquid Fe. 371-384B
- Titanium, Solubility**
Thermodynamics of yttrium and oxygen in molten Ti, Ti_3Al , and TiAl. 1037-1042B
- Titanium, Ternary systems**
High-temperature phase equilibria in the Al-rich corner of the Al-Ti-C system. 1341-1345A
Atomic arrangement and the formation of partially coherent interfaces in the Ti-V-N system. 2049-2058A
- Titanium, Welding**
Spatially resolved x-ray diffraction phase mapping and $\alpha \rightarrow \beta \rightarrow \alpha$ transformation kinetics in the heat-affected zone of commercially pure titanium arc welds. 2761-2773A
- Titanium base alloys, Composite materials**
Microstructural characterization of the matrix in the SiC fiber-reinforced Ti-15-3 composite. 693-696A
Thermomechanical behavior of TiNi shape memory alloy fiber reinforced 6061 aluminum matrix composite. 1127-1135A
Experimental approaches to simulating interfacial reactions in metal matrix composites. 1347-1355A
Microstructure and mechanical behavior of reaction hot-pressed titanium silicide and titanium silicide-based alloys and composites. 1629-1641A
Elevated-temperature oxidation behavior of titanium silicide and titanium silicide-based alloy and composite. 1665-1675A
Dry sliding wear of a $Ti_{50}Ni_{25}Cu_{25}$ particulate-reinforced aluminum matrix composite. 1741-1747A
Interface-controlled fatigue cracking of SCS-6/Ti-22Al-23Nb "orthorhombic" titanium aluminide composite. 2737-2746A
- Titanium base alloys, Crystal growth**
Growth of semicoherent TiFe nanoparticles in β -Ti matrix in the $Ti_{73}Fe_{27}$ rapidly quenched ribbon. 131-137A
- Titanium base alloys, Heat treatment**
Bulk titanium-rich alloys containing nanoscale disordered regions. 1821-1824A
- Titanium base alloys, Mechanical properties**
Supertransus processing of TiAl-based alloys. 27-36A
The role of grain size and selected microstructural parameters in strengthening fully lamellar TiAl alloys. 37-47A
Physical constants, deformation twinning, and microcracking of titanium aluminides. 49-63A
Tension and compression testing of single-crystalline gamma Ti-55.5% Al. 65-71A
Fundamental aspects of fatigue and fracture in a TiAl sheet alloy. 73-87A
- Quantitative analysis on boundary sliding and its accommodation mode during superplastic deformation of two-phase Ti-6Al-4V alloy. 217-226A
Effect of phase morphology on fatigue crack growth behavior of α - β -titanium alloy—a crack closure rationale. 245-261A
Tensile properties and fracture toughness of a Ti-45Al-1.6Mn alloy at loading velocities of up to 12 m/s. 263-277A
Hydrogen uptake in titanium aluminides covered with oxide layers. 307-314A
Microstructure and creep behavior of an orthorhombic Ti-25Al-17Nb-1Mo alloy. 559-564A
Relationship between fracture toughness and crack extension resistance curves (R curves) for Ti-6Al-4V alloys. 781-789A
Coherency stresses in lamellar TiAl. 937-942A
Atomistic simulation of fracture in TiAl. 951-955A
Finite element analysis of cavitating facet interaction in a fully lamellar titanium aluminide alloy under creep conditions. 957-964A
Microstructural development and creep deformation in equiaxed γ , $\gamma+\alpha_2$, and $\gamma+\alpha_2+B_2$ titanium aluminides. 965-978A
High-temperature deformation behavior of the intermetallic Ti-47 at.% Al-3 at.% Cr alloy. 1425-1430A
The effect of density anisotropy on the yielding and flow behavior of partially consolidated powder compacts. 1471-1475A
Microstructural evaluation of Ti-6-22-22 alloy. 1585-1592A
The Knoop-hardness yield locus of an orthorhombic titanium aluminide alloy. 1763-1765A
Intergranular fracture of gamma titanium aluminides under hot working conditions. 1991-1999A
Effect of B on the microstructure and mechanical properties of mechanically milled TiAl alloys. 2273-2283A
Thermomechanical fatigue behavior of the high-temperature titanium alloy IMI 834. 2995-3004A
- Titanium base alloys, Metal working**
An x-ray Fourier line shape analysis in cold-worked hexagonal titanium base alloys. 2639-2642A
- Titanium base alloys, Microstructure**
Changes in microstructure during primary creep of a Ti-47Al-2Nb-1Mn-0.5W-0.5Mo-0.2Si alloy. 89-98A
Microstructural evolution during creep of single-phase gamma TiAl. 99-104A
Development of ultrafine lamellar structures in two-phase γ -TiAl alloys. 105-117A
Processing-property-microstructure relationships in TiAl-based alloys. 919-925A
Nanometer-scale, fully lamellar microstructure in an aged TiAl-based alloy. 2679-2685A
- Titanium base alloys, Oxidation**
Oxidation protection of Ti-aluminide orthorhombic alloys: an engineered multilayer approach. 1279-1288A
- Titanium base alloys, Phase transformations**
Phase transformation behavior of gamma titanium aluminide alloys during supertransus heat treatment. 7-18A
Microstructure evolution through the $\alpha \rightarrow \gamma$ phase transformation in a Ti-48 at.% Al alloy. 19-26A
Phase transformations in Ti-6.8Mo-4.5Fe-1.5Al. 2455-2467A
- Titanium base alloys, Phases (state of matter)**
Computer simulation and experimental investigation of the spinodal decomposition in the β Ti-Cr binary alloy system. 739-749A
- Titanium base alloys, Powder technology**
Liquid flow on a rotating disk prior to centrifugal atomization and spray deposition. 1357-1369B
- Titanium base alloys, Solubility**
Thermodynamics of yttrium and oxygen in molten Ti, Ti_3Al , and TiAl. 1037-1042B
- Titanium base alloys, Synthesis**
Synthesis of ultrafine particles of intermetallic compounds by the vapor-phase magnesium reduction of chloride mixtures. I. Titanium aluminides. 457-464B
- Titanium base alloys, Welding**
Autogenous gas tungsten arc weldability of cast alloy Ti-48Al-2Cr-2Nb (at.%) versus extruded alloy Ti-46Al-2Cr-2Nb-0.9Mo (at.%). 927-935A
- Titanium carbide, Composite materials**
Transformation superplasticity of iron and Fe/TiC metal matrix composites. 565-575A
Al-TiC composites in situ-processed by ingot metallurgy and rapid solidification technology. I. Microstructural evolution. 875-891A
Al-TiC composites in situ-processed by ingot metallurgy and rapid solidification technology. II. Mechanical behavior. 893-902A
Formation of TiN/TiC-Fe composites from ilmenite ($FeTiO_3$) concentrate. 1077-1083B
A study on carbothermic reduction of ilmenite ore in a plasma reactor. 1175-1180B
High-temperature phase equilibria in the Al-rich corner of the Al-Ti-C system. 1341-1345A

- Microstructure and mechanical behavior of reaction hot-pressed titanium silicide and titanium silicide-based alloys and composites. 1629-1641A
- Elevated-temperature oxidation behavior of titanium silicide and titanium silicide-based alloy and composite. 1665-1675A
- Titanium compounds, Coatings**
- A porous titanium diboride composite cathode coating for Hall-Héroult cells. I. Thin coatings. 59-67B
- Titanium preconditioning of Al_2O_3 for liquid-state processing of Al- Al_2O_3 composite materials. 327-337A
- Titanium compounds, Composite materials**
- Combustion characteristics of the $Ni_3Ti-TiB_2$ intermetallic matrix composites. 867-875B
- The effect of gravity on the combustion synthesis of metal-ceramic composites. 889-897B
- Thermomechanical behavior of TiNi shape memory alloy fiber reinforced 6061 aluminum matrix composite. 1127-1135A
- Experimental approaches to simulating interfacial reactions in metal matrix composites. 1347-1355A
- Microstructure and mechanical behavior of reaction hot-pressed titanium silicide and titanium silicide-based alloys and composites. 1629-1641A
- Elevated-temperature oxidation behavior of titanium silicide and titanium silicide-based alloy and composite. 1665-1675A
- Titanium compounds, Crystal growth**
- Phase transformation behavior of gamma titanium aluminide alloys during supertransus heat treatment. 7-18A
- Microstructure evolution through the $\alpha \rightarrow \gamma$ phase transformation in a Ti-48 at.% Al alloy. 19-26A
- Growth of semicoherent TiFe nanoparticles in β -Ti matrix in the $Ti_{73}Fe_{27}$ rapidly quenched ribbon. 131-137A
- Titanium compounds, Mechanical properties**
- Supertransus processing of TiAl-based alloys. 27-36A
- The role of grain size and selected microstructural parameters in strengthening fully lamellar TiAl alloys. 37-47A
- Physical constants, deformation twinning, and microcracking of titanium aluminides. 49-63A
- Tension and compression testing of single-crystalline gamma Ti-55.5% Al. 65-71A
- Fundamental aspects of fatigue and fracture in a TiAl sheet alloy. 73-87A
- Tensile properties and fracture toughness of a Ti-45Al-1.6Mn alloy at loading velocities of up to 12 m/s. 263-277A
- Hydrogen uptake in titanium aluminides covered with oxide layers. 307-314A
- Coherency stresses in lamellar Ti-Al. 937-942A
- Effect of deformation temperature on fatigue and fracture behavior in TiAl polysynthetically twinned crystals. 943-950A
- Effect of deformation temperature on fatigue and fracture behavior in TiAl polysynthetically twinned crystals. 943-950A
- Atomistic simulation of fracture in TiAl. 951-955A
- Finite element analysis of cavitating facet interaction in a fully lamellar titanium aluminide alloy under creep conditions. 957-964A
- Microstructural development and creep deformation in equiaxed γ , $\gamma+\alpha_2$, and $\gamma+\alpha_2+B2$ titanium aluminides. 965-978A
- High-temperature deformation behavior of the intermetallic Ti-47 at.% Al-3 at.% Cr alloy. 1425-1430A
- The Knoop-hardness yield locus of an orthorhombic titanium aluminide alloy. 1763-1765A
- Intergranular fracture of gamma titanium aluminides under hot working conditions. 1991-1999A
- Effect of B on the microstructure and mechanical properties of mechanically milled TiAl alloys. 2273-2283A
- Titanium compounds, Microstructure**
- Changes in microstructure during primary creep of a Ti-47Al-2Nb-1Mn-0.5W-0.5Mo-0.2Si alloy. 89-98A
- Microstructural evolution during creep of single-phase gamma TiAl. 99-104A
- Development of ultrafine lamellar structures in two-phase γ -TiAl alloys. 105-117A
- Processing-property-microstructure relationships in TiAl-based alloys. 919-925A
- Nanometer-scale, fully lamellar microstructure in an aged TiAl-based alloy. 2679-2685A
- Titanium compounds, Oxidation**
- Oxidation protection of Ti-aluminide orthorhombic alloys: an engineered multilayer approach. 1279-1288A
- Titanium compounds, Phase transformations**
- Effect of thermal cycling on the R-phase and martensitic transformations in a Ti-rich NiTi alloy. 1175-1180A
- Titanium compounds, Reactions (chemical)**
- Effect of oxidation treatment and surface filming on hydrogen degassing from TiH_2 . 1315-1319B
- Titanium compounds, Solubility**
- Thermodynamics of yttrium and oxygen in molten Ti, Ti_3Al , and TiAl. 1037-1042B
- Titanium compounds, Synthesis**
- Synthesis of ultrafine particles of intermetallic compounds by the vapor-phase magnesium reduction of chloride mixtures. I. Titanium aluminides. 457-464B
- Titanium compounds, Welding**
- Autogenous gas tungsten arc weldability of cast alloy Ti-48Al-2Cr-2Nb (at.%) versus entrained alloy Ti-46Al-2Cr-2Nb-0.9Mo (at.%). 927-935A
- Titanium diboride, Composite materials**
- The mechanism of formation of TiB_2 particulates prepared by in situ reaction in molten aluminum. 635-640B
- Combustion characteristics of the $Ni_3Ti-TiB_2$ intermetallic matrix composites. 867-875B
- The effect of gravity on the combustion synthesis of metal-ceramic composites. 889-897B
- Titanium dioxide, Coatings**
- Electrochemical characterization of copper deposited on plasma and thermally modified titanium surfaces. 749-754B
- Titanium nitride, Composite materials**
- Formation of TiN/TiC-Fe composites from ilmenite ($FeTiO_3$) concentrate. 1077-1083B
- Tool life, Microstructural effects**
- Cutting performance and microstructure of high speed steels: contributions of matrix strengthening and undissolved carbides. 205-216A
- Tool steels, Coating**
- On optimization of the powder plasma arc surfacing process. 929-931B
- Torsion**
- Torsion textures produced by dynamic recrystallization in α -iron and two interstitial-free steels. 447-462A
- Microstructures and properties of nanocomposites obtained through SPTS consolidation of powders. 2253-2260A
- Torsion, Temperature effects**
- Effect of test temperature on the dynamic torsional deformation behavior of two aluminum-lithium alloys. 469-476A
- Toughness, Composition effects**
- An investigation of toughening in NiAl composites reinforced with yttria-partially stabilized zirconia particles. 493-505A
- Transgranular fracture, Low temperature effects**
- A study on fractography in the low-temperature brittle fracture of an 18Cr-18Mn-0.7N austenitic steel. 791-798A
- Transition joints, Crystal growth**
- Isothermal solidification kinetics of diffusion brazing. 315-325A
- Transition joints, Diffusion**
- A diffusion-kinetic model for predicting solder/conductor interactions in high density interconnections. 2951-2956A
- Transition joints, Mechanical properties**
- A study of the structure of dissimilar submerged arc welds. 823-832A
- TRIP steels, Mechanical properties**
- Enhancement of the mechanical properties of a low-carbon, low-silicon steel by formation of a multiphased microstructure containing retained austenite. 2383-2393A
- TTT curves**
- Transitions in carbide morphology in a ternary Fe-C-W steel. 2087-2100A
- Grain growth and carbide precipitation in superalloy, UDIMET 520. 2687-2695A
- Tubes, Mechanical properties**
- Behavior and rupture of hydridized Zircaloy-4 tubes and sheets. 1643-1651A
- Tungstates, Reduction (chemical)**
- Communication: Reduction of $FeWO_4$ - $NiWO_4$ solid solutions by hydrogen gas. 1136-1139B
- Tungsten, Diffusion**
- Interfacial reaction-controlled reprecipitation of W atoms in liquid matrix phase during the sintering of W-8 wt.% Mo-7 % Ni-3% Fe. 2885-2892A
- Molybdenum-tungsten interdiffusion and the influence on potassium bubbles in tungsten lamp wire. 2933-2939A
- Tungsten, Mechanical properties**
- Grain-shape parameters for high-temperature creep resistance in powder metallurgy tungsten fine wires. 519-526A
- Tungsten, Powder technology**
- An examination of the interparticle contact area during sintering of W-0.3 wt.% Co. 1309-1317A
- Tungsten base alloys, Mechanical properties**
- Effect of tungsten particle shape on dynamic deformation and fracture behavior of tungsten heavy alloys. 1057-1069A
- Tungsten base alloys, Phase transformations**
- Interfacial reaction-controlled reprecipitation of W atoms in liquid matrix phase during the sintering of W-8 wt.% Mo-7 % Ni-3% Fe. 2885-2892A

Tungsten base alloys, Powder technology

- Finite element modeling of distortion during liquid phase sintering. 659-664A
- Microstructural effects on distortion and solid-liquid segregation during liquid phase sintering under microgravity conditions. 857-866B
- An examination of the interparticle contact area during sintering of W-0.3 wt.% Co. 1309-1317A
- The effect of tungsten particle size on the processing and properties of infiltrated W-Cu compacts. 1509-1516A
- Shape distortion in liquid-phase-sintered tungsten heavy alloys. 2631-2638A

Tungsten steels, Phase transformations

- Transitions in carbide morphology in a ternary Fe-C-W steel. 2087-2100A

Tungsten steels, Phases (state of matter)

- Microstructural characterization of 5 to 9% Cr-2% W-V-Ta martensitic steels. 1551-1558A

Turbine blades, Mechanical properties

- Parametric analysis of monocrystalline CMSX-4 creep and rupture data. 2645-2647A

Turbine disks, Microstructure

- Grain boundary segregation of boron in Inconel 718. 1947-1954A

Turbulence

- Modeling mean flow and turbulence characteristics in gas-agitated bath with top layer. 211-222B

Turbulent flow

- Modeling mean flow and turbulence characteristics in gas-agitated bath with top layer. 211-222B
- Numerical investigation of the free surface in a continuous steel casting mold model. 1117-1126B

Twinning

- Tensile properties and fracture toughness of a Ti-45Al-1.6Mn alloy at loading velocities of up to 12 m/s. 263-277A
- Microstructural development and creep deformation in equiaxed γ , γ_2 , and γ_2 +B2 titanium aluminides. 965-978A

Twinning, Alloying effects

- Microstructure and properties of Cu-C pseudoalloy films prepared by sputter deposition. 647-658A

Twinning, Deformation effects

- Physical constants, deformation twinning, and microcracking of titanium aluminides. 49-63A

Ultrasonic testing

- Noncontact ultrasonic spectroscopy on deforming polycrystalline copper: dislocation damping and acoustoelasticity. 2987-2993A

Vacuum degassing

- Deoxidation of molten copper with a rotating graphite cylinder. 739-747B

Vanadium, Alloying additive

- Ternary alloying study of MoSi₂. 119-129A

Vanadium, Alloying elements

- Ir-base refractory superalloys for ultra-high temperatures. 537-549A

Vanadium, Ternary systems

- Atomic arrangement and the formation of partially coherent interfaces in the Ti-V-N system. 2049-2058A

Vapors, Solubility

- Equilibrium of calcium vapor with liquid iron and the interaction of third elements. 415-420B

Viscosity

- Review and modeling of viscosity of silicate melts. I. Viscosity of binary and ternary silicates containing CaO, MgO, and MnO. 177-186B
- Review and modeling of viscosity of silicate melts. II. Viscosity of melts containing iron oxide in the CaO-MgO-MnO-FeO-Fe₂O₃-SiO₂ system. 187-195B

Viscosity, Temperature effects

- Metastability and thermophysical properties of metallic bulk glass forming alloys. 1829-1835A
- Thermodynamic and kinetic properties of amorphous and liquid states. 1837-1843A

Voids, Deformation effects

- Assessment of void growth models from porosity measurements in cold-drawn copper bars. 1895-1909A

Voids, Processing effects

- Transmission electron microscope specimen preparation of Zn powders using the focused ion beam lift-out technique. 2399-2406A

Volume fraction

- Effect of SiC volume fraction and particle size on the fatigue resistance of a 2080 Al/SiC_p composite. 2843-2854A

Warm working

- New grain formation during warm deformation of ferritic stainless steel. 161-167A

- Strain-induced grain evolution in polycrystalline copper during warm deformation. 2957-2965A

Water, Environment

- Gaseous hydrogen embrittlement of a hydrided zirconium alloy. 1047-1056A

Water, Reactions (chemical)

- Reactive phosphide inclusions in commercial ferrosilicon. 325-329B
- Steady-state studies of the reactions of H₂O-CO and CO₂-H₂ mixtures with liquid iron. 829-836B

Wear rate

- Sliding wear response of a zinc-based alloy compared to a copper-based alloy. 1245-1255A

Wear resistance, Composition effects

- Dry sliding wear of a Ti₅₀Ni₂₅Cu₂₅ particulate-reinforced aluminum matrix composite. 1741-1747A
- Sliding wear behavior of some Al-Si alloys: role of shape and size of Si particles and test conditions. 2747-2752A

Weibull modulus, Corrosion effects

- Effect of pitting corrosion in NaCl solutions on the statistics of fracture of beryllium. 2753-2760A

Weld metal, Phase transformations

- A combined solubility product/new PHACOMP approach for estimating temperatures of secondary solidification reactions in superalloy weld metals containing Nb and C. 1449-1456A

Weldability, Alloying effects

- Autogenous gas tungsten arc weldability of cast alloy Ti-48Al-2Cr-2Nb (at.%) versus extruded alloy Ti-46Al-2Cr-2Nb-0.9Mo (at.%). 927-935A

Weldability, Microstructural effects

- Improving the weldability and service performance of nickel- and iron-based superalloys by grain boundary engineering. 3069-3079A

Welded joints, Diffusion

- Carbon migration in 5Cr-0.5Mo/21Cr-12Ni dissimilar metal welds. 3037-3046A

Welded joints, Mechanical properties

- Brittle fracture initiation associated with the strain localization in a heat-affected zone of a low carbon steel. 551-558A

- Autogenous gas tungsten arc weldability of cast alloy Ti-48Al-2Cr-2Nb (at.%) versus extruded alloy Ti-46Al-2Cr-2Nb-0.9Mo (at.%). 927-935A

- Influence of residual stresses and loading frequencies on corrosion fatigue crack growth behavior of weldments. 1289-1298A
- Properties of friction-stir-welded 7075 T651 aluminum. 1955-1964A

- Charpy V-notch properties and microstructures of narrow gap ferritic welds of a quenched and tempered steel plate. 2775-2784A
- Improving the weldability and service performance of nickel- and iron-based superalloys by grain boundary engineering. 3069-3079A

Welded joints, Oxidation

- Role of microstructural degradation in the heat-affected zone of 2.25Cr-1Mo steel weldments on subscale features during steam oxidation and their role in weld failures. 577-586A

Welded joints, Phase transformations

- A combined solubility product/new PHACOMP approach for estimating temperatures of secondary solidification reactions in superalloy weld metals containing Nb and C. 1449-1456A
- Spatially resolved x-ray diffraction phase mapping and $\alpha \rightarrow \beta \rightarrow \alpha$ transformation kinetics in the heat-affected zone of commercially pure titanium arc welds. 2761-2773A

Weldments, Mechanical properties

- Brittle fracture initiation associated with the strain localization in a heat-affected zone of a low carbon steel. 551-558A

Weldments, Oxidation

- Role of microstructural degradation in the heat-affected zone of 2.25Cr-1Mo steel weldments on subscale features during steam oxidation and their role in weld failures. 577-586A

Wettability

- Wettability, surface tension, and reactivity of the molten manganese/zirconia-yttria ceramic system. 1121-1125A

Wetting, Coating effects

- Titanium preconditioning of Al₂O₃ for liquid-state processing of Al-Al₂O₃ composite materials. 327-337A

Whisker composites, Mechanical properties

- Effect of interfacial reaction on bending strength of Al₁₈B₄O₃₃ whisker-reinforced aluminum composites. 1517-1524A

White iron, Mechanical properties

- Controlled graphitization as a potential option for improving wear resistance of unalloyed white irons. 2147-2159A

Widmanstätten structure

- The effect of undercooling on the cellular precipitation reaction in Cu-3Ti. 2101-2110A

Widmanstätten structure, Heating effects

The effect of heat input on the microstructure and properties of nickel aluminum bronze laser clad with a consumable of composition Cu-9.0Al-4.6Ni-3.9Fe-1.2Mn.

1677-1690A

Wire, Mechanical properties

Grain-shape parameters for high-temperature creep resistance in powder metallurgy tungsten fine wires.

519-526A

Wire drawing

Kinetics of strain aging in drawn pearlitic steels.

1415-1423A

X ray diffraction

An x-ray Fourier line shape analysis in cold-worked hexagonal titanium base alloys.

2639-2642A

Yield strength

Quantitative analysis on boundary sliding and its accommodation mode during superplastic deformation of two-phase Ti-6Al-4V alloy.

217-226A

High-temperature deformation of commercial-purity aluminum.

2345-2359A

Yield strength, Composition effects

Thermomechanical behavior of TiNi shape memory alloy fiber reinforced 6061 aluminum matrix composite.

1127-1135A

Yield strength, Deformation effects

Tensile properties and fracture toughness of a Ti-45Al-1.6Mn alloy at loading velocities of up to 12 m/s.

263-277A

Kinetics of strain aging in drawn pearlitic steels.

1415-1423A

Strain-induced grain evolution in polycrystalline copper during warm deformation.

2957-2965A

Microstructural and mechanical behavior of a duplex stainless steel under hot working conditions.

2975-2986A

Yield strength, Heating effects

Optimization of the strength-fracture toughness relation in particulate-reinforced aluminum composites via control of the matrix microstructure.

2433-2446A

Yield strength, Microstructural effects

The role of grain size and selected microstructural parameters in strengthening fully lamellar TiAl alloys.

37-47A

Transformation during the isothermal deformation of low-carbon Nb-B steels.

1383-1394A

The effect of density anisotropy on the yielding and flow behavior of partially consolidated powder compacts.

1471-1475A

The relationship between microstructure and the J-R curve.

1917-1922A

Yield strength, Processing effects

Effect of B on the microstructure and mechanical properties of mechanically milled TiAl alloys.

2273-2283A

Yield strength, Temperature effects

Temperature-dependent void-sheet fracture in Al-Cu-Mg-Ag-Zr.

1599-1613A

Microstructure and mechanical behavior of reaction hot-pressed titanium silicide and titanium silicide-based alloys and composites.

1629-1641A

Yttrium, Alloying additive

Effect of Y, Sr, and Nd additions on the microstructure and microfracture mechanism of squeeze-cast AZ91-X magnesium alloys.

1221-1235A

Yttrium, Solubility

Thermodynamics of yttrium and oxygen in molten Ti, Ti₃Al, and TiAl.

1037-1042B

Zinc, Coatings

Solidification and spangle formation of hot-dip-galvanized zinc coatings.

631-646A

Zinc, Composite materials

Particle engulfment and pushing by solidifying interfaces. I. Ground experiments.

1691-1696A

Zinc, Powder technology

Transmission electron microscope specimen preparation of Zn powders using the focused ion beam lift-out technique.

2399-2406A

Zinc, Reactions (chemical)

The effect of iron oxide as an inhibition layer on iron-zinc reactions during hot-dip galvanizing.

479-484B

Zinc, Recovering

The acid-base behavior of zinc sulfate electrolytes: the temperature effect.

1157-1166B

Zinc, Ternary systems

Discussion of "Uwakweh and Liu's Reply" and Authors' Reply.

2643-2645A

Zinc base alloys, Mechanical properties

Sliding wear response of a zinc-based alloy compared to a copper-based alloy.

1245-1255A

Superplastic flow and cavitation in Zn-22% Al doped with Cu.

1653-1663A

Zinc base alloys, Microstructure

An observation on microstructure of a casting Zn-40 wt.% Al alloy.

2477-2481A

Zinc compounds, Phase transformations

Stress-induced martensitic phase transformations in polycrystalline CuZnAl shape memory alloys under different stress states.

765-773A

Zirconates, Coatings

Perovskite phase lead zirconate titanate thin film deposition on Pt/SiO₂/Si substrate at low temperature.

907-909A

Zirconium, Alloying additive

Microstructural studies of a Cu-Zn-Al shape-memory alloy with manganese and zirconium addition.

1865-1871A

Zirconium, Alloying elements

Ir-base refractory superalloys for ultra-high temperatures.

537-549A

Zirconium, Mechanical properties

Transformation superplasticity of zirconium.

2571-2582A

Zirconium base alloys, Claddings

Gaseous hydrogen embrittlement of a hydrided zirconium alloy.

1047-1056A

Zirconium base alloys, Mechanical properties

Behavior and rupture of hydrided Zircaloy-4 tubes and sheets. Test environments and mechanical properties of Zr-base bulk amorphous alloys.

1643-1651A

1811-1820A

Zirconium base alloys, Microstructure

Ab initio studies of the electronic structure and energetics of bulk amorphous metals.

1845-1851A

Zirconium base alloys, Phase transformations

A correlation method for determination of crystallization mechanism and activation energy of amorphous alloy.

149-151A

Zirconium base alloys, Surface properties

Surface tension measurements on liquid metals in microgravity.

1031-1035B

Zirconium base alloys, Thermal properties

Metastability and thermophysical properties of metallic bulk glass forming alloys.

1829-1835A

Zirconium compounds, Composite materials

An investigation of toughening in NiAl composites reinforced with yttria-partially stabilized zirconia particles.

493-505A

Zirconium dioxide, Composite materials

Particle engulfment and pushing by solidifying interfaces. I. Ground experiments.

1691-1696A

Particle engulfment and pushing by solidifying interfaces. II. Microgravity experiments and theoretical analysis.

1697-1706A

